R3850-1.9(1)
D

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS



UNITED STATES WESTERN REGION



1981

Length of Stay by Diagnosis, Western Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study expiains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis INDEX TO DISEASES

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
chronic nonsuppurative destructive 571.6
nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

with
calculus, stones in
bile duct (common) (hepatic) 574.4
gallbladder 574.1
choledocholithiasis 574.4
cholelithiasis 574.1
acute 575.0
with
calculus, stones in
bile duct (common) (hepatic) 574.3
gallbladder 574.0
choledocholithiasis 574.3
cholelithiasis 574.0
emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
gangrenous *(see also* Cholecystitis, acute) 575.0
paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
suppurative *(see also* cholecystitis, acute) 575.0
typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.4
acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

with cholecystitis (chronic) 574.1
acute 574.0
Cholemia *(see also* Jaundice) 782.4
familial 277.4
Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
antimonial 985.4
carrier (suspected) of V02.0
classical 001.0
contact V01.0
due to
Vibrio
cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
El Tor 001.1
El Tor 001.1
exposure to V01.0
vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
attic (primary) 385.31
diffuse 385.35
external ear (canal) 380.21
marginal (middle ear) 385.32
with involvement of mastoid cavity 385.33
secondary (with middle ear involvement) 385.33
mastoid cavity 385.30
middle ear 385.30
secondary 385.32
with involvement of mastoid cavity 385.33
postmastoidectomy cavity (recurrent) 383.32
primary 385.31
recurrent, postmastoidectomy cavity 383.32
secondary (middle ear) 385.32
with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

281 Hospitals, Western Region, January–December 1981

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192691	2.6	7	1	1	2	3	4	5	10
20-34	109883	3.0	13	<1	1	2	3	5	8	20
35-49	31822	4.6	27	1	1	3	5	10	14	27
50-64	26562	5.1	27	1	1	4	6	10	14	27
65+	27324	5.8	32	1	1	4	7	12	15	28
B. *Operated*										
0-19 YRS	69199	2.6	9	<1	<1	2	3	5	7	14
20-34	137853	3.1	9	<1	1	2	4	6	7	14
35-49	57929	4.0	16	<1	1	3	5	8	11	19
50-64	54611	4.7	22	<1	1	3	6	10	13	22
65+	52450	5.7	35	1	1	3	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106121	4.0	25	1	1	3	4	7	10	26
20-34	64187	5.0	38	1	1	3	5	10	17	31
35-49	55159	6.1	42	1	1	4	7	13	20	31
50-64	93219	6.6	43	1	2	5	8	13	19	32
65+	187042	7.9	53	2	2	6	10	16	21	37
B. *Operated*										
0-19 YRS	43072	5.1	70	<1	1	3	5	10	18	49
20-34	122417	4.9	35	1	1	4	6	8	12	32
35-49	74132	6.5	52	1	1	5	8	12	18	39
50-64	89572	8.2	82	1	2	6	10	17	24	51
65+	118096	10.8	117	2	2	8	14	23	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388282	3.3	15	1	1	2	3	6	9	20
B. *Operated*	372042	3.8	17	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	505728	6.3	44	1	1	4	8	13	19	33
B. *Operated*	447289	7.4	78	1	1	5	9	16	23	49
1. SINGLE DX	760324	3.5	16	<1	1	2	4	7	10	20
2. MULTIPLE DX	953017	6.8	60	1	1	4	8	14	21	41
A. NOT OPERATED	894010	5.0	34	1	1	3	6	11	15	29
B. OPERATED	819331	5.8	53	<1	1	3	7	12	18	38
TOTAL 0-19 YRS	411083	3.2	19	<1	1	2	4	5	8	21
20-34	434340	3.9	22	<1	1	3	4	7	10	25
35-49	219042	5.5	37	1	1	4	7	11	16	30
50-64	263964	6.6	52	1	1	4	8	14	19	37
65+	384912	8.4	72	1	2	6	11	17	24	44
GRAND TOTAL	1713341	5.4	43	1	1	3	6	11	17	33

281 Hospitals, Western Region, January–December 1981

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55522	3.1	19	<1	1	2	3	5	8	22
20-34	109883	3.0	13	<1	1	2	3	5	8	20
35-49	31822	4.6	27	1	1	3	5	10	14	27
50-64	26562	5.1	27	1	1	4	6	10	14	27
65+	27324	5.8	32	1	1	4	7	12	15	28
B. *Operated*										
0-19 YRS	69135	2.6	9	<1	<1	2	3	5	7	14
20-34	137853	3.1	9	<1	1	2	4	6	7	14
35-49	57929	4.0	16	<1	1	3	5	8	11	19
50-64	54611	4.7	22	<1	1	3	6	10	13	22
65+	52450	5.7	35	1	1	3	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46280	4.2	37	1	1	3	4	8	12	32
20-34	64187	5.0	38	1	1	3	5	10	17	31
35-49	55159	6.1	42	1	1	4	7	13	20	31
50-64	93219	6.6	43	1	2	5	8	13	19	32
65+	187042	7.9	53	2	2	6	10	16	21	37
B. *Operated*										
0-19 YRS	40617	4.5	47	<1	1	2	5	9	14	38
20-34	122417	4.9	35	1	1	4	6	8	12	32
35-49	74132	6.5	52	1	1	5	8	12	18	39
50-64	89572	8.2	83	1	2	6	10	17	24	51
65+	118096	10.8	117	2	2	8	14	23	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251113	3.8	21	<1	1	2	4	8	11	24
B. *Operated*	371978	3.8	17	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	445887	6.6	47	1	1	5	8	14	19	34
B. *Operated*	444834	7.4	76	1	1	5	9	16	23	48
1. SINGLE DX	623091	3.8	18	<1	1	2	4	8	11	21
2. MULTIPLE DX	890721	7.0	62	1	1	5	8	15	21	41
A. NOT OPERATED	697000	5.6	40	1	1	4	7	12	17	31
B. OPERATED	816812	5.7	52	<1	1	3	7	12	18	38
TOTAL 0-19 YRS	211554	3.5	26	<1	1	2	4	6	10	26
20-34	434340	3.9	22	<1	1	3	4	7	10	25
35-49	219042	5.5	37	1	1	4	7	11	16	30
50-64	263964	6.6	52	1	1	4	8	14	19	37
65+	384912	8.4	72	1	2	6	11	17	24	44
GRAND TOTAL	1513812	5.7	47	1	1	4	7	12	17	35

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1228	2.9	4	1	1	2	4	5	7	12
20-34	649	2.8	3	1	1	2	3	5	6	9
35-49	274	3.5	11	1	1	3	4	6	8	14
50-64	182	3.5	7	1	1	3	5	6	8	14
65+	154	4.0	10	1	1	3	5	7	10	17
B. *Operated*										
0-19 YRS	29	6.9	45	2	2	5	7	10	27	32
20-34	30	7.0	36	2	2	5	8	15	21	28
35-49	9	6.0	16	1	1	5	9	12	13	13
50-64	4	3.5		3	3	3	4	4	4	4
65+	6	5.8	7	4	4	5	6	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1468	3.5	7	1	1	3	4	6	8	14
20-34	613	3.3	6	1	1	3	4	6	8	11
35-49	374	4.0	8	1	1	3	5	7	10	15
50-64	453	4.5	25	1	2	4	5	8	11	18
65+	816	5.5	23	1	2	4	7	10	14	26
B. *Operated*										
0-19 YRS	44	8.0	59	2	2	5	10	16	27	39
20-34	48	6.9	48	2	3	6	8	11	14	48
35-49	21	8.2	20	2	3	8	12	15	16	16
50-64	35	10.6	238	2	3	8	10	17	22	95
65+	37	14.7	196	5	6	12	16	24	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2487	3.1	6	1	1	3	4	5	7	13
B. *Operated*	78	6.6	33	2	2	5	8	11	19	31
2. MULTIPLE DX										
A. *Not Operated*	3724	4.1	13	1	1	3	5	7	10	17
B. *Operated*	185	9.6	119	2	3	7	11	16	23	72
1. SINGLE DX	2565	3.2	7	1	1	3	4	6	7	14
2. MULTIPLE DX	3909	4.3	20	1	1	3	5	8	11	19
A. NOT OPERATED	6211	3.7	10	1	1	3	4	7	9	16
B. OPERATED	263	8.7	95	2	3	6	10	16	22	47
TOTAL 0-19 YRS	2769	3.3	8	1	1	3	4	6	8	14
20-34	1340	3.3	8	1	1	3	4	6	8	13
35-49	678	4.0	10	1	1	3	5	7	10	15
50-64	674	4.5	33	1	1	3	5	8	11	18
65+	1013	5.6	31	1	2	4	7	11	15	26
GRAND TOTAL	**6474**	**3.9**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	3	3	3	4	6	7	7	7
20-34	25	11.7	79	1	2	11	16	22	30	36
35-49	18	10.9	93	1	2	7	17	28	30	30
50-64	18	11.1	102	3	3	8	12	29	37	38
65+	15	10.0	48	2	2	8	14	20	25	27
B. *Operated*										
0-19 YRS	5	3.6	7	<1	<1	3	5	8	8	8
20-34	15	8.6	37	2	3	7	11	21	22	22
35-49	14	10.2	41	1	3	11	14	17	24	26
50-64	18	10.2	86	1	2	9	11	22	32	38
65+	15	10.9	108	2	4	8	11	24	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	10.7	105	2	2	5	18	27	28	28
20-34	20	11.1	39	3	3	10	15	16	23	30
35-49	30	13.6	116	1	3	12	17	30	35	42
50-64	50	17.8	358	2	3	12	26	48	64	99+
65+	67	11.3	92	3	3	9	14	26	30	53
B. *Operated*										
0-19 YRS	2	9.0	50	4	4	9	14	14	14	14
20-34	22	10.3	53	1	2	9	17	20	24	25
35-49	9	17.6	314	6	7	11	16	47	63	63
50-64	45	18.8	201	4	6	16	24	36	53	71
65+	36	23.6	457	3	4	19	37	62	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	10.3	75	2	2	7	15	22	29	37
B. *Operated*	67	9.5	65	2	2	7	11	21	24	43
2. MULTIPLE DX										
A. *Not Operated*	177	13.5	171	2	3	10	16	29	39	89
B. *Operated*	114	18.4	275	3	4	14	24	45	62	86
1. SINGLE DX	152	10.0	70	2	2	7	14	21	28	38
2. MULTIPLE DX	291	15.4	217	2	3	11	20	32	51	90
A. NOT OPERATED	262	12.5	142	2	3	9	16	28	33	64
B. OPERATED	181	15.1	215	2	3	10	19	34	51	77
TOTAL 0-19 YRS	26	7.0	52	1	2	4	7	18	27	28
20-34	82	10.6	54	2	2	9	16	21	24	34
35-49	71	12.7	120	1	3	11	16	27	32	59
50-64	131	16.2	240	2	3	11	23	37	52	99
65+	133	14.5	215	3	4	9	17	32	50	82
GRAND TOTAL	**443**	**13.5**	**173**	**2**	**3**	**10**	**17**	**29**	**42**	**74**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	2	[illegible]	85	11	11	17	24	24	24	24
35-49	3	6.3	33	3	3	3	11	13	13	13
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	3	13.7	134	3	3	12	22	26	26	26
B. *Operated*										
0-19 YRS	11	2.6	5	<1	<1	2	3	6	9	9
20-34	13	7.9	88	1	1	6	9	18	33	36
35-49	8	6.6	62	<1	<1	4	7	20	25	25
50-64	6	4.0	11	<1	<1	3	5	9	10	10
65+	5	10.8	97	3	3	4	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	12.6	216	<1	<1	3	25	34	34	34
20-34	6	11.8	34	6	6	10	12	22	23	23
35-49	7	10.7	26	5	5	8	16	18	18	18
50-64	8	18.3	226	5	6	11	30	42	44	44
65+	16	15.2	267	2	3	10	17	43	57	62
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	20	17.3	141	1	2	16	26	34	37	41
35-49	9	6.1	4	3	3	7	7	9	9	9
50-64	21	21.4	241	3	5	18	30	42	53	58
65+	12	19.9	168	3	9	15	33	56	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	10.7	76	3	3	8	17	25	26	26
B. *Operated*	43	6.1	55	<1	1	4	7	15	24	36
2. MULTIPLE DX										
A. *Not Operated*	42	14.2	172	2	3	10	17	35	45	62
B. *Operated*	63	17.4	178	2	3	14	27	38	46	94
1. SINGLE DX	55	7.1	62	<1	1	4	9	21	25	35
2. MULTIPLE DX	105	16.2	176	2	3	12	22	38	45	79
A. NOT OPERATED	54	13.4	151	3	3	10	17	27	43	61
B. OPERATED	106	12.8	158	1	1	8	19	34	39	76
TOTAL 0-19 YRS	18	6.8	87	<1	<1	3	9	22	29	34
20-34	41	13.5	118	1	2	11	19	33	35	41
35-49	27	7.5	30	1	2	7	8	16	19	25
50-64	38	16.6	227	2	3	10	27	38	47	58
65+	36	16.0	196	2	3	12	21	43	56	99+
GRAND TOTAL	**160**	**13.1**	**155**	**1**	**2**	**9**	**18**	**33**	**40**	**62**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.5	2	1	1	2	3	4	5	8
20-34	56	3.2	3	1	2	3	4	5	7	10
35-49	12	2.8	1	2	2	3	3	4	5	5
50-64	9	4.1	2	3	3	4	5	6	7	7
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	19	1.6		1	1	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	2.7	4	1	1	2	3	4	6	12
20-34	99	3.1	2	1	1	3	4	5	6	8
35-49	29	4.3	6	2	2	4	5	8	10	11
50-64	26	4.1	5	1	2	4	5	8	9	10
65+	19	6.0	11	2	2	5	8	10	13	14
B. *Operated*										
0-19 YRS	8	2.4	5	1	1	2	3	5	7	7
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49	2	10.0	72	4	4	10	16	16	16	16
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.8	2	1	1	2	3	5	6	8
B. *Operated*	21	1.5		<1	1	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	351	3.2	5	1	1	3	4	6	8	11
B. *Operated*	16	4.5	19	1	1	3	6	12	15	16
1. SINGLE DX	198	2.7	2	1	1	2	3	5	5	8
2. MULTIPLE DX	367	3.3	5	1	1	3	4	6	8	13
A. NOT OPERATED	528	3.1	4	1	1	3	4	5	7	10
B. OPERATED	37	2.8	10	1	1	2	3	6	11	16
TOTAL 0-19 YRS	303	2.5	3	1	1	2	3	4	5	8
20-34	161	3.1	3	1	1	3	4	5	7	8
35-49	43	4.2	8	2	2	3	5	8	10	16
50-64	36	4.1	4	2	2	4	5	7	8	10
65+	22	6.1	12	2	2	5	8	12	13	14
GRAND TOTAL	**565**	**3.1**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	4.6	12	1	2	3	6	10	11	18
20-34	16	6.3	46	1	1	4	7	13	24	29
35-49	10	6.9	7	3	3	7	9	10	11	11
50-64	15	7.4	18	2	4	7	9	13	17	18
65+	39	10.3	42	3	3	9	12	20	23	29
B. *Operated*										
0-19 YRS	7	10.1	33	2	3	10	11	19	21	21
20-34	2	16.5	221	6	6	16	27	27	27	27
35-49	3	8.3	9	5	5	9	10	11	11	11
50-64										
65+	2	26.0	128	18	18	26	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	6.9	31	2	2	5	8	14	20	28
20-34	78	9.9	91	2	3	7	11	19	39	45
35-49	55	8.3	53	1	3	7	10	14	22	45
50-64	206	10.8	48	3	4	9	14	19	24	37
65+	653	12.4	62	4	5	10	15	23	29	53
B. *Operated*										
0-19 YRS	40	13.7	146	2	4	10	15	31	41	59
20-34	14	20.6	132	8	9	18	26	35	45	48
35-49	26	19.0	323	3	6	17	24	31	97	99+
50-64	69	18.0	144	4	6	15	25	37	48	90
65+	144	23.5	344	6	8	17	32	57	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	5.9	23	1	2	4	8	12	15	25
B. *Operated*	14	12.9	81	3	5	10	18	28	33	34
2. MULTIPLE DX										
A. *Not Operated*	1190	10.9	71	3	4	9	13	20	27	45
B. *Operated*	293	20.3	268	5	6	15	26	48	59	99+
1. SINGLE DX	258	6.2	29	1	2	4	8	12	18	29
2. MULTIPLE DX	1483	12.7	124	3	4	10	15	25	34	67
A. NOT OPERATED	1434	10.0	66	2	3	8	12	19	25	43
B. OPERATED	307	20.0	261	5	6	15	26	48	59	99+
TOTAL 0-19 YRS	409	6.7	41	1	2	5	8	13	19	31
20-34	110	10.8	105	2	3	8	13	25	34	46
35-49	94	11.1	143	3	3	8	12	23	31	99
50-64	290	12.3	79	3	4	10	16	24	33	49
65+	838	14.3	143	4	5	11	17	27	37	74
GRAND TOTAL	1741	11.8	115	2	3	9	14	23	33	62

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	5.8	18	1	1	4	9	12	13	16
20-34	56	5.1	12	1	2	4	6	10	11	21
35-49	23	9.4	105	2	2	6	10	19	34	47
50-64	24	7.4	46	2	3	5	8	14	23	33
65+	20	8.6	52	2	2	8	13	20	22	24
B. *Operated*										
0-19 YRS	8	10.8	22	1	4	11	14	16	16	16
20-34	6	9.8	95	2	2	7	12	26	28	28
35-49	6	13.3	63	7	7	11	19	24	25	25
50-64	9	8.3	45	1	1	8	12	18	22	22
65+	8	7.4	29	1	1	8	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	7.1	24	1	2	6	11	13	15	24
20-34	50	6.3	19	1	2	5	9	11	16	22
35-49	48	7.2	31	2	2	6	8	13	19	30
50-64	68	9.9	37	3	3	9	12	20	22	31
65+	69	11.6	78	3	4	8	15	26	31	37
B. *Operated*										
0-19 YRS	12	8.7	50	1	1	8	12	19	23	24
20-34	21	17.3	199	3	5	14	22	42	46	47
35-49	16	17.1	98	2	3	17	24	29	34	36
50-64	18	13.5	100	2	3	10	25	30	69	99+
65+	30	15.8	171	2	6	12	23	26	28	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	6.3	30	1	2	5	8	12	16	27
B. *Operated*	37	9.7	45	1	1	10	12	18	24	28
2. MULTIPLE DX										
A. *Not Operated*	339	8.5	41	2	3	7	11	16	22	32
B. *Operated*	97	15.0	139	2	3	12	23	29	38	67
1. SINGLE DX	306	6.7	33	1	2	5	10	13	17	28
2. MULTIPLE DX	436	9.9	70	2	3	7	12	22	27	41
A. NOT OPERATED	608	7.5	37	1	2	6	10	14	20	31
B. OPERATED	134	13.6	118	2	2	11	19	28	35	76
TOTAL 0-19 YRS	270	6.6	22	1	2	5	10	12	15	23
20-34	133	7.7	64	1	2	5	9	15	22	45
35-49	93	9.8	73	2	3	7	13	23	28	42
50-64	119	9.8	51	2	3	8	13	22	27	53
65+	127	11.8	96	2	3	8	17	24	28	45
GRAND TOTAL	742	8.6	57	1	2	7	11	18	24	36

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	3.0	3	1	1	3	4	5	6	10
20-34	487	3.5	4	1	1	3	4	6	7	10
35-49	58	4.6	18	2	2	3	5	8	16	21
50-64	23	4.8	6	1	2	5	5	7	9	12
65+	4	3.3	6	2	2	2	5	7	7	7
B. *Operated*										
0-19 YRS	7	4.9	15	2	2	4	6	12	13	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	4.1	8	1	2	3	5	8	9	14
20-34	170	4.6	9	1	2	4	6	9	11	13
35-49	41	6.3	27	2	2	5	7	13	17	29
50-64	17	8.9	127	1	2	5	11	14	37	50
65+	16	16.1	318	2	3	12	18	29	62	75
B. *Operated*										
0-19 YRS	6	7.7	73	3	3	4	6	23	25	25
20-34	7	9.4	15	5	5	10	14	74	99+	99+
35-49	6	7.2	11	2	2	7	10	11	11	11
50-64	5	8.8	21	3	3	11	12	14	14	14
65+	3	9.0	31	3	3	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1103	3.4	5	1	1	3	4	6	7	11
B. *Operated*	9	4.8	13	2	2	4	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	437	5.1	31	1	2	4	6	9	13	26
B. *Operated*	27	8.4	26	3	3	7	12	15	32	99+
1. SINGLE DX	1112	3.4	5	1	1	3	4	6	7	12
2. MULTIPLE DX	464	5.3	31	1	2	4	6	10	13	28
A. NOT OPERATED	1540	3.9	13	1	2	3	4	7	9	15
B. OPERATED	36	7.5	25	2	2	6	11	14	21	99+
TOTAL 0-19 YRS	737	3.4	5	1	1	3	4	6	8	11
20-34	665	3.9	6	1	2	3	5	7	9	13
35-49	106	5.4	22	2	2	4	6	11	16	25
50-64	45	6.8	55	2	2	5	7	12	14	50
65+	23	12.9	247	2	2	10	14	26	46	76
GRAND TOTAL	1576	3.9	13	1	2	3	5	7	9	16

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.2	8	1	1	2	4	6	8	15
20-34	39	3.5	3	1	2	3	5	6	7	8
35-49	19	5.1	46	1	1	3	6	9	21	31
50-64	42	4.9	9	1	2	4	6	9	12	15
65+	110	6.6	44	1	2	5	9	12	14	42
B. *Operated*										
0-19 YRS	3	21.3	1064	2	2	31	79	99+	99+	99+
20-34	5	4.8	10	2	2	4	6	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	7.8	65	1	1	5	13	19	19	19
65+	13	7.5	51	1	1	7	11	16	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	3.5	7	1	1	3	4	7	8	16
20-34	76	5.2	10	1	2	5	7	9	13	15
35-49	30	6.3	16	2	2	5	8	12	14	16
50-64	139	7.3	39	2	2	5	9	14	19	30
65+	516	9.6	82	2	3	7	11	20	26	46
B. *Operated*										
0-19 YRS	14	18.0	384	1	2	10	21	44	69	76
20-34	14	8.9	67	1	3	8	11	14	30	35
35-49	8	16.1	416	2	3	7	20	52	63	63
50-64	15	14.4	386	2	2	7	19	67	91	99+
65+	44	14.4	130	3	4	10	21	26	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	4.6	23	1	1	3	6	9	12	23
B. *Operated*	26	8.4	144	1	1	4	10	25	68	99+
2. MULTIPLE DX										
A. *Not Operated*	1043	7.2	56	1	2	5	9	15	20	44
B. *Operated*	95	14.3	217	2	3	9	19	34	58	89
1. SINGLE DX	368	4.9	32	1	1	3	6	10	13	31
2. MULTIPLE DX	1138	7.8	73	1	2	5	9	16	23	46
A. NOT OPERATED	1385	6.6	49	1	2	5	8	13	19	39
B. OPERATED	121	13.0	206	1	2	8	15	31	60	99+
TOTAL 0-19 YRS	431	4.0	33	1	1	3	4	7	10	29
20-34	134	5.1	16	1	2	4	6	9	11	18
35-49	58	7.1	87	1	1	5	8	14	22	60
50-64	200	7.3	52	2	2	5	9	14	19	59
65+	683	9.4	81	2	3	7	11	20	26	46
GRAND TOTAL	1506	7.1	65	1	2	5	8	14	21	46

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	4.9	11	1	2	4	7	8	9	19
20-34	267	5.5	12	2	2	5	7	10	11	20
35-49	88	7.2	16	2	3	7	10	12	14	22
50-64	38	5.8	14	2	2	5	7	12	15	16
65+	22	5.7	14	1	2	5	8	10	14	18
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	17	3.3	8	<1	1	3	4	8	9	10
35-49	9	3.4	8	1	1	3	4	8	10	10
50-64	4	8.0	22	2	2	8	11	13	13	13
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.6	43	1	2	4	6	8	10	46
20-34	172	6.8	25	2	2	6	8	13	17	27
35-49	80	6.9	18	2	3	6	9	13	16	20
50-64	64	7.8	31	1	2	7	10	14	18	27
65+	63	10.6	68	3	4	8	14	19	26	44
B. *Operated*										
0-19 YRS	4	24.3	467	4	4	21	42	50	50	50
20-34	15	7.7	38	1	1	8	13	16	18	19
35-49	17	7.3	26	1	1	7	10	16	18	18
50-64	19	8.7	89	1	1	8	11	14	30	43
65+	18	16.1	214	2	3	11	24	37	47	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	5.7	13	2	2	5	7	10	12	19
B. *Operated*	33	4.1	11	1	1	3	7	10	10	13
2. MULTIPLE DX										
A. *Not Operated*	425	7.4	35	2	2	6	9	14	18	31
B. *Operated*	73	10.9	128	1	1	8	13	25	37	53
1. SINGLE DX	551	5.6	13	1	2	5	7	10	12	19
2. MULTIPLE DX	498	7.9	50	1	2	6	10	15	20	42
A. NOT OPERATED	943	6.5	24	2	2	5	8	12	15	28
B. OPERATED	106	8.7	101	1	1	6	11	18	34	52
TOTAL 0-19 YRS	154	5.6	29	1	2	4	7	9	10	46
20-34	471	6.0	18	1	2	5	7	11	13	21
35-49	194	6.9	18	2	3	6	9	12	15	20
50-64	125	7.4	36	1	2	6	10	13	16	32
65+	105	10.4	90	2	3	8	13	22	31	49
GRAND TOTAL	1049	6.7	32	1	2	5	8	12	16	29

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.6	4	1	2	3	4	6	8	10
20-34	73	3.7	5	1	2	3	5	7	9	10
35-49	4	4.0	13	1	1	3	6	9	9	9
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	2	8.0	98	1	1	8	15	15	15	15
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	3.7	5	1	2	3	5	7	8	11
20-34	86	4.7	11	1	1	4	6	10	12	15
35-49	13	5.8	24	2	3	4	6	10	19	21
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	2	10.0	32	6	6	10	14	14	14	14
B. *Operated*										
0-19 YRS	8	7.9	17	1	2	7	10	14	15	15
20-34	5	11.8	93	4	4	7	17	28	28	28
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	12.0	8	10	10	12	14	14	14	14
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	3.6	5	1	2	3	5	7	8	10
B. *Operated*	6	7.2	27	1	1	6	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	339	4.1	7	1	2	3	5	8	10	13
B. *Operated*	16	9.5	38	2	4	8	12	15	24	28
1. SINGLE DX	266	3.7	5	1	2	3	5	7	9	11
2. MULTIPLE DX	355	4.3	10	1	2	3	5	8	10	15
A. NOT OPERATED	599	3.9	6	1	2	3	5	7	9	12
B. OPERATED	22	8.9	35	1	2	8	11	15	20	28
TOTAL 0-19 YRS	428	3.8	5	1	2	3	5	7	8	11
20-34	166	4.5	13	1	1	4	6	9	11	16
35-49	18	5.4	19	1	2	4	6	8	16	21
50-64	6	7.5	24	2	2	7	11	14	14	14
65+	3	8.7	21	6	6	6	12	14	14	14
GRAND TOTAL	621	4.1	8	1	2	3	5	8	10	14

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	115	1.6	1	<1	<1	1	2	3	4	7
20-34	342	1.8	2	<1	<1	2	2	3	4	5
35-49	72	1.8	1	<1	<1	2	2	3	4	6
50-64	34	2.2	2	<1	1	2	3	4	5	8
65+	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	3.0	7	1	1	2	3	8	8	8
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	17	2.5	4	<1	<1	2	3	4	7	9
20-34	103	3.1	11	<1	1	2	4	6	8	19
35-49	40	3.6	8	<1	1	3	5	8	10	11
50-64	19	4.4	26	1	1	3	5	8	17	24
65+	4	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	568	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.6	5	1	1	2	3	7	8	8
B. *Operated*	183	3.2	11	<1	1	2	4	6	9	20
1. SINGLE DX	574	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	191	3.2	11	<1	1	2	4	7	9	19
A. NOT OPERATED	14	2.1	4	<1	1	2	3	4	7	8
B. OPERATED	751	2.2	4	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	134	1.7	2	<1	<1	1	2	3	4	8
20-34	454	2.1	4	<1	<1	2	2	4	5	10
35-49	114	2.4	4	<1	<1	2	3	5	7	11
50-64	54	3.0	12	1	1	2	3	5	8	23
65+	9	1.9	1	1	1	2	2	3	3	3
GRAND TOTAL	**765**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	639	2.6	3	1	1	2	3	4	5	9
20-34	241	3.3	10	1	1	3	4	6	7	13
35-49	114	3.9	8	1	1	3	5	8	11	13
50-64	77	4.3	10	1	1	3	6	9	12	15
65+	76	3.9	8	1	1	3	5	7	8	16
B. *Operated*										
0-19 YRS	33	3.1	4	<1	1	3	4	5	8	10
20-34	12	5.0	19	1	2	4	6	11	16	17
35-49	4	5.3	12	1	1	5	8	9	9	9
50-64	4	9.8	65	2	2	8	15	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	717	3.0	8	1	1	2	4	5	7	12
20-34	468	3.7	11	1	1	3	4	7	8	17
35-49	218	4.2	9	1	2	3	5	8	11	14
50-64	289	4.5	12	1	2	4	6	8	11	18
65+	431	6.2	40	2	2	5	7	11	16	37
B. *Operated*										
0-19 YRS	34	5.7	63	1	2	4	6	11	14	47
20-34	35	11.3	260	1	3	7	12	25	31	94
35-49	31	10.8	182	2	2	6	16	20	23	74
50-64	21	7.9	29	1	2	6	11	16	18	19
65+	33	11.6	96	2	4	8	15	25	36	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1147	3.1	6	1	1	2	4	6	7	12
B. *Operated*	53	4.2	14	<1	1	3	4	9	10	21
2. MULTIPLE DX										
A. *Not Operated*	2123	4.1	17	1	1	3	5	8	10	20
B. *Operated*	154	9.6	137	1	2	6	11	18	25	73
1. SINGLE DX	1200	3.1	6	1	1	3	4	6	7	13
2. MULTIPLE DX	2277	4.5	27	1	1	3	5	8	12	25
A. NOT OPERATED	3270	3.8	14	1	1	3	4	7	9	17
B. OPERATED	207	8.2	111	1	2	5	9	18	23	59
TOTAL 0-19 YRS	1423	2.9	7	1	1	2	4	5	6	11
20-34	756	4.0	25	1	1	3	4	7	10	25
35-49	367	4.7	26	1	1	3	6	9	12	19
50-64	391	4.7	14	1	2	4	6	9	12	20
65+	540	6.2	41	1	2	4	7	11	16	38
GRAND TOTAL	**3477**	**4.0**	**20**	**1**	**1**	**3**	**5**	**7**	**10**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.9	11	1	1	3	4	7	12	15
20-34	22	3.0	2	1	1	3	4	5	6	7
35-49	16	4.6	8	2	2	4	6	9	10	11
50-64	9	5.0	9	2	2	3	7	10	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	20	4.0	4	1	2	4	5	7	8	8
35-49	10	6.6	11	1	2	7	8	11	13	13
50-64	10	7.5	7	3	3	8	9	11	12	12
65+	5	3.2	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	2	14.5	25	11	11	14	18	18	18	18
65+	2	8.0	2	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.9	7	1	2	3	5	8	9	14
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	50	5.0	8	1	2	4	7	9	9	13
B. *Operated*	6	10.5	19	6	6	10	12	17	18	18
1. SINGLE DX	67	3.9	7	1	2	3	5	8	9	14
2. MULTIPLE DX	56	5.6	12	1	2	4	8	9	12	18
A. NOT OPERATED	116	4.4	8	1	2	3	6	8	9	14
B. OPERATED	7	9.9	18	6	6	9	12	17	18	18
TOTAL 0-19 YRS	24	3.8	9	1	1	3	4	7	10	15
20-34	42	3.5	3	1	1	3	5	6	7	8
35-49	27	5.6	11	2	2	5	8	11	12	13
50-64	21	7.1	16	2	3	7	9	12	15	18
65+	9	4.4	6	2	2	4	6	8	9	9
GRAND TOTAL	**123**	**4.7**	**10**	**1**	**2**	**4**	**7**	**9**	**11**	**16**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.8	6	2	2	4	6	9	10	11
20-34	124	4.7	7	2	2	4	5	8	11	14
35-49	27	4.4	4	2	2	4	6	8	8	8
50-64	8	5.0	19	1	1	3	7	12	14	14
65+	6	6.0	12	1	1	6	9	10	10	10
B. *Operated*										
0-19 YRS	19	2.8	5	<1	<1	2	4	7	8	8
20-34	51	3.2	7	<1	<1	2	5	7	10	10
35-49	11	5.5	30	<1	<1	3	9	14	17	17
50-64	7	4.0	7	1	1	4	5	8	9	9
65+	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.2	15	1	2	4	6	10	11	24
20-34	110	5.2	13	2	2	5	6	9	10	23
35-49	24	5.4	16	1	2	5	7	11	15	17
50-64	15	7.1	35	1	1	5	11	15	20	22
65+	17	9.2	67	1	2	8	11	19	29	34
B. *Operated*										
0-19 YRS	13	4.8	6	<1	1	4	7	8	9	9
20-34	27	6.1	119	1	1	3	6	13	22	57
35-49	10	7.1	90	1	1	4	7	21	33	33
50-64	6	7.5	22	1	1	7	10	14	15	15
65+	10	11.9	65	2	2	11	20	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	4.8	6	2	2	4	6	8	10	13
B. *Operated*	90	3.5	10	<1	<1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	216	5.7	20	1	2	5	7	10	14	24
B. *Operated*	66	7.0	77	1	1	4	7	16	21	53
1. SINGLE DX	319	4.4	8	1	1	4	6	9	10	13
2. MULTIPLE DX	282	6.0	34	1	2	5	7	11	17	30
A. NOT OPERATED	445	5.2	13	2	2	4	6	9	11	22
B. OPERATED	156	5.0	41	<1	1	3	6	10	16	32
TOTAL 0-19 YRS	146	4.7	9	1	2	4	6	8	10	12
20-34	312	4.8	19	1	2	4	6	8	10	20
35-49	72	5.3	23	1	1	4	6	10	14	30
50-64	36	6.1	24	1	1	5	9	14	15	22
65+	35	9.3	56	1	2	8	12	20	22	34
GRAND TOTAL	**601**	**5.2**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.4	3	<1	1	3	5	5	6	7
20-34	24	10.0	217	2	2	5	9	30	42	69
35-49	17	7.4	57	1	2	5	8	12	26	34
50-64	11	7.3	29	2	2	5	10	17	17	17
65+	9	5.9	13	3	3	4	7	12	12	12
B. *Operated*										
0-19 YRS	4	26.0	1251	1	1	12	48	78	78	78
20-34	61	3.1	60	1	1	1	1	6	12	45
35-49	38	10.8	121	<1	1	8	11	32	35	42
50-64	47	6.3	170	<1	1	2	8	11	15	88
65+	29	14.2	173	3	5	10	12	39	45	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.1	15	1	2	4	6	12	15	15
20-34	34	6.7	95	1	2	5	7	8	13	60
35-49	32	9.1	210	1	2	5	9	17	30	81
50-64	46	11.1	243	2	2	7	10	18	51	80
65+	79	10.7	54	3	4	8	13	21	25	40
B. *Operated*										
0-19 YRS	4	12.3	40	5	5	12	17	20	20	20
20-34	27	17.6	380	3	4	10	20	41	51	93
35-49	38	11.9	271	2	3	8	12	23	74	99+
50-64	65	13.2	119	2	3	10	16	34	40	91
65+	46	20.2	336	2	4	13	31	42	53	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	7.0	87	1	2	4	7	12	24	58
B. *Operated*	179	7.9	161	1	1	3	9	17	35	72
2. MULTIPLE DX										
A. *Not Operated*	219	9.2	120	2	2	7	10	16	25	71
B. *Operated*	180	15.4	250	2	3	10	18	39	44	99+
1. SINGLE DX	259	7.6	138	1	1	4	9	14	33	68
2. MULTIPLE DX	399	12.0	188	2	3	8	13	27	42	90
A. NOT OPERATED	299	8.6	112	2	2	6	9	16	25	68
B. OPERATED	359	11.6	219	1	1	8	13	33	42	92
TOTAL 0-19 YRS	55	6.5	115	1	1	4	6	14	17	75
20-34	146	7.8	177	1	1	4	8	15	39	70
35-49	125	10.3	179	1	2	7	10	24	35	99
50-64	169	10.3	167	1	1	7	12	24	39	86
65+	163	13.7	170	3	4	10	15	34	42	66
GRAND TOTAL	**658**	**10.3**	**172**	**1**	**1**	**7**	**11**	**23**	**39**	**81**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	3	<1	<1	3	4	6	7	7
20-34	6	6.7	3	4	4	7	8	8	8	8
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.1	6	<1	<1	3	4	7	8	8
20-34	6	4.8	18	<1	<1	4	5	12	13	13
35-49	5	4.4	14	<1	<1	4	7	10	10	10
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	6	<1	<1	2	5	7	8	8
20-34	14	5.9	29	1	2	4	6	10	20	23
35-49	5	7.0	33	2	2	4	12	15	15	15
50-64	5	8.8	37	1	1	9	11	18	18	18
65+	4	7.0	11	3	3	7	9	11	11	11
B. *Operated*										
0-19 YRS	9	4.0	14	<1	<1	3	4	10	13	13
20-34	7	8.7	153	<1	<1	4	9	31	36	36
35-49	2	6.0		6	6	6	6	6	6	6
50-64	2	11.0	8	9	9	11	13	13	13	13
65+	3	19.0	67	12	12	17	25	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.4	6	<1	2	4	7	8	8	8
B. *Operated*	20	3.8	11	<1	<1	3	5	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	36	6.1	24	1	2	5	8	11	17	23
B. *Operated*	23	8.2	78	<1	1	4	11	19	31	36
1. SINGLE DX	36	4.1	9	<1	<1	3	6	8	10	13
2. MULTIPLE DX	59	6.9	45	<1	1	5	9	14	21	35
A. NOT OPERATED	52	5.6	19	1	2	4	8	10	15	23
B. OPERATED	43	6.1	51	<1	<1	4	8	13	31	36
TOTAL 0-19 YRS	32	3.4	7	<1	<1	3	4	7	8	13
20-34	33	6.5	45	<1	2	4	8	11	21	36
35-49	14	5.4	17	<1	1	5	6	11	14	15
50-64	8	8.4	32	<1	<1	9	11	16	18	18
65+	8	10.8	75	1	2	9	14	25	28	28
GRAND TOTAL	**95**	**5.8**	**33**	**<1**	**1**	**4**	**8**	**12**	**16**	**32**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.5	5	1	1	5	6	8	8	8
20-34	14	4.1	4	2	2	4	6	7	7	7
35-49	10	5.9	25	<1	1	5	11	49	96	99+
50-64	6	7.8	45	2	2	5	11	19	20	20
65+	3	9.3	16	5	5	10	12	13	13	13
B. *Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	39	3.7	16	<1	<1	2	5	9	12	20
35-49	25	4.4	11	1	1	3	8	10	10	11
50-64	14	5.5	25	<1	1	3	9	11	17	19
65+	3	4.0	19	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	6	1	2	3	5	8	9	11
20-34	33	5.3	28	1	1	4	6	11	13	28
35-49	42	7.0	26	1	2	5	9	16	17	21
50-64	24	7.5	34	2	3	5	9	14	20	28
65+	33	8.3	46	2	3	6	10	17	18	35
B. *Operated*										
0-19 YRS	6	14.5	194	4	4	8	21	38	40	40
20-34	34	8.4	212	1	2	4	8	12	35	81
35-49	28	8.1	250	1	1	4	7	12	26	86
50-64	32	8.5	77	2	2	5	9	21	33	36
65+	13	11.2	50	3	3	11	15	21	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	5.4	15	1	2	5	7	12	15	99+
B. *Operated*	84	4.2	15	<1	1	3	6	10	11	20
2. MULTIPLE DX										
A. *Not Operated*	155	6.5	31	1	2	5	9	14	16	28
B. *Operated*	113	9.0	161	1	2	5	10	19	33	83
1. SINGLE DX	132	4.6	16	<1	1	3	6	10	12	34
2. MULTIPLE DX	268	7.6	87	1	2	5	9	16	20	40
A. NOT OPERATED	203	6.2	27	1	2	5	8	13	16	31
B. OPERATED	197	7.0	104	1	1	4	8	13	20	62
TOTAL 0-19 YRS	47	5.5	38	1	2	4	6	8	12	40
20-34	120	5.5	76	1	1	3	6	10	13	52
35-49	105	6.6	82	1	1	5	9	12	17	92
50-64	76	7.6	51	1	2	5	9	18	23	35
65+	52	8.8	45	2	3	7	13	17	19	35
GRAND TOTAL	**400**	**6.6**	**65**	**1**	**1**	**5**	**8**	**13**	**19**	**39**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	3	6.7	25	2	2	6	10	12	12	12
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	6.0	14	1	1	6	8	10	10	10
35-49	3	8.3	89	1	1	5	15	19	19	19
50-64	4	14.8	224	2	2	11	26	35	35	35
65+	12	6.8	27	2	2	5	9	14	19	20
B. *Operated*										
0-19 YRS	4	6.8	10	4	4	6	9	11	11	11
20-34	5	9.8	89	3	3	5	14	26	26	26
35-49	4	21.0	643	7	7	9	34	59	59	59
50-64	4	9.0	77	<1	<1	7	16	20	20	20
65+	4	21.0	321	5	5	16	33	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	12	4.2	10	<1	1	4	6	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	25	7.6	62	1	1	5	10	19	24	35
B. *Operated*	21	13.3	214	2	3	9	14	34	52	59
1. SINGLE DX	14	3.9	9	<1	1	3	5	7	11	12
2. MULTIPLE DX	46	10.2	137	1	1	6	12	21	37	59
A. NOT OPERATED	27	7.3	60	1	1	5	9	19	22	35
B. OPERATED	33	10.0	158	<1	1	5	11	22	43	59
TOTAL 0-19 YRS	9	4.8	11	1	1	5	7	9	11	11
20-34	11	7.5	45	1	2	5	9	17	25	26
35-49	9	12.3	339	<1	<1	7	12	43	59	59
50-64	12	9.8	103	<1	1	5	15	24	33	35
65+	19	9.1	113	1	2	5	11	21	35	46
GRAND TOTAL	**60**	**8.8**	**114**	**1**	**1**	**5**	**10**	**20**	**30**	**58**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	3	2.0		2	2	2	2	2	2	2
35-49	17	7.3	76	1	1	4	7	22	30	33
50-64	40	4.0	8	<1	1	3	5	7	8	15
65+	32	5.4	27	1	2	4	6	8	10	31
B. *Operated*										
0-19 YRS	4	5.3	11	3	3	4	7	10	10	10
20-34	26	4.3	7	1	1	4	5	7	10	12
35-49	78	4.6	28	<1	1	3	5	9	16	30
50-64	201	5.9	55	<1	1	3	7	16	22	37
65+	218	4.7	34	<1	1	3	6	10	14	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	4.3	21	1	1	2	7	12	13	13
35-49	33	6.7	26	<1	1	6	8	16	17	17
50-64	138	7.6	57	1	2	6	9	16	25	38
65+	121	7.3	46	1	2	5	9	15	20	35
B. *Operated*										
0-19 YRS	6	5.0	18	<1	<1	4	10	10	10	10
20-34	12	11.0	74	1	2	8	16	25	28	29
35-49	63	11.8	223	1	2	6	18	27	55	97
50-64	295	11.2	178	1	2	6	14	27	42	71
65+	352	11.8	148	2	2	8	16	25	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	4.8	26	1	1	4	5	8	11	32
B. *Operated*	527	5.1	40	<1	1	3	6	12	17	37
2. MULTIPLE DX										
A. *Not Operated*	300	7.3	48	1	2	5	9	16	19	35
B. *Operated*	728	11.5	164	1	2	7	15	26	41	74
1. SINGLE DX	625	5.1	38	<1	1	3	6	11	17	36
2. MULTIPLE DX	1028	10.3	134	1	2	6	13	23	32	69
A. NOT OPERATED	398	6.7	44	1	2	5	8	15	19	33
B. OPERATED	1255	8.8	122	1	1	5	11	22	30	67
TOTAL 0-19 YRS	17	3.9	10	<1	1	3	5	10	10	10
20-34	48	5.9	33	1	1	4	7	13	18	29
35-49	191	7.6	104	1	1	4	8	20	26	74
50-64	674	8.4	113	1	1	5	11	20	29	60
65+	723	8.6	101	1	2	5	11	22	28	57
GRAND TOTAL	**1653**	**8.3**	**104**	**1**	**1**	**5**	**10**	**20**	**28**	**58**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	13	7.3	58	1	1	5	7	21	26	27
65+	25	5.9	18	1	2	5	8	12	16	16
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	24.8	1139	3	3	10	44	75	75	75
50-64	21	3.9	22	<1	<1	2	5	11	15	19
65+	39	10.4	144	1	2	6	13	21	31	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	25.0	251	14	14	19	35	48	48	48
50-64	62	8.2	49	1	2	6	10	17	21	36
65+	88	9.0	95	2	3	6	10	15	21	57
B. *Operated*										
0-19 YRS										
20-34	2	15.5	181	6	6	15	25	25	25	25
35-49	11	18.7	315	2	3	11	23	48	60	61
50-64	80	20.6	232	3	5	17	26	43	55	67
65+	144	14.6	141	2	3	12	20	29	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	6.4	30	1	1	5	8	14	18	27
B. *Operated*	66	9.0	169	1	1	5	11	21	29	73
2. MULTIPLE DX										
A. *Not Operated*	155	9.1	85	2	3	6	10	16	23	50
B. *Operated*	237	16.8	185	2	3	14	23	35	45	65
1. SINGLE DX	105	8.0	118	1	1	5	9	19	23	69
2. MULTIPLE DX	392	13.8	160	2	3	10	18	29	40	62
A. NOT OPERATED	194	8.6	75	1	2	6	10	16	22	49
B. OPERATED	303	15.1	192	1	2	11	21	33	44	65
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	10.3	97	5	5	6	15	25	25	25
35-49	20	20.7	404	2	3	13	23	54	68	75
50-64	176	13.3	175	1	2	8	19	29	42	64
65+	296	11.7	126	2	2	8	16	25	34	61
GRAND TOTAL	**497**	**12.6**	**156**	**1**	**2**	**8**	**17**	**27**	**39**	**64**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	4	3.8	10	1	1	3	6	8	8	8
35-49	16	2.9	5	1	1	2	4	5	7	8
50-64	15	4.9	52	<1	1	2	5	17	24	26
65+	41	8.1	87	1	2	5	7	22	27	45
B. *Operated*										
0-19 YRS										
20-34	3	9.7	2	8	8	10	11	11	11	11
35-49	15	13.5	92	2	3	12	15	32	35	36
50-64	50	11.9	59	1	2	10	16	21	24	37
65+	96	12.4	130	2	3	10	15	19	23	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	21	5.1	15	1	1	4	7	11	13	14
50-64	71	7.6	63	1	2	4	10	16	28	37
65+	176	7.2	43	1	1	6	10	14	17	36
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	8	18.8	254	7	7	14	20	46	56	56
35-49	57	15.7	83	5	8	13	18	27	33	49
50-64	200	17.5	183	4	7	14	21	30	42	78
65+	453	18.4	183	4	6	15	23	35	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	6.3	63	1	1	4	6	18	28	41
B. *Operated*	164	12.3	102	2	3	10	15	21	25	64
2. MULTIPLE DX										
A. *Not Operated*	269	7.1	46	1	1	5	10	15	17	36
B. *Operated*	719	17.9	175	4	7	15	22	33	46	79
1. SINGLE DX	241	10.4	97	1	2	9	13	20	25	58
2. MULTIPLE DX	988	15.0	163	2	3	12	19	29	39	75
A. NOT OPERATED	346	6.9	50	1	1	5	9	15	19	37
B. OPERATED	883	16.9	166	3	6	13	21	31	42	78
TOTAL 0-19 YRS	2	16.0	8	14	14	16	18	18	18	18
20-34	16	12.4	168	1	2	9	14	22	46	56
35-49	109	11.5	87	1	1	10	15	23	32	47
50-64	336	14.0	153	1	3	11	19	26	37	71
65+	766	14.5	162	2	3	11	19	29	39	77
GRAND TOTAL	**1229**	**14.1**	**153**	**1**	**3**	**11**	**18**	**27**	**37**	**71**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	10.5	7	8	8	10	12	14	14	14
65+	4	20.3	124	10	10	17	27	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	8.3	73	1	1	6	14	20	20	20
50-64	1	5.0		5	5	5	5	5	5	5
65+	9	7.9	23	3	3	7	11	15	16	16
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	7	9.9	6	7	7	10	11	13	14	14
50-64	31	15.3	175	4	7	10	15	34	50	60
65+	44	18.8	195	7	8	15	22	44	52	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*	9	14.3	83	6	7	11	17	29	36	36
2. MULTIPLE DX										
A. *Not Operated*	15	7.5	30	1	3	5	11	16	19	20
B. *Operated*	83	16.7	174	6	8	12	20	32	48	64
1. SINGLE DX	11	12.5	84	2	4	10	15	26	35	36
2. MULTIPLE DX	98	15.3	162	3	5	11	19	25	47	64
A. NOT OPERATED	17	7.1	28	1	2	5	10	15	19	20
B. OPERATED	92	16.5	164	6	8	12	20	32	47	64
TOTAL 0-19 YRS										
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	13	8.8	23	1	3	8	11	15	19	20
50-64	36	14.5	155	4	7	10	15	29	48	60
65+	58	16.9	177	3	5	13	21	33	47	65
GRAND TOTAL	**109**	**15.0**	**154**	**3**	**5**	**11**	**17**	**25**	**46**	**64**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	21	4.2	5	<1	1	4	6	7	8	9
65+	47	5.9	17	1	2	4	8	12	14	22
B. *Operated*										
0-19 YRS										
20-34	8	9.4	18	<1	2	9	13	14	14	14
35-49	57	9.2	15	2	4	9	11	14	17	18
50-64	223	10.5	25	5	6	10	12	15	20	31
65+	414	12.0	30	5	8	11	14	18	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	3.6	14	<1	<1	2	5	9	13	13
35-49	28	8.5	53	1	2	5	13	19	23	28
50-64	146	7.0	56	1	1	5	9	14	23	36
65+	356	8.9	85	2	2	6	11	18	26	56
B. *Operated*										
0-19 YRS	5	16.8	155	6	6	17	22	37	37	37
20-34	30	14.0	90	3	6	13	16	21	40	47
35-49	117	12.4	52	4	7	11	14	21	27	42
50-64	641	14.5	106	6	8	12	16	24	30	64
65+	1822	16.4	95	6	8	14	20	28	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.3	14	1	1	4	7	10	12	20
B. *Operated*	702	11.3	28	4	7	10	13	17	20	34
2. MULTIPLE DX										
A. *Not Operated*	541	8.3	75	1	2	5	10	17	24	42
B. *Operated*	2615	15.7	97	6	8	13	19	27	33	59
1. SINGLE DX	772	10.7	30	2	5	10	13	16	20	33
2. MULTIPLE DX	3156	14.4	101	3	5	12	18	26	32	57
A. NOT OPERATED	611	7.9	69	1	2	5	10	16	23	40
B. OPERATED	3317	14.8	86	6	8	12	17	25	31	56
TOTAL 0-19 YRS	6	14.3	161	2	2	12	17	35	37	37
20-34	4[illegible]	10.9	79	<1	1	9	14	18	23	47
35-49	20[illegible]	10.9	45	2	4	10	13	18	23	33
50-64	1031	12.3	88	2	4	10	14	22	26	56
65+	2639	14.5	91	3	5	12	18	26	32	55
GRAND TOTAL	**3928**	**13.7**	**89**	**3**	**5**	**12**	**17**	**24**	**31**	**55**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	5.0	3	3	3	5	7	7	7	7
50-64	15	5.4	22	1	1	4	7	11	17	19
65+	31	4.1	5	1	1	4	5	6	7	12
B. *Operated*										
0-19 YRS	3	11.0	13	8	8	10	14	15	15	15
20-34	10	10.7	118	1	1	9	10	26	40	40
35-49	46	9.8	25	2	3	10	13	16	17	25
50-64	182	11.0	37	2	3	11	14	17	23	32
65+	309	12.5	52	2	3	12	16	20	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	6.6	15	1	1	7	10	11	11	11
35-49	19	8.8	60	<1	1	6	12	19	25	30
50-64	118	8.1	72	1	2	5	10	18	25	45
65+	275	8.3	66	2	2	6	10	17	24	47
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	19	12.5	59	2	4	11	14	27	30	30
35-49	88	15.7	83	5	6	13	20	29	31	48
50-64	463	15.2	78	5	7	13	18	26	31	53
65+	983	17.2	133	3	6	15	22	31	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.6	10	1	1	4	6	7	11	19
B. *Operated*	550	11.7	46	2	3	11	15	19	24	34
2. MULTIPLE DX										
A. *Not Operated*	419	8.3	66	1	2	6	10	17	25	44
B. *Operated*	1555	16.4	114	4	6	14	20	30	36	61
1. SINGLE DX	602	11.1	47	2	3	11	15	19	23	34
2. MULTIPLE DX	1974	14.7	115	2	4	13	19	28	34	57
A. NOT OPERATED	471	7.9	61	1	2	5	10	17	23	40
B. OPERATED	2105	15.2	101	3	5	13	19	27	33	56
TOTAL 0-19 YRS	5	9.0	27	1	1	10	12	15	15	15
20-34	36	10.9	68	1	2	10	13	22	30	40
35-49	159	12.7	71	2	4	11	17	25	30	42
50-64	778	13.0	75	2	3	12	16	23	29	48
65+	1598	14.5	117	2	3	13	18	27	34	58
GRAND TOTAL	**2576**	**13.9**	**101**	**2**	**3**	**12**	**17**	**26**	**32**	**54**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.4	8	2	2	5	6	10	10	10
35-49	12	4.8	5	2	2	5	6	7	10	10
50-64	10	4.4	14	1	1	3	8	10	11	11
65+	25	6.6	34	1	1	5	9	14	18	26
B. *Operated*										
0-19 YRS	9	10.4	64	1	2	9	18	22	22	22
20-34	12	8.3	15	1	2	8	11	13	14	14
35-49	22	11.5	50	2	3	11	15	20	27	31
50-64	36	12.4	92	2	2	11	16	26	34	42
65+	44	12.0	103	1	2	9	14	26	32	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.0	20	1	1	3	7	12	15	16
20-34	7	5.0	5	3	3	5	7	8	8	8
35-49	14	4.9	9	1	1	5	5	7	12	14
50-64	65	8.0	34	1	2	6	11	17	20	24
65+	114	8.4	56	2	2	6	10	17	21	45
B. *Operated*										
0-19 YRS	6	12.7	29	8	8	10	18	21	21	21
20-34	17	16.1	172	3	5	11	19	38	49	53
35-49	30	16.1	155	3	4	13	25	39	48	99+
50-64	135	17.1	262	2	3	12	19	35	57	78
65+	244	18.7	196	3	6	15	22	36	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.7	21	1	1	5	7	11	14	26
B. *Operated*	123	11.5	78	2	2	10	15	22	31	44
2. MULTIPLE DX										
A. *Not Operated*	213	7.7	43	1	2	6	10	16	20	33
B. *Operated*	432	17.8	210	3	4	14	21	36	50	75
1. SINGLE DX	175	9.8	68	1	2	8	13	18	27	40
2. MULTIPLE DX	645	14.5	178	2	3	11	19	29	42	72
A. NOT OPERATED	265	7.3	40	1	2	5	10	15	20	28
B. OPERATED	555	16.4	188	2	3	13	20	32	48	74
TOTAL 0-19 YRS	28	8.4	44	1	2	7	11	20	21	22
20-34	41	10.6	98	2	3	9	12	19	32	53
35-49	78	11.1	97	2	3	7	15	27	35	85
50-64	246	13.5	184	1	2	10	17	26	40	72
65+	427	14.6	164	2	3	12	19	30	38	67
GRAND TOTAL	**820**	**13.5**	**158**	**2**	**3**	**10**	**17**	**27**	**38**	**70**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	9.3	1	8	8	10	10	10	10	10
50-64	23	6.7	26	1	2	5	8	14	18	21
65+	48	6.6	44	1	1	5	8	15	24	28
B. *Operated*										
0-19 YRS	2	12.5	1	12	12	12	13	13	13	13
20-34										
35-49	10	12.0	68	1	3	9	18	24	26	26
50-64	33	11.2	57	1	2	9	15	22	26	33
65+	55	14.1	169	1	2	11	17	28	45	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	6	7.7	93	1	1	4	7	25	27	27
35-49	31	5.9	52	1	2	4	6	10	15	41
50-64	129	7.1	76	1	2	5	8	14	20	46
65+	231	9.1	84	1	1	7	12	20	24	40
B. *Operated*										
0-19 YRS										
20-34	4	15.8	97	3	3	16	22	27	27	27
35-49	42	17.7	193	3	5	14	22	32	56	62
50-64	206	17.4	138	5	7	15	22	32	42	94
55+	407	18.9	135	5	8	16	24	33	44	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	6.7	37	1	1	5	8	14	20	28
B. *Operated*	100	12.9	119	1	2	10	16	25	31	60
2. MULTIPLE DX										
A. *Not Operated*	399	8.1	79	1	2	5	10	17	23	39
B. *Operated*	659	18.3	139	5	7	16	23	33	44	67
1. SINGLE DX	174	10.3	93	1	1	8	14	22	28	54
2. MULTIPLE DX	1058	14.5	141	2	3	12	20	29	38	64
A. NOT OPERATED	473	7.9	73	1	1	5	10	17	22	37
B. OPERATED	759	17.6	140	4	7	15	22	32	43	67
TOTAL 0-19 YRS	4	10.3	10	6	6	11	12	13	13	13
20-34	10	10.9	102	1	2	6	17	27	27	27
35-49	86	12.5	149	2	2	9	16	27	37	61
50-64	391	12.8	128	2	3	10	17	26	35	73
65+	741	14.7	139	1	3	12	20	29	38	63
GRAND TOTAL	**1232**	**13.9**	**136**	**1**	**3**	**11**	**19**	**28**	**37**	**63**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	30	5.7	30	1	1	3	8	12	21	22
50-64	136	5.4	28	1	1	4	7	11	16	27
65+	176	5.6	27	1	1	4	8	13	16	23
B. *Operated*										
0-19 YRS										
20-34	12	8.8	25	1	2	8	12	16	17	17
35-49	100	8.5	50	1	1	8	11	16	22	39
50-64	482	8.3	52	1	1	7	11	16	20	35
65+	501	8.3	52	1	1	7	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	70	1	1	2	10	18	18	18
20-34	10	7.7	59	2	2	5	6	22	22	22
35-49	170	7.9	66	1	2	5	10	18	21	42
50-64	888	8.1	62	1	2	6	10	18	25	38
65+	1444	9.1	73	1	2	7	11	19	26	44
B. *Operated*										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	18	16.4	420	3	5	11	16	24	67	95
35-49	305	11.6	90	2	2	9	16	25	32	46
50-64	1433	11.7	100	2	3	9	15	23	31	51
65+	1853	12.8	109	2	3	10	17	25	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	5.5	28	1	1	4	8	12	16	25
B. *Operated*	1095	8.3	52	1	1	7	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	2516	8.7	69	1	2	6	11	18	25	43
B. *Operated*	3612	12.3	106	2	3	10	16	24	31	51
1. SINGLE DX	1438	7.6	47	1	1	6	11	16	20	32
2. MULTIPLE DX	6128	10.8	94	1	2	8	14	23	29	46
A. NOT OPERATED	2859	8.3	65	1	2	6	10	18	24	41
B. OPERATED	4707	11.4	96	1	2	9	15	23	30	47
TOTAL 0-19 YRS	7	5.1	38	1	1	3	7	16	18	18
20-34	41	11.7	217	2	2	9	16	22	23	95
35-49	605	9.8	77	1	2	8	13	20	27	44
50-64	2939	9.8	81	1	2	8	13	20	27	44
65+	3974	10.6	90	1	2	8	14	22	29	46
GRAND TOTAL	**7566**	**10.2**	**86**	**1**	**2**	**8**	**13**	**22**	**28**	**45**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	9.8	33	3	3	10	14	15	15	15
50-64	19	7.1	76	<1	<1	2	8	22	28	32
65+	16	7.1	60	<1	1	4	10	13	26	32
B. *Operated*										
0-19 YRS	4	2.8	12	<1	<1	1	4	8	8	8
20-34	13	6.4	16	1	2	5	9	12	14	14
35-49	39	6.3	45	<1	<1	2	10	17	21	25
50-64	179	6.0	77	<1	<1	2	9	14	18	30
65+	173	5.5	46	<1	1	2	8	14	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	3.5	4	1	1	3	5	6	6	6
35-49	8	5.5	26	<1	<1	4	6	14	17	17
50-64	28	8.1	48	1	1	6	13	18	21	25
65+	67	9.6	97	1	2	6	12	23	29	50
B. *Operated*										
0-19 YRS	5	24.6	920	3	3	13	33	78	78	78
20-34	9	13.7	118	<1	1	10	26	28	28	28
35-49	28	13.1	186	1	2	11	18	22	35	70
50-64	162	11.2	115	1	1	8	16	27	36	57
65+	214	11.3	122	1	2	8	16	26	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	7.4	63	<1	<1	5	11	17	28	32
B. *Operated*	408	5.8	58	<1	1	2	9	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	110	8.5	75	1	1	6	12	21	24	47
B. *Operated*	418	11.6	132	1	1	9	16	27	35	59
1. SINGLE DX	447	5.9	58	<1	1	2	9	15	19	31
2. MULTIPLE DX	528	10.9	122	1	1	8	15	26	33	54
A. NOT OPERATED	149	8.2	72	1	1	6	12	20	24	43
B. OPERATED	826	8.7	104	<1	1	5	12	22	28	45
TOTAL 0-19 YRS	10	13.8	543	<1	<1	6	13	48	78	78
20-34	28	8.1	59	1	1	5	10	23	27	28
35-49	79	8.8	101	<1	1	5	13	19	24	59
50-64	388	8.4	96	<1	1	5	12	21	28	43
65+	470	8.8	95	1	1	5	12	22	29	44
GRAND TOTAL	**975**	**8.7**	**99**	**<1**	**1**	**5**	**12**	**22**	**28**	**44**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	2	1	1	3	4	4	5	5
20-34	10	3.1	3	<1	<1	3	5	5	5	5
35-49	8	3.5	8	1	1	2	6	7	8	8
50-64	9	6.6	12	2	2	7	10	11	11	11
65+	7	5.7	20	1	1	5	6	13	15	15
B. *Operated*										
0-19 YRS	45	7.4	50	1	1	5	10	16	27	29
20-34	46	5.8	17	2	2	5	7	10	14	21
35-49	49	6.4	63	1	1	5	8	10	15	53
50-64	65	8.5	88	1	1	6	11	17	26	55
65+	83	9.4	186	1	1	5	11	18	32	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.2	7	1	1	2	5	7	8	10
20-34	33	6.0	23	1	1	4	8	13	17	20
35-49	13	3.1	9	1	1	2	4	7	11	12
50-64	34	8.8	75	1	2	6	12	15	24	46
65+	44	7.7	53	1	2	6	9	15	25	36
B. *Operated*										
0-19 YRS	31	9.7	80	1	2	7	15	20	23	43
20-34	32	12.4	160	1	2	9	13	33	42	52
35-49	33	11.2	80	2	3	10	15	22	30	39
50-64	60	14.7	219	1	2	10	19	30	42	82
65+	115	13.4	174	1	2	11	18	30	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.9	9	1	1	3	5	8	10	15
B. *Operated*	288	7.8	95	1	1	5	9	16	21	60
2. MULTIPLE DX										
A. *Not Operated*	157	6.2	42	1	1	5	8	13	17	36
B. *Operated*	271	12.9	160	1	2	9	17	29	39	82
1. SINGLE DX	339	7.2	84	1	1	5	9	15	20	60
2. MULTIPLE DX	428	10.4	127	1	2	7	13	24	33	68
A. NOT OPERATED	208	5.7	35	1	1	4	7	12	15	33
B. OPERATED	559	10.3	133	1	2	7	13	23	31	70
TOTAL 0-19 YRS	126	6.2	47	1	1	4	8	15	20	32
20-34	121	7.4	64	1	2	5	9	14	20	46
35-49	103	7.3	65	1	1	5	10	15	21	46
50-64	168	10.7	136	1	2	7	14	26	30	59
65+	249	10.8	157	1	2	7	13	24	37	81
GRAND TOTAL	**767**	**9.0**	**111**	**1**	**1**	**6**	**11**	**19**	**29**	**63**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64	7	8.9	157	1	1	4	10	31	36	36
65+	10	4.7	39	1	1	3	3	14	22	22
B. *Operated*										
0-19 YRS	6	4.7	16	<1	<1	3	9	10	10	10
20-34	96	4.0	8	<1	1	3	6	7	9	14
35-49	116	4.7	10	1	1	4	7	9	10	15
50-64	112	4.6	20	<1	1	3	6	9	13	27
65+	85	5.3	17	1	1	4	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	7.4	16	1	2	8	11	12	12	12
35-49	20	4.2	16	<1	1	2	6	11	13	13
50-64	22	7.6	145	1	2	4	6	14	35	58
65+	20	7.4	35	2	2	5	10	17	20	23
B. *Operated*										
0-19 YRS										
20-34	44	6.0	34	1	1	4	8	12	20	30
35-49	68	7.1	36	1	2	6	9	14	21	29
50-64	72	7.6	60	1	2	5	10	15	23	42
65+	87	8.7	55	2	2	6	12	19	28	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.9	64	1	2	3	6	14	27	36
B. *Operated*	415	4.7	14	1	1	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	74	6.6	60	1	1	4	8	12	18	50
B. *Operated*	271	7.6	49	1	2	5	9	16	23	34
1. SINGLE DX	438	4.7	16	1	1	4	7	9	11	20
2. MULTIPLE DX	345	7.4	51	1	2	5	9	15	22	35
A. NOT OPERATED	97	6.4	60	1	1	4	8	12	19	48
B. OPERATED	686	5.8	29	1	1	4	8	11	16	30
TOTAL 0-19 YRS	6	4.7	16	<1	<1	3	9	10	10	10
20-34	155	4.9	17	<1	1	4	7	10	12	21
35-49	207	5.4	20	1	1	4	7	10	13	27
50-64	213	6.1	52	1	1	4	7	13	20	39
65+	202	7.0	38	1	2	5	9	15	21	33
GRAND TOTAL	**783**	**5.9**	**33**	**1**	**1**	**4**	**8**	**12**	**16**	**30**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	10.0	144	4	4	4	16	28	28	28
65+	10	6.6	55	<1	<1	4	8	20	21	21
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	35	3.6	20	<1	<1	2	5	7	16	18
35-49	116	2.4	5	<1	<1	2	3	4	5	14
50-64	235	2.2	4	<1	<1	2	2	4	7	9
65+	402	2.6	8	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	3.3	4	<1	<1	4	5	5	5	5
50-64	14	4.4	15	<1	1	3	7	10	11	11
65+	19	6.6	56	<1	1	3	9	21	24	25
B. *Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	20	2.9	4	<1	<1	2	4	6	7	7
35-49	49	4.6	92	<1	<1	2	4	9	15	64
50-64	150	3.8	28	<1	<1	2	4	7	10	28
65+	386	5.7	68	<1	1	3	7	11	20	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	6.9	68	<1	<1	4	6	21	26	28
B. *Operated*	790	2.5	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	38	5.5	34	<1	1	3	7	11	21	25
B. *Operated*	609	5.0	58	<1	1	3	5	10	19	42
1. SINGLE DX	806	2.6	9	<1	<1	2	3	5	8	17
2. MULTIPLE DX	647	5.1	57	<1	1	3	5	10	19	41
A. NOT OPERATED	54	5.9	44	<1	<1	4	7	18	23	28
B. OPERATED	1399	3.6	31	<1	<1	2	4	8	11	27
TOTAL 0-19 YRS	7	3.4	6	1	1	2	5	7	8	8
20-34	56	3.4	14	<1	<1	2	4	6	13	18
35-49	170	3.0	31	<1	<1	2	3	5	9	22
50-64	403	3.0	16	<1	<1	2	3	6	9	24
65+	817	4.2	40	<1	<1	2	4	9	13	31
GRAND TOTAL	**1453**	**3.7**	**31**	**<1**	**<1**	**2**	**4**	**8**	**11**	**27**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	18	3.9	21	<1	1	3	4	6	15	21
50-64	37	4.6	42	<1	1	2	4	12	24	26
65+	48	5.3	20	1	1	4	7	14	15	19
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	133	4.8	7	<1	<1	5	7	8	9	10
35-49	635	5.3	10	<1	1	5	7	9	10	15
50-64	925	5.7	8	1	2	6	7	9	10	14
65+	917	6.5	15	1	2	6	8	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.7	176	5	5	5	22	28	28	28
20-34	22	4.6	12	2	2	3	6	11	13	14
35-49	123	7.5	62	1	1	5	9	16	29	39
50-64	324	7.7	67	1	1	5	10	17	20	43
65+	393	9.3	78	1	2	7	12	19	26	46
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	93	7.8	59	1	2	6	8	15	27	42
35-49	563	6.8	33	1	2	6	8	11	14	31
50-64	1150	7.5	38	2	3	6	9	12	16	39
65+	1435	8.9	49	2	4	7	10	15	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	4.7	27	<1	1	3	6	11	17	25
B. *Operated*	2612	5.8	11	1	2	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	865	8.3	71	1	2	6	11	18	24	42
B. *Operated*	3242	8.0	43	2	3	7	9	14	18	38
1. SINGLE DX	2718	5.8	12	1	2	6	7	9	11	17
2. MULTIPLE DX	4107	8.1	49	1	2	7	9	15	20	39
A. NOT OPERATED	971	7.9	68	1	1	5	10	17	23	41
B. OPERATED	5854	7.0	30	1	2	6	8	11	15	30
TOTAL 0-19 YRS	6	8.5	98	2	2	5	9	26	28	28
20-34	251	5.9	29	<1	1	5	7	9	12	34
35-49	1339	6.1	25	1	2	5	7	10	13	28
50-64	2436	6.8	31	1	2	6	8	11	15	31
65+	2793	8.1	43	2	3	7	9	14	19	35
GRAND TOTAL	**6825**	**7.2**	**36**	**1**	**2**	**6**	**8**	**12**	**16**	**32**

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	3.2	1	2	2	3	4	4	5	5
35-49	43	3.1	1	1	2	3	4	4	5	6
50-64	40	3.1	5	1	1	3	4	4	5	15
65+	34	4.7	26	1	2	3	5	8	9	31
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	92	4.1	10	<1	1	3	6	9	11	13
35-49	88	5.0	23	1	1	4	6	10	14	27
50-64	79	4.2	14	1	1	3	5	9	12	21
65+	67	4.4	14	1	1	3	5	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	2.8	9	<1	<1	2	3	9	11	11
35-49	35	7.0	54	1	1	5	9	17	20	36
50-64	48	5.0	26	1	1	4	5	12	19	99+
65+	71	7.9	93	1	2	5	9	19	29	56
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	67	6.4	30	<1	1	5	8	15	20	24
35-49	113	9.8	85	1	2	7	12	21	28	51
50-64	89	10.4	84	1	2	7	14	21	29	42
65+	88	9.6	143	1	2	6	11	22	45	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.5	9	1	2	3	4	5	7	17
B. *Operated*	328	4.5	15	1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	167	6.5	61	1	1	4	7	16	22	57
B. *Operated*	358	9.2	90	1	2	6	12	20	27	49
1. SINGLE DX	465	4.2	13	1	1	3	5	9	11	18
2. MULTIPLE DX	525	8.4	82	1	1	6	10	19	26	50
A. NOT OPERATED	304	5.1	39	1	1	3	5	10	18	35
B. OPERATED	686	7.0	60	1	1	5	9	14	21	44
TOTAL 0-19 YRS	4	5.8	12	2	2	5	8	10	10	10
20-34	191	4.7	18	<1	1	3	6	10	13	21
35-49	279	6.9	55	1	1	5	8	14	21	40
50-64	256	6.4	48	1	1	4	8	15	21	42
65+	260	7.1	85	1	2	4	8	15	25	55
GRAND TOTAL	**990**	**6.4**	**54**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3		3	3	3	4	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	48	3.1	3	1	1	3	4	5	7	8
65+	56	6.6	108	1	2	4	5	15	26	54
B. *Operated*										
0-19 YRS										
20-34	13	5.5	11	1	2	5	6	9	13	14
35-49	70	5.0	8	<1	<1	5	6	9	10	12
50-64	301	5.3	9	<1	1	6	7	8	10	14
65+	324	5.6	35	<1	1	6	7	9	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	17	4.1	10	1	1	4	4	6	12	15
50-64	71	4.5	30	1	1	3	4	8	15	31
65+	96	7.7	51	1	1	6	10	20	25	70
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	15	4.7	7	<1	<1	5	7	8	8	8
35-49	118	7.1	19	1	3	6	8	11	15	28
50-64	554	7.1	30	1	2	6	8	11	15	31
65+	638	8.4	39	1	2	7	10	15	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	4.9	59	1	2	3	4	7	15	53
B. *Operated*	708	5.4	20	<1	1	6	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	187	6.1	41	1	1	4	7	15	21	34
B. *Operated*	1327	7.7	34	1	2	7	9	13	17	33
1. SINGLE DX	817	5.4	26	<1	1	5	7	9	11	20
2. MULTIPLE DX	1514	7.5	35	1	2	7	9	13	17	33
A. NOT OPERATED	296	5.7	48	1	1	4	6	13	21	45
B. OPERATED	2035	6.9	30	<1	1	6	8	12	15	28
TOTAL 0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	34	4.7	8	<1	1	5	6	8	8	14
35-49	207	6.1	15	<1	1	6	7	10	12	24
50-64	974	6.2	24	<1	1	6	7	10	13	25
65+	1114	7.5	43	1	1	7	9	14	18	36
GRAND TOTAL	**2331**	**6.8**	**33**	**1**	**1**	**6**	**8**	**12**	**15**	**31**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	7	4	4	5	8	10	10	10
20-34	1	2.0		2	2	2	2	2	2	2
35-49	37	2.2	3	1	1	2	3	6	6	7
50-64	107	2.6	12	<1	1	2	3	5	6	21
65+	88	2.5	6	1	1	2	3	6	7	13
B. *Operated*										
0-19 YRS	3	8.0	31	3	3	7	12	14	14	14
20-34	23	6.3	4	3	4	6	7	9	10	10
35-49	29	7.5	9	2	3	7	9	11	12	15
50-64	56	8.7	11	4	5	8	11	13	16	18
65+	32	12.1	104	2	3	8	13	29	35	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	20	3.6	5	1	1	3	5	7	8	8
35-49	90	4.0	45	1	1	2	4	9	13	42
50-64	211	4.7	41	1	1	2	5	11	17	32
65+	208	6.0	67	1	1	3	8	12	19	33
B. *Operated*										
0-19 YRS	8	7.0	2	5	5	7	8	9	9	9
20-34	39	6.8	4	4	5	6	8	10	11	13
35-49	119	10.2	36	5	5	8	12	19	23	33
50-64	270	12.3	98	5	5	9	14	23	30	56
65+	289	15.9	127	5	7	14	18	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.5	8	1	1	2	3	5	7	14
B. *Operated*	143	8.8	34	2	4	7	10	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	531	5.0	51	1	1	3	6	11	16	32
B. *Operated*	725	13.1	100	5	5	10	16	24	31	58
1. SINGLE DX	380	4.9	27	1	1	3	7	10	13	29
2. MULTIPLE DX	1256	9.7	95	1	1	7	12	20	28	50
A. NOT OPERATED	768	4.3	39	1	1	2	5	9	14	30
B. OPERATED	868	12.4	92	5	5	9	15	23	30	55
TOTAL 0-19 YRS	17	6.4	9	2	3	6	8	10	13	14
20-34	83	5.8	6	1	2	6	7	9	10	12
35-49	275	6.8	42	1	1	6	9	13	19	29
50-64	644	7.9	73	1	1	6	10	16	24	44
65+	617	10.5	118	1	1	8	14	23	30	57
GRAND TOTAL	**1636**	**8.6**	**83**	**1**	**1**	**7**	**11**	**18**	**26**	**45**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	4.0	27	1	1	1	8	10	10	10
65+	4	3.3	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	18.0	277	2	2	15	30	40	40	40
35-49	11	7.2	43	<1	<1	6	9	19	19	19
50-64	16	12.6	80	1	3	11	16	29	30	30
65+	41	5.4	64	1	2	3	6	10	13	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.3	16	1	1	3	7	10	10	10
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	8	6.4	16	3	3	5	9	13	14	14
65+	27	7.1	65	1	1	5	8	16	24	39
B. *Operated*										
0-19 YRS										
20-34	9	8.9	32	2	4	7	10	18	22	22
35-49	13	13.2	203	2	2	8	13	34	49	52
50-64	48	7.8	44	1	2	6	10	13	19	39
65+	74	12.8	153	1	2	10	17	28	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.4	8	<1	<1	3	4	8	10	10
B. *Operated*	73	7.9	84	1	1	5	10	19	28	48
2. MULTIPLE DX										
A. *Not Operated*	44	6.4	44	1	1	5	8	14	17	39
B. *Operated*	144	10.9	117	2	2	8	13	24	30	53
1. SINGLE DX	83	7.3	77	1	1	4	9	17	26	47
2. MULTIPLE DX	188	9.9	103	1	2	7	11	21	29	49
A. NOT OPERATED	54	5.9	39	1	1	4	7	11	16	38
B. OPERATED	217	9.9	108	1	2	7	12	22	29	51
TOTAL 0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	18	9.5	94	1	2	7	10	22	33	40
35-49	29	9.2	117	<1	1	6	9	23	30	52
50-64	75	8.5	51	1	2	7	11	16	25	37
65+	146	9.4	119	1	2	6	11	21	30	52
GRAND TOTAL	**271**	**9.1**	**96**	**1**	**2**	**6**	**11**	**20**	**29**	**50**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	23	3.4	11	<1	1	2	5	7	11	15
65+	65	6.5	52	1	2	5	7	11	23	40
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34										
35-49	9	3.1	3	1	1	2	4	6	6	6
50-64	354	5.9	23	<1	1	5	8	13	14	21
65+	1007	5.6	14	1	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	22.7	646	7	7	9	41	52	52	52
50-64	111	7.0	34	1	1	6	10	15	19	24
65+	778	8.1	69	1	2	6	10	17	24	42
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	3	23.7	952	2	2	10	47	59	59	59
35-49	8	5.4	23	1	1	4	7	13	15	15
50-64	532	7.7	36	1	2	6	10	16	20	28
65+	2602	8.8	58	2	3	7	11	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.7	42	1	1	4	6	10	15	38
B. *Operated*	1372	5.6	16	1	2	5	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	892	8.1	66	1	2	6	10	17	23	42
B. *Operated*	3147	8.6	55	2	3	6	10	17	23	36
1. SINGLE DX	1461	5.6	18	1	1	5	7	11	13	21
2. MULTIPLE DX	4039	8.5	57	2	2	6	10	17	23	38
A. NOT OPERATED	981	7.8	65	1	1	5	10	16	23	42
B. OPERATED	4519	7.7	45	1	2	6	9	15	20	34
TOTAL 0-19 YRS	4	6.8	3	5	5	6	8	9	9	9
20-34	3	23.7	952	2	2	10	47	59	59	59
35-49	21	6.9	119	1	1	4	6	12	32	52
50-64	1020	6.9	32	1	1	5	9	14	18	26
65+	4452	7.9	51	1	2	6	10	15	21	36
GRAND TOTAL	**5500**	**7.7**	**49**	**1**	**2**	**6**	**9**	**15**	**21**	**35**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	22	3.7	7	1	1	3	5	8	9	9
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	12	4.3	6	1	1	4	7	8	8	8
20-34	141	3.5	6	1	1	3	4	8	9	11
35-49	45	3.6	6	1	1	3	4	8	9	9
50-64	17	3.8	3	1	2	4	5	6	7	7
65+	10	3.5	6	<1	<1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	3	3	3	6	6	6	6	6
20-34	68	4.6	4	1	2	4	5	7	8	13
35-49	12	3.2	3	1	1	3	5	6	6	6
50-64	10	7.8	38	<1	1	6	9	18	20	20
65+	3	6.3	1	5	5	7	7	7	7	7
B. *Operated*										
0-19 YRS	6	9.2	17	3	3	10	13	13	13	13
20-34	81	8.7	58	1	2	8	11	17	22	42
35-49	22	6.3	20	2	2	5	8	12	18	19
50-64	16	5.9	16	1	1	6	9	11	13	14
65+	23	7.7	38	1	1	7	13	17	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.7	7	1	1	3	5	8	9	9
B. *Operated*	225	3.6	6	1	1	3	5	8	8	11
2. MULTIPLE DX										
A. *Not Operated*	96	4.8	9	1	2	5	6	7	10	19
B. *Operated*	148	7.9	44	1	2	7	10	16	19	39
1. SINGLE DX	252	3.6	6	1	1	3	5	8	9	11
2. MULTIPLE DX	244	6.7	32	1	2	5	9	13	17	26
A. NOT OPERATED	123	4.6	8	1	1	4	6	7	9	18
B. OPERATED	373	5.3	25	1	1	4	7	11	14	23
TOTAL 0-19 YRS	23	5.5	13	1	2	6	7	12	13	13
20-34	312	5.1	24	1	1	4	6	10	13	24
35-49	81	4.3	10	1	1	3	5	8	9	18
50-64	44	5.6	17	1	1	5	8	10	15	20
65+	36	6.4	29	<1	1	5	9	16	18	20
GRAND TOTAL	**496**	**5.1**	**21**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	4	2.3		2	2	2	3	3	3	3
50-64	9	2.3	4	<1	<1	2	3	6	6	6
65+	30	5.1	19	1	1	4	6	12	15	19
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	19	3.5	11	<1	1	2	4	8	12	14
35-49	90	3.3	11	1	1	2	4	5	10	19
50-64	507	3.9	15	1	1	3	4	8	12	19
65+	1139	4.7	21	1	1	3	5	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	14	5.4	32	1	1	3	8	16	17	17
50-64	57	6.0	40	<1	1	4	7	14	24	27
65+	201	7.9	74	1	1	5	10	16	25	50
B. *Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	6	5.8	41	<1	<1	2	14	14	14	14
35-49	69	7.1	68	1	2	4	9	14	22	45
50-64	494	7.7	86	1	2	4	9	17	23	46
65+	1643	8.4	73	2	2	5	10	18	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.2	16	1	1	3	5	10	14	19
B. *Operated*	1757	4.4	19	1	1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	273	7.3	65	1	1	5	9	16	24	49
B. *Operated*	2216	8.2	75	1	2	5	10	18	25	45
1. SINGLE DX	1801	4.4	19	1	1	3	5	9	13	21
2. MULTIPLE DX	2489	8.1	74	1	2	5	10	18	25	45
A. NOT OPERATED	317	6.9	59	1	1	5	8	15	21	47
B. OPERATED	3973	6.5	54	1	2	4	8	14	20	38
TOTAL 0-19 YRS	8	3.8	12	1	1	2	5	9	11	11
20-34	25	4.0	18	<1	1	2	4	14	14	14
35-49	177	4.9	38	1	1	3	5	12	15	39
50-64	1067	5.8	53	1	1	3	6	13	18	35
65+	3013	6.9	56	1	2	4	8	15	21	39
GRAND TOTAL	**4290**	**6.5**	**54**	**1**	**2**	**4**	**8**	**15**	**20**	**38**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	16	2	2	4	8	11	11	11
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	6	11.5	377	1	1	4	6	46	51	51
65+	11	4.8	9	1	1	4	8	9	9	9
B. *Operated*										
0-19 YRS	10	11.3	62	2	4	9	14	23	31	31
20-34	6	12.0	28	4	4	14	16	17	17	17
35-49	46	8.4	21	1	2	8	10	15	16	20
50-64	106	9.1	39	1	2	8	12	16	21	32
65+	108	9.9	46	2	2	9	13	16	20	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.3	7	1	1	4	5	8	11	11
20-34	5	3.4	3	1	1	3	4	6	6	6
35-49	12	4.7	20	<1	1	3	6	11	16	17
50-64	54	8.5	48	1	2	6	12	19	22	28
65+	115	8.6	61	1	2	7	11	19	23	37
B. *Operated*										
0-19 YRS	15	13.7	227	2	4	10	15	19	53	65
20-34	15	11.2	60	3	5	9	11	25	30	32
35-49	64	10.4	44	2	2	10	13	16	21	42
50-64	171	11.3	56	2	3	10	13	19	25	42
65+	352	13.6	122	2	4	11	16	24	31	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.7	102	1	1	4	8	10	25	51
B. *Operated*	276	9.4	39	1	2	9	13	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	196	7.9	52	1	2	6	11	19	22	28
B. *Operated*	617	12.6	98	2	3	10	15	22	28	57
1. SINGLE DX	299	9.2	44	1	2	8	12	16	20	37
2. MULTIPLE DX	813	11.5	91	2	3	10	14	21	27	54
A. NOT OPERATED	219	7.8	57	1	2	5	10	18	22	35
B. OPERATED	893	11.6	82	2	3	10	14	20	27	47
TOTAL 0-19 YRS	39	9.8	118	1	2	7	11	16	26	65
20-34	26	9.9	50	2	3	9	13	17	26	32
35-49	124	9.0	35	1	2	9	12	15	18	29
50-64	337	10.2	55	1	2	9	13	19	22	40
65+	586	11.8	100	2	3	10	15	22	28	56
GRAND TOTAL	**1112**	**10.9**	**79**	**2**	**2**	**9**	**13**	**20**	**25**	**46**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	5	3.0	7	1	1	2	5	7	7	7
20-34	3	3.7		3	3	4	4	4	4	4
35-49	12	3.3	2	1	1	3	4	5	6	6
50-64	18	2.9	2	1	2	3	3	5	6	6
65+	19	4.2	11	1	1	3	5	10	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	8.0	39	3	3	6	13	15	15	15
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	11	7.7	132	1	1	6	7	23	39	41
B. *Operated*										
0-19 YRS	5	4.6	56	<1	<1	1	6	18	18	18
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	5.1	15	2	2	3	8	11	12	12
65+	14	10.1	115	<1	1	6	14	28	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	1	1	1	1	1
B. *Operated*	57	3.5	5	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	18	6.8	88	<1	1	4	7	14	31	41
B. *Operated*	28	7.3	76	<1	<1	3	9	24	28	32
1. SINGLE DX	63	3.2	5	1	1	3	4	6	7	13
2. MULTIPLE DX	46	7.1	79	<1	1	3	8	18	29	41
A. NOT OPERATED	24	5.3	71	<1	1	2	6	11	23	41
B. OPERATED	85	4.7	31	1	1	3	5	9	15	31
TOTAL 0-19 YRS	16	2.9	19	<1	<1	1	3	7	15	18
20-34	5	3.0	2	<1	<1	3	4	4	4	4
35-49	16	4.0	11	1	1	3	5	6	12	15
50-64	28	3.5	7	1	1	3	4	7	9	12
65+	44	7.0	77	1	1	4	7	15	29	41
GRAND TOTAL	**109**	**4.9**	**40**	**1**	**1**	**3**	**5**	**10**	**15**	**36**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	8	<1	1	3	4	7	10	11
20-34	17	5.5	14	2	2	4	7	10	14	16
35-49	33	9.5	57	2	2	8	12	21	25	32
50-64	39	7.3	36	1	1	5	9	17	21	25
65+	25	10.4	163	2	2	7	10	20	40	63
B. *Operated*										
0-19 YRS	33	12.5	121	1	3	10	15	24	32	58
20-34	54	11.8	103	4	5	9	13	18	25	71
35-49	59	11.8	36	3	4	11	15	20	23	29
50-64	86	13.5	111	2	4	12	17	21	44	86
65+	63	13.9	98	2	4	12	18	24	31	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.3	59	1	1	4	7	15	25	33
20-34	40	8.2	84	1	2	4	11	20	29	42
35-49	55	7.9	47	1	2	7	10	15	19	41
50-64	92	11.6	179	1	2	9	13	24	42	72
65+	93	11.6	104	2	3	8	15	25	30	53
B. *Operated*										
0-19 YRS	32	18.9	262	2	4	16	23	41	76	99+
20-34	46	20.3	244	4	6	16	25	42	53	79
35-49	42	15.3	265	1	2	10	20	28	44	94
50-64	80	22.1	292	3	6	18	31	46	70	99+
65+	75	22.4	329	6	8	18	25	51	74	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	7.7	63	1	1	6	9	16	21	38
B. *Operated*	295	12.8	92	2	4	11	16	21	27	63
2. MULTIPLE DX										
A. *Not Operated*	300	10.1	113	1	2	7	13	23	31	56
B. *Operated*	275	20.5	289	3	5	16	26	43	67	99+
1. SINGLE DX	425	11.3	89	2	2	9	14	21	25	62
2. MULTIPLE DX	575	15.1	224	2	3	11	20	33	46	91
A. NOT OPERATED	430	9.4	99	1	2	7	12	20	29	51
B. OPERATED	570	16.5	201	2	5	13	20	31	50	93
TOTAL 0-19 YRS	101	11.8	167	1	1	9	16	26	34	89
20-34	157	12.7	156	2	3	9	15	25	36	72
35-49	189	11.0	100	2	2	9	14	21	26	44
50-64	297	14.4	195	2	3	10	18	32	47	94
65+	256	15.2	194	2	4	12	20	29	38	90
GRAND TOTAL	**1000**	**13.4**	**170**	**2**	**3**	**10**	**17**	**27**	**40**	**78**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*										
0-19 YRS	3	12.7	8	11	11	11	15	16	16	16
20-34	4	22.5	406	6	6	17	37	50	50	50
35-49	6	17.0	438	2	3	10	13	54	59	59
50-64	4	11.3	66	2	2	11	17	21	21	21
65+	2	17.5	313	5	5	17	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	6.3	17	3	3	5	9	11	11	11
50-64	5	7.0	58	1	1	6	10	20	20	20
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	17.5	1	17	17	17	18	18	18	18
20-34	1	1.0		1	1	50	99+	99+	99+	99+
35-49	7	13.4	139	2	3	9	21	33	35	35
50-64	6	17.8	40	8	9	18	21	26	27	27
65+	11	22.6	495	4	5	12	31	62	70	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*	19	16.3	235	2	3	11	20	42	55	59
2. MULTIPLE DX										
A. *Not Operated*	10	6.0	32	1	1	4	6	15	20	20
B. *Operated*	27	18.0	256	2	4	14	25	50	74	99+
1. SINGLE DX	21	15.7	216	2	4	11	17	38	54	59
2. MULTIPLE DX	37	14.8	222	1	2	11	20	34	65	99+
A. NOT OPERATED	12	6.7	31	1	2	5	9	15	19	20
B. OPERATED	46	17.3	243	2	4	13	23	47	61	99+
TOTAL 0-19 YRS	5	14.6	11	11	11	16	17	18	18	18
20-34	6	15.8	351	1	2	9	44	90	99+	99+
35-49	16	13.4	219	2	2	9	13	34	52	59
50-64	15	12.5	69	1	2	14	20	21	26	27
65+	16	19.1	392	3	4	12	28	54	66	71
GRAND TOTAL	**58**	**15.1**	**216**	**2**	**2**	**11**	**20**	**34**	**58**	**97**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	54	2	2	3	10	17	17	17
20-34	21	1.7	1	1	1	1	2	3	4	4
35-49	16	2.3	1	1	1	2	3	4	5	5
50-64	9	2.6	2	1	1	2	3	5	5	5
65+	8	6.0	29	1	1	5	8	15	17	17
B. *Operated*										
0-19 YRS	21	5.6	26	1	1	4	7	11	19	23
20-34	92	4.2	6	2	2	4	5	6	9	15
35-49	73	3.9	3	2	2	4	5	6	7	11
50-64	49	4.6	6	2	3	4	5	7	11	13
65+	36	5.4	16	2	3	4	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.0	7	1	1	4	6	8	9	9
20-34	17	6.1	203	1	1	2	3	6	42	61
35-49	20	7.9	140	<1	1	3	11	18	37	52
50-64	27	4.3	18	1	1	3	5	8	17	18
65+	30	7.1	43	2	2	5	10	15	15	34
B. *Operated*										
0-19 YRS	24	8.2	108	2	2	5	6	18	36	47
20-34	80	5.5	13	2	2	5	6	10	11	24
35-49	69	5.7	17	2	3	4	6	12	15	22
50-64	59	9.0	140	2	3	5	11	16	19	81
65+	66	12.4	152	3	4	8	14	30	46	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.9	10	1	1	2	3	5	9	17
B. *Operated*	271	4.5	8	2	2	4	5	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	111	5.9	73	1	1	3	7	12	17	56
B. *Operated*	298	8.0	84	2	3	5	9	15	24	51
1. SINGLE DX	329	4.2	9	1	2	4	5	7	9	18
2. MULTIPLE DX	409	7.4	81	1	2	5	8	14	20	51
A. NOT OPERATED	169	4.9	53	1	1	3	5	11	15	49
B. OPERATED	569	6.3	51	2	2	4	6	11	16	43
TOTAL 0-19 YRS	66	6.2	53	1	1	4	6	10	18	45
20-34	210	4.6	24	1	2	4	5	8	10	23
35-49	178	4.9	25	1	2	4	5	9	13	23
50-64	144	6.2	68	1	2	4	6	13	16	39
65+	140	9.1	96	2	3	5	11	17	30	52
GRAND TOTAL	**738**	**6.0**	**51**	**1**	**2**	**4**	**6**	**11**	**16**	**45**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	5	1	1	1	3	6	6	6
20-34	13	4.5	17	1	1	4	7	12	12	12
35-49	32	6.6	92	1	1	4	6	13	28	48
50-64	65	6.6	50	1	1	4	8	13	23	36
65+	109	7.2	55	1	2	5	8	16	23	40
B. *Operated*										
0-19 YRS	9	7.0	21	2	2	7	11	14	14	14
20-34	32	8.1	251	1	2	5	8	11	14	93
35-49	73	5.1	19	<1	1	3	8	11	14	18
50-64	172	6.6	42	<1	1	4	9	15	18	33
65+	199	7.3	51	<1	1	5	9	18	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	4.0	15	<1	1	3	5	10	12	20
20-34	152	5.9	43	1	1	4	7	11	19	39
35-49	480	7.3	69	1	1	5	9	16	22	48
50-64	1524	8.4	68	1	1	6	11	18	24	41
65+	2330	9.6	85	1	2	7	12	21	29	46
B. *Operated*										
0-19 YRS	32	10.9	200	3	4	7	9	14	51	71
20-34	188	9.5	118	1	2	7	11	20	29	56
35-49	537	10.4	119	1	2	8	13	21	30	61
50-64	1524	12.1	135	1	2	9	16	26	36	62
65+	1967	12.3	118	2	2	10	16	27	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	6.6	55	1	1	4	8	14	23	39
B. *Operated*	485	6.8	56	<1	1	4	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	4543	8.8	76	1	2	6	11	19	26	44
B. *Operated*	4248	11.9	125	1	2	9	15	26	34	57
1. SINGLE DX	713	6.7	55	1	1	4	9	15	20	33
2. MULTIPLE DX	8791	10.3	102	1	2	7	13	22	30	51
A. NOT OPERATED	4771	8.7	75	1	2	6	11	19	26	44
B. OPERATED	4733	11.4	121	1	2	8	15	25	33	57
TOTAL 0-19 YRS	107	6.2	79	1	1	4	8	12	14	62
20-34	385	7.8	98	1	1	5	8	17	25	54
35-49	1122	8.6	93	1	1	6	11	18	26	48
50-64	3285	10.0	101	1	2	7	13	22	29	52
65+	4605	10.6	99	1	2	8	14	23	31	49
GRAND TOTAL	**9504**	**10.0**	**100**	**1**	**2**	**7**	**13**	**22**	**30**	**50**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	4	<1	<1	1	2	4	6	10
20-34	37	3.3	8	<1	1	2	5	7	10	12
35-49	10	3.1	9	1	1	2	4	8	11	11
50-64	6	3.7	5	1	1	3	5	7	7	7
65+	19	6.3	71	<1	<1	2	7	18	27	34
B. *Operated*										
0-19 YRS	48	6.0	30	1	1	6	7	10	13	35
20-34	139	5.9	19	1	1	6	8	10	15	23
35-49	54	5.9	30	1	1	5	8	11	13	34
50-64	25	5.8	33	<1	<1	4	8	11	19	26
65+	23	7.2	25	1	2	6	10	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.3	35	1	1	3	7	13	20	22
20-34	69	5.2	38	<1	1	4	6	10	14	34
35-49	14	5.6	33	1	1	4	9	16	18	19
50-64	18	5.3	28	<1	<1	3	7	13	17	19
65+	27	9.5	112	<1	1	7	12	22	33	49
B. *Operated*										
0-19 YRS	21	6.8	20	1	2	7	7	10	16	23
20-34	86	9.8	78	1	2	8	11	21	29	42
35-49	19	9.2	27	2	3	8	11	18	20	20
50-64	31	14.4	188	4	5	11	15	29	50	66
65+	44	19.0	202	2	4	16	24	38	49	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.5	20	<1	1	2	4	7	11	26
B. *Operated*	289	6.0	24	1	1	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	141	6.1	51	<1	1	4	7	13	19	36
B. *Operated*	201	12.1	126	1	2	8	15	25	37	59
1. SINGLE DX	389	5.4	24	<1	1	4	7	10	15	26
2. MULTIPLE DX	342	9.6	104	1	1	7	11	21	32	51
A. NOT OPERATED	241	5.0	40	<1	1	3	6	11	16	34
B. OPERATED	490	8.5	75	1	2	7	10	17	25	45
TOTAL 0-19 YRS	110	5.0	25	1	1	4	7	10	11	28
20-34	331	6.5	41	1	1	5	8	12	19	35
35-49	97	6.2	30	1	1	5	8	12	17	28
50-64	80	8.9	107	<1	1	7	11	17	25	61
65+	113	12.2	151	<1	1	9	17	28	38	58
GRAND TOTAL	**731**	**7.4**	**66**	**1**	**1**	**5**	**9**	**16**	**22**	**42**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	5.5	42	1	1	3	7	16	21	27
20-34	9	4.1	9	<1	<1	4	6	9	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	8	3.6	22	1	1	2	3	12	15	15
65+	32	4.2	14	<1	<1	3	6	11	13	14
B. *Operated*										
0-19 YRS	37	7.5	121	<1	1	4	9	14	24	63
20-34	7	18.7	146	4	4	27	28	30	30	30
35-49	3	6.7	41	2	2	4	11	14	14	14
50-64	6	8.5	26	3	3	7	13	16	16	16
65+	18	5.7	50	<1	1	4	7	9	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	5.3	32	<1	1	4	7	10	17	33
20-34	13	7.4	39	1	2	6	10	19	21	21
35-49	13	4.4	16	1	1	4	5	11	14	15
50-64	43	9.1	80	1	1	7	12	21	25	47
65+	192	7.2	39	1	1	5	10	14	21	30
B. *Operated*										
0-19 YRS	39	12.3	107	3	4	10	14	29	31	51
20-34	13	24.3	570	2	2	17	27	58	85	91
35-49	13	19.9	249	2	4	13	38	41	43	43
50-64	32	17.1	349	2	3	9	24	42	59	81
65+	74	11.0	84	2	3	8	14	20	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.8	27	<1	1	3	6	11	16	27
B. *Operated*	71	8.2	103	<1	1	4	10	21	29	56
2. MULTIPLE DX										
A. *Not Operated*	321	7.0	43	1	1	5	9	15	21	32
B. *Operated*	171	14.1	199	2	3	10	17	31	41	77
1. SINGLE DX	165	6.2	62	<1	1	4	7	14	26	32
2. MULTIPLE DX	492	9.5	108	1	2	6	11	21	29	51
A. NOT OPERATED	415	6.5	40	1	1	4	8	14	20	30
B. OPERATED	242	12.4	177	2	2	8	15	29	39	64
TOTAL 0-19 YRS	180	7.3	75	<1	1	4	9	16	26	46
20-34	42	13.8	274	1	2	8	21	29	40	91
35-49	30	11.4	171	1	1	5	14	38	41	43
50-64	89	11.5	185	1	2	7	14	25	38	73
65+	316	7.7	51	1	1	6	10	16	22	35
GRAND TOTAL	**657**	**8.7**	**99**	**1**	**1**	**6**	**11**	**20**	**28**	**51**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.1	12	<1	<1	3	5	9	11	15
20-34	19	4.7	26	<1	<1	3	7	9	16	22
35-49	25	7.5	57	<1	<1	5	11	22	23	23
50-64	30	8.4	73	<1	1	6	10	24	28	30
65+	87	5.2	79	<1	<1	2	5	13	18	54
B. *Operated*										
0-19 YRS	5	30.6	658	7	7	29	47	69	69	69
20-34	14	15.8	480	1	1	7	29	40	71	80
35-49	22	16.6	247	1	2	12	25	40	54	55
50-64	28	16.6	210	1	2	9	29	36	43	48
65+	31	14.9	282	1	2	8	28	40	49	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	5.6	29	<1	1	4	7	13	16	25
20-34	40	8.5	106	1	1	4	11	19	29	53
35-49	40	11.6	117	<1	1	7	16	30	33	38
50-64	95	8.6	77	1	1	6	11	22	29	39
65+	221	6.4	68	1	1	4	8	14	21	37
B. *Operated*										
0-19 YRS	26	15.2	177	2	3	11	23	36	44	47
20-34	27	26.7	384	6	7	26	34	56	62	85
35-49	44	26.8	328	2	3	26	38	54	63	66
50-64	70	23.5	268	3	4	25	34	44	51	65
65+	135	15.3	247	2	3	10	21	39	52	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	5.8	61	<1	<1	3	7	14	22	31
B. *Operated*	100	16.7	296	1	2	9	29	38	51	74
2. MULTIPLE DX										
A. *Not Operated*	431	7.5	77	1	1	4	9	18	28	38
B. *Operated*	302	19.9	291	2	3	14	31	45	56	73
1. SINGLE DX	291	9.5	168	<1	1	5	10	28	36	66
2. MULTIPLE DX	733	12.6	202	1	1	7	17	33	43	65
A. NOT OPERATED	622	7.0	72	<1	1	4	8	17	25	37
B. OPERATED	402	19.1	294	2	3	13	30	43	54	73
TOTAL 0-19 YRS	96	9.0	135	<1	1	5	11	25	35	59
20-34	100	13.7	283	<1	1	7	18	34	54	82
35-49	131	16.8	253	<1	1	11	26	39	53	65
50-64	223	14.3	198	1	1	8	25	35	42	57
65+	474	9.3	153	1	1	5	11	25	36	67
GRAND TOTAL	**1024**	**11.7**	**194**	**1**	**1**	**6**	**15**	**31**	**41**	**65**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	9.4	61	1	1	6	16	21	22	22
20-34	22	8.0	49	1	2	7	10	18	23	30
35-49	48	3.7	15	<1	1	2	4	11	13	15
50-64	126	5.2	60	1	1	3	5	12	17	37
65+	161	6.8	66	1	1	4	9	14	21	44
B. *Operated*										
0-19 YRS	26	6.3	33	1	1	4	9	12	19	25
20-34	59	5.4	28	<1	<1	3	7	14	17	24
35-49	73	6.2	29	<1	1	5	8	12	19	25
50-64	162	6.4	34	<1	1	5	9	15	18	27
65+	212	8.7	64	1	2	7	12	19	27	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	3.4	4	1	1	3	5	6	7	8
20-34	23	7.8	57	2	2	5	8	22	26	31
35-49	116	6.8	67	1	1	4	8	15	22	49
50-64	317	7.2	50	1	1	5	10	15	21	38
65+	667	7.9	61	1	1	6	10	18	25	42
B. *Operated*										
0-19 YRS	14	17.1	403	2	3	7	27	50	64	68
20-34	41	12.1	177	1	2	7	17	28	35	71
35-49	96	11.1	95	1	2	9	14	23	45	99+
50-64	342	12.6	143	2	3	9	16	26	38	82
65+	522	15.3	184	2	3	12	19	31	43	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	6.0	58	1	1	4	7	14	20	40
B. *Operated*	532	7.2	46	<1	1	5	10	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	1144	7.5	58	1	1	5	10	16	23	41
B. *Operated*	1015	13.9	167	2	3	11	18	30	41	74
1. SINGLE DX	901	6.7	51	1	1	4	9	15	20	32
2. MULTIPLE DX	2159	10.5	119	1	2	7	14	23	32	62
A. NOT OPERATED	1513	7.1	58	1	1	5	9	16	23	41
B. OPERATED	1547	11.6	135	1	2	8	15	25	33	66
TOTAL 0-19 YRS	73	8.0	119	1	1	4	9	21	27	63
20-34	145	8.1	84	<1	1	5	10	18	25	39
35-49	333	7.4	65	1	1	5	10	16	23	48
50-64	947	8.7	91	1	1	6	11	19	27	49
65+	1562	10.4	115	1	1	7	14	23	31	57
GRAND TOTAL	3060	9.4	102	1	1	6	12	21	29	56

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	51	2.4	3	<1	<1	2	3	5	5	9
20-34	104	2.7	2	1	1	3	3	4	5	8
35-49	135	2.8	2	<1	1	3	4	4	5	7
50-64	164	3.0	3	1	1	3	4	5	5	8
65+	109	3.3	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	7	6.0	48	<1	<1	2	12	17	17	17
20-34	25	3.4	4	1	1	3	4	5	7	11
35-49	34	3.9	6	1	2	4	4	6	10	12
50-64	68	3.3	3	1	1	3	4	5	6	12
65+	76	4.4	9	1	2	4	5	9	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	4	1	1	2	4	6	6	6
B. *Operated*	563	2.9	2	<1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	210	3.9	8	1	1	3	4	6	11	15
1. SINGLE DX	569	2.9	2	<1	1	3	4	5	5	8
2. MULTIPLE DX	212	3.9	8	1	1	3	4	6	11	15
A. NOT OPERATED	8	2.5	3	1	1	2	3	5	6	6
B. OPERATED	773	3.2	4	1	1	3	4	5	6	12
TOTAL 0-19 YRS	58	2.8	9	<1	<1	2	3	5	8	17
20-34	129	2.8	2	1	1	3	4	4	5	9
35-49	170	3.0	3	<1	1	3	4	5	5	10
50-64	236	3.0	3	1	1	3	4	5	5	9
65+	188	3.7	5	1	2	3	4	6	8	14
GRAND TOTAL	781	3.1	4	1	1	3	4	5	6	12

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	7	2.4	3	<1	<1	1	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	25	1.5	2	<1	<1	1	2	2	4	7
65+	15	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*										
0-19 YRS	20	4.0	13	<1	<1	2	7	10	11	11
20-34	38	6.5	46	<1	1	4	9	12	22	33
35-49	88	4.0	9	<1	<1	3	6	9	9	12
50-64	191	3.9	13	<1	1	2	6	9	11	16
65+	248	4.7	29	<1	1	2	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	4	<1	<1	2	4	5	5	5
20-34	10	5.3	9	<1	1	5	7	10	12	12
35-49	15	3.2	5	<1	<1	2	5	6	8	8
50-64	42	3.6	11	<1	<1	2	5	8	11	15
65+	103	4.5	12	1	1	4	6	9	12	17
B. *Operated*										
0-19 YRS	11	4.2	19	<1	<1	2	7	10	15	15
20-34	31	8.3	71	1	1	6	11	16	20	43
35-49	81	5.5	33	<1	1	4	8	12	17	31
50-64	265	5.9	25	1	1	4	9	12	16	22
65+	546	7.3	50	1	1	5	10	15	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	585	4.4	22	<1	1	2	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	174	4.2	11	<1	1	4	5	8	11	15
B. *Operated*	934	6.7	42	1	1	5	10	14	19	31
1. SINGLE DX	635	4.2	21	<1	<1	2	6	9	12	18
2. MULTIPLE DX	1108	6.3	38	1	1	4	9	14	17	31
A. NOT OPERATED	224	3.7	10	<1	<1	3	5	8	10	15
B. OPERATED	1519	5.8	35	<1	1	3	9	13	16	30
TOTAL 0-19 YRS	37	3.8	13	<1	<1	2	6	9	11	15
20-34	86	6.7	49	<1	1	5	9	15	17	39
35-49	185	4.6	20	<1	1	3	7	9	12	19
50-64	523	4.8	20	<1	1	3	7	11	14	20
65+	912	6.2	41	1	1	4	9	14	17	31
GRAND TOTAL	1743	5.6	33	<1	1	3	8	12	16	29

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.2	5	<1	1	2	2	3	8	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	98	1.6	2	<1	<1	1	2	2	4	10
20-34	43	2.9	8	<1	<1	2	5	6	9	13
35-49	53	2.7	6	<1	<1	2	4	7	8	10
50-64	66	3.6	11	<1	<1	2	6	8	10	14
65+	40	3.7	22	<1	<1	2	4	9	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	3.7	14	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	33	3.2	7	<1	1	2	4	7	9	11
20-34	15	5.3	62	<1	<1	2	4	21	25	27
35-49	23	7.0	64	<1	1	4	9	20	24	32
50-64	48	5.2	27	<1	1	4	7	11	13	29
65+	57	7.5	45	1	2	6	9	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.2	4	<1	1	2	2	3	7	10
B. *Operated*	300	2.7	9	<1	<1	1	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	5	3.0	8	1	1	2	4	8	8	8
B. *Operated*	176	5.8	38	<1	1	4	8	13	19	31
1. SINGLE DX	318	2.7	9	<1	<1	1	3	7	9	14
2. MULTIPLE DX	181	5.7	38	<1	1	4	8	12	18	31
A. NOT OPERATED	23	2.3	5	<1	1	2	2	4	9	10
B. OPERATED	476	3.9	22	<1	<1	2	5	9	13	24
TOTAL 0-19 YRS	146	2.0	4	<1	<1	1	2	4	7	10
20-34	59	3.5	22	<1	<1	2	4	7	13	26
35-49	76	4.0	27	<1	<1	2	5	9	13	29
50-64	117	4.2	18	<1	<1	2	6	10	12	19
65+	101	5.8	38	<1	1	3	8	14	18	30
GRAND TOTAL	499	3.8	21	<1	<1	2	5	9	12	24

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	8	4.1	25	<1	<1	2	5	13	15	15
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	12	2.3	4	<1	<1	1	3	5	8	8
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	499	2.4	3	<1	1	2	3	4	5	9
20-34	567	2.4	4	<1	<1	2	3	5	6	10
35-49	560	2.3	5	<1	<1	2	3	4	6	10
50-64	491	2.5	5	<1	<1	2	3	5	7	12
65+	211	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	4	<1	<1	1	3	6	6	6
20-34	7	1.9	2	<1	<1	1	3	4	4	4
35-49	8	5.0	44	<1	<1	2	6	17	20	20
50-64	12	3.1	4	<1	<1	3	5	6	7	7
65+	10	3.7	20	<1	<1	2	4	10	16	16
B. *Operated*										
0-19 YRS	75	3.2	10	<1	<1	2	4	6	7	20
20-34	170	3.6	28	<1	1	3	4	7	10	18
35-49	214	4.4	27	<1	1	3	5	10	14	27
50-64	285	3.8	17	<1	1	3	4	7	11	26
65+	173	5.6	40	1	1	3	6	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	10	<1	<1	2	3	7	10	15
B. *Operated*	2328	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	44	3.3	14	<1	<1	2	4	6	11	20
B. *Operated*	917	4.2	25	<1	1	3	5	9	13	28
1. SINGLE DX	2354	2.4	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX	961	4.2	25	<1	1	3	4	9	13	28
A. NOT OPERATED	70	3.1	13	<1	<1	2	4	7	9	19
B. OPERATED	3245	2.9	11	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	584	2.5	4	<1	<1	2	3	4	6	10
20-34	752	2.7	10	<1	<1	2	3	5	7	14
35-49	784	2.9	12	<1	<1	2	3	6	8	18
50-64	800	3.0	10	<1	<1	2	3	6	8	13
65+	395	4.0	22	<1	1	3	4	9	14	29
GRAND TOTAL	3315	2.9	11	<1	<1	2	3	6	8	17

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	4	4	4
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	12.0	32	8	8	12	16	16	16	16
B. *Operated*										
0-19 YRS	438	1.9	3	<1	<1	1	2	3	5	10
20-34	206	2.1	4	<1	<1	1	2	4	6	12
35-49	125	3.0	10	<1	<1	2	3	8	9	17
50-64	108	2.8	8	<1	<1	2	3	6	9	15
65+	78	3.3	21	<1	<1	2	3	5	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	18	2	2	5	11	74	99+	99+
20-34	4	3.0	11	<1	<1	1	5	8	8	8
35-49	3	8.7	32	4	4	7	13	15	15	15
50-64	3	7.0	43	1	1	6	12	14	14	14
65+	7	9.0	27	1	2	10	13	15	16	16
B. *Operated*										
0-19 YRS	88	4.0	59	<1	<1	2	4	9	13	48
20-34	72	3.8	10	<1	1	3	5	9	12	13
35-49	72	3.7	16	<1	<1	2	4	9	11	22
50-64	81	6.2	103	<1	<1	3	7	12	20	61
65+	75	8.4	142	<1	<1	4	8	23	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.7	18	<1	<1	2	4	9	14	16
B. *Operated*	955	2.3	7	<1	<1	1	3	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	24	6.8	24	<1	1	6	12	15	37	99+
B. *Operated*	388	5.2	70	<1	<1	3	6	11	17	60
1. SINGLE DX	970	2.3	7	<1	<1	1	3	4	7	16
2. MULTIPLE DX	412	5.3	67	<1	<1	3	6	12	17	61
A. NOT OPERATED	39	5.6	24	<1	<1	4	9	15	16	99+
B. OPERATED	1343	3.2	27	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	541	2.3	13	<1	<1	1	2	4	7	15
20-34	285	2.6	6	<1	<1	2	3	6	8	13
35-49	201	3.4	13	<1	<1	2	4	8	10	18
50-64	193	4.3	51	<1	<1	2	4	9	14	48
65+	162	6.0	84	<1	<1	3	6	16	23	57
GRAND TOTAL	1382	3.2	27	<1	<1	2	3	7	11	24

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	6	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	129	1.4		<1	<1	1	2	2	2	4
20-34	320	1.5	1	<1	<1	1	2	2	3	4
35-49	189	1.6		<1	<1	2	2	2	3	4
50-64	133	2.0	4	<1	<1	2	2	3	3	9
65+	53	2.2	1	<1	1	2	3	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	20	1.8		<1	<1	2	2	2	3	3
20-34	100	2.1	2	<1	<1	2	2	4	5	8
35-49	146	2.3	2	<1	<1	2	2	4	5	9
50-64	88	2.6	6	<1	1	2	3	4	6	17
65+	50	3.4	7	<1	1	3	4	6	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.1		<1	<1	1	1	2	2	2
B. *Operated*	824	1.6	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*	404	2.4	4	<1	<1	2	3	4	6	10
1. SINGLE DX	834	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	406	2.4	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	12	1.3	1	<1	<1	1	1	3	4	4
B. OPERATED	1228	1.9	2	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	150	1.4		<1	<1	1	2	2	2	3
20-34	424	1.7	1	<1	<1	1	2	3	3	6
35-49	341	1.9	1	<1	<1	2	2	3	4	8
50-64	221	2.2	5	<1	<1	2	2	3	4	12
65+	104	2.8	4	<1	1	2	3	5	6	13
GRAND TOTAL	1240	1.9	2	<1	<1	2	2	3	4	7

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	1.6	1	<1	<1	1	2	3	3	3
35-49	16	2.2	1	<1	<1	2	3	4	4	4
50-64	6	3.5	7	<1	<1	3	5	8	8	8
65+										
B. *Operated*										
0-19 YRS	5	4.2	4	<1	<1	5	5	6	6	6
20-34	308	4.9	5	<1	1	5	6	7	8	11
35-49	967	5.4	4	1	2	6	6	7	8	10
50-64	178	5.4	5	1	2	6	7	8	8	11
65+	14	4.5	8	<1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	21	2.9	5	<1	1	2	4	6	7	7
35-49	59	2.7	5	<1	1	2	4	6	8	9
50-64	22	3.0	6	1	1	2	5	7	8	9
65+	5	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	6	4.3	7	<1	<1	6	6	6	6	6
20-34	967	5.5	6	1	2	6	6	8	9	12
35-49	4909	6.1	6	2	4	6	7	8	9	14
50-64	1062	6.5	12	1	4	6	7	9	11	21
65+	145	8.2	38	2	4	7	9	13	17	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.3	2	<1	<1	2	3	4	5	8
B. *Operated*	1472	5.3	4	<1	2	6	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	108	2.8	5	<1	1	2	4	6	7	9
B. *Operated*	7089	6.1	8	2	4	6	7	8	10	15
1. SINGLE DX	1506	5.2	4	<1	1	6	6	7	8	10
2. MULTIPLE DX	7197	6.1	8	1	4	6	7	8	10	15
A. NOT OPERATED	142	2.7	4	<1	<1	2	4	6	7	9
B. OPERATED	8561	6.0	7	1	4	6	7	8	9	14
TOTAL 0-19 YRS	13	4.2	4	<1	<1	5	6	6	6	6
20-34	1307	5.3	6	1	1	5	6	8	9	12
35-49	5951	6.0	6	1	4	6	7	8	9	14
50-64	1268	6.3	11	1	2	6	7	9	10	18
65+	164	7.7	36	1	2	7	8	12	16	33
GRAND TOTAL	8703	5.9	7	1	3	6	7	8	9	14

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	30	2.3	4	<1	<1	1	4	6	7	7
35-49	24	4.0	7	<1	1	4	6	7	9	10
50-64	14	2.1	3	<1	<1	1	2	6	6	6
65+	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	42	3.5	7	<1	<1	3	6	7	8	10
35-49	106	5.1	8	1	1	6	6	7	9	16
50-64	52	4.6	11	<1	1	5	6	9	11	14
65+	11	5.8	13	<1	1	6	9	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	72	2.8	5	<1	<1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*	212	4.7	9	<1	1	5	6	8	9	13
1. SINGLE DX	73	2.8	5	<1	<1	2	4	6	7	10
2. MULTIPLE DX	215	4.7	9	<1	1	5	6	8	9	13
A. NOT OPERATED	4	1.8	2	1	1	1	3	4	4	4
B. OPERATED	284	4.2	9	<1	1	5	6	7	9	13
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	73	3.0	6	<1	<1	1	5	6	8	10
35-49	131	4.9	8	<1	1	5	6	7	9	13
50-64	67	4.0	10	<1	<1	4	6	7	10	14
65+	15	5.0	11	<1	2	4	8	10	11	12
GRAND TOTAL	**288**	**4.2**	**9**	**<1**	**1**	**5**	**6**	**7**	**9**	**13**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	85	5.2	2	4	4	5	6	6	8	10
20-34	316	5.0	2	3	4	5	5	6	7	10
35-49	100	5.6	3	4	4	5	6	7	8	11
50-64	68	7.0	5	4	5	7	8	10	11	15
65+	37	8.0	8	4	5	7	10	13	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65+	3	9.7	16	6	6	9	13	14	14	14
B. *Operated*										
0-19 YRS	70	5.2	3	3	3	5	6	8	8	12
20-34	329	5.4	6	3	3	5	6	7	8	15
35-49	252	6.1	3	4	4	6	7	8	10	11
50-64	175	7.4	7	5	5	7	8	10	13	17
65+	120	11.1	43	6	6	10	13	18	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	6.0	37	2	2	3	9	15	15	15
B. *Operated*	606	5.5	3	4	4	5	6	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	5	9.4	9	6	6	9	11	14	14	14
B. *Operated*	946	6.7	13	3	4	6	7	10	13	21
1. SINGLE DX	610	5.5	3	4	4	5	6	7	9	13
2. MULTIPLE DX	951	6.7	13	3	4	6	7	10	13	21
A. NOT OPERATED	9	7.9	21	2	2	8	11	15	15	15
B. OPERATED	1552	6.2	10	3	4	6	7	9	11	19
TOTAL 0-19 YRS	156	5.2	3	3	4	5	6	7	8	11
20-34	647	5.2	4	3	4	5	6	7	8	13
35-49	353	6.0	3	4	4	6	7	8	9	11
50-64	245	7.3	6	5	5	7	8	10	13	17
65+	160	10.4	36	6	6	8	12	16	21	39
GRAND TOTAL	**1561**	**6.2**	**10**	**3**	**4**	**6**	**7**	**9**	**11**	**19**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	12	3.0	4	<1	<1	3	4	6	7	7
35-49	14	2.7	13	<1	<1	1	2	7	12	14
50-64	12	1.6		<1	<1	1	2	3	3	3
65+	9	4.2	8	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	18	4.1	4	1	1	4	5	7	8	8
35-49	20	4.7	27	<1	<1	5	6	8	16	24
50-64	10	5.5	12	<1	1	6	8	10	12	12
65+	2	10.0	2	9	9	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	49	2.7	7	<1	<1	2	3	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	50	4.9	16	<1	<1	5	6	9	11	24
1. SINGLE DX	49	2.7	7	<1	<1	2	3	6	7	14
2. MULTIPLE DX	52	4.7	16	<1	1	4	6	8	11	24
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	99	3.8	12	<1	<1	2	6	8	9	19
TOTAL 0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	31	3.6	4	<1	1	4	5	7	8	8
35-49	34	3.9	22	<1	<1	2	6	7	13	24
50-64	22	3.4	9	<1	<1	2	6	8	10	12
65+	12	5.0	12	1	1	4	8	10	11	11
GRAND TOTAL	101	3.8	12	<1	<1	2	6	8	9	19

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	21	2.1	1	<1	<1	2	3	4	5	5
35-49	13	2.2	1	1	1	2	3	3	4	4
50-64	13	3.2	8	<1	1	2	4	7	10	11
65+	9	2.6	2	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	3	6.7	65	2	2	2	13	16	16	16
20-34	7	4.4	13	1	1	3	8	10	10	10
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	6	4.5	8	2	2	4	6	9	9	9
65+	13	3.5	6	1	1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	61	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	36	3.9	11	1	1	3	5	9	10	16
1. SINGLE DX	62	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	37	3.8	11	1	1	2	5	9	10	16
A. NOT OPERATED	2	1.0		<1	<1	<1	1	1	1	1
B. OPERATED	97	2.9	6	<1	1	2	3	6	9	14
TOTAL 0-19 YRS	8	3.1	27	<1	<1	1	2	12	16	16
20-34	28	2.7	5	<1	<1	2	3	5	9	10
35-49	20	2.3	1	1	1	2	3	4	4	4
50-64	19	3.6	7	<1	1	3	5	8	10	11
65+	24	2.9	5	<1	<1	2	4	6	8	8
GRAND TOTAL	99	2.9	6	<1	1	2	3	6	9	14

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	6	3.7	17	<1	<1	2	6	10	11	11
35-49	8	3.6	8	1	1	3	4	8	10	10
50-64	29	3.0	9	1	1	2	3	8	9	14
65+	38	2.7	7	<1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	5	2.4	2	<1	<1	2	4	4	4	4
35-49	11	6.6	12	1	2	7	10	11	12	12
50-64	23	4.8	16	1	1	3	8	11	13	15
65+	36	5.9	78	1	2	3	5	11	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	81	3.0	8	<1	1	2	3	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	3	8.7	14	6	6	7	11	13	13	13
B. *Operated*	77	5.4	44	1	1	3	7	11	14	36
1. SINGLE DX	84	2.9	8	<1	1	2	3	6	10	14
2. MULTIPLE DX	80	5.5	43	1	1	3	7	11	14	36
A. NOT OPERATED	6	5.3	19	1	1	4	7	12	13	13
B. OPERATED	158	4.2	27	1	1	2	5	10	11	35
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	12	3.3	10	<1	<1	2	5	8	11	11
35-49	20	5.3	12	1	1	4	8	11	11	12
50-64	53	3.9	14	1	1	2	5	10	13	15
65+	77	4.2	42	1	1	2	4	7	13	36
GRAND TOTAL	164	4.2	26	1	1	2	5	10	12	34

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	18	1.4	1	<1	<1	1	2	2	3	4
20-34	11	2.0	1	<1	<1	2	3	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	7	2.3	1	<1	<1	2	3	3	3	3
65+	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+	5	4.8	8	2	2	4	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.0	32	1	1	5	9	9	9	9
B. *Operated*	41	2.0	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	10	3.6	5	1	1	3	4	7	9	9
1. SINGLE DX	43	2.1	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	11	3.6	5	1	1	3	4	7	9	9
A. NOT OPERATED	3	4.7	16	1	1	4	8	9	9	9
B. OPERATED	51	2.3	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	19	1.4	1	<1	<1	1	2	2	3	4
20-34	13	2.1	1	<1	<1	2	3	4	4	4
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64	8	3.1	6	<1	<1	2	3	7	9	9
65+	8	4.8	5	2	2	4	6	8	9	9
GRAND TOTAL	54	2.4	3	<1	<1	2	3	4	6	9

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	5	3.4	11	<1	<1	3	5	9	9	9
35-49	3	4.0	19	1	1	2	7	9	9	9
50-64	10	2.4	2	1	1	2	3	4	5	5
65+	7	6.7	17	2	2	6	8	14	15	15
B. *Operated*										
0-19 YRS	8	7.0	19	2	2	7	10	12	13	13
20-34	44	11.2	34	1	5	10	14	17	22	29
35-49	63	11.2	59	2	3	10	13	17	30	43
50-64	97	10.9	82	1	2	9	13	17	23	55
65+	55	12.0	57	2	3	11	14	23	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	6	7.7	81	<1	<1	4	10	23	25	25
50-64	13	6.1	27	1	1	5	9	13	18	19
65+	44	8.9	91	2	3	6	10	18	29	46
B. *Operated*										
0-19 YRS	9	14.1	189	1	2	11	16	36	48	48
20-34	39	13.1	56	4	7	11	16	27	33	99+
35-49	70	14.9	93	2	6	13	17	29	36	53
50-64	131	18.1	236	3	6	13	20	37	54	73
65+	110	21.6	288	5	7	16	30	46	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.1	11	1	1	3	6	9	10	15
B. *Operated*	267	11.1	62	2	2	10	13	18	27	43
2. MULTIPLE DX										
A. *Not Operated*	65	8.0	75	1	2	5	9	18	23	46
B. *Operated*	359	17.9	210	3	7	13	22	37	52	89
1. SINGLE DX	294	10.5	61	1	2	9	13	17	25	43
2. MULTIPLE DX	424	16.4	202	3	4	12	19	36	48	85
A. NOT OPERATED	92	6.9	59	1	1	4	8	16	19	46
B. OPERATED	626	15.0	158	2	4	11	17	31	45	74
TOTAL 0-19 YRS	21	9.5	101	1	2	9	11	17	31	48
20-34	88	11.6	47	1	4	10	14	21	28	75
35-49	142	12.7	81	2	3	11	15	24	32	46
50-64	251	14.1	177	2	3	11	16	28	45	71
65+	216	16.1	212	3	3	12	19	37	47	93
GRAND TOTAL	718	14.0	153	2	3	11	16	29	41	73

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	27	3.4	1	2	2	3	4	5	6	7
20-34	204	3.3	1	2	2	3	4	4	5	6
35-49	202	3.7	2	2	3	4	4	5	6	9
50-64	161	3.7	2	2	3	4	4	5	6	8
65+	71	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	5.5	41	1	1	5	10	10	10	10
B. *Operated*										
0-19 YRS	7	3.4	1	2	2	3	4	5	5	5
20-34	79	4.4	15	2	3	3	4	6	9	26
35-49	109	4.3	6	2	3	4	5	6	7	16
50-64	104	4.6	10	3	3	4	5	6	7	23
65+	67	5.3	9	2	3	5	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	665	3.6	2	2	2	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	5	4.4	14	1	1	4	7	10	10	10
B. *Operated*	366	4.6	10	2	3	4	5	6	8	25
1. SINGLE DX	668	3.6	2	2	2	4	4	5	5	8
2. MULTIPLE DX	371	4.6	10	2	3	4	5	6	8	25
A. NOT OPERATED	8	3.6	9	1	1	3	5	9	10	10
B. OPERATED	1031	4.0	5	2	2	4	4	5	6	12
TOTAL 0-19 YRS	34	3.4	1	2	2	3	4	5	5	7
20-34	284	3.6	5	2	2	3	4	5	5	12
35-49	313	3.9	3	2	3	4	4	5	6	10
50-64	268	4.1	5	2	3	4	4	5	6	16
65+	140	4.7	6	2	3	4	6	7	9	14
GRAND TOTAL	1039	4.0	5	2	2	4	4	5	6	11

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	4	5.0	10	<1	<1	5	7	8	8	8
50-64										
65+	3	3.0	7	1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	11	6.2	6	3	4	6	7	9	12	12
20-34	51	7.3	11	1	4	7	8	11	14	20
35-49	41	6.9	12	2	3	6	9	11	12	18
50-64	63	7.8	53	2	3	6	10	14	15	51
65+	30	7.4	17	4	4	6	8	12	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	3.9	8	1	1	3	6	8	9	9
35-49	9	3.4	4	1	1	3	5	7	7	7
50-64	12	7.3	17	3	3	6	10	14	15	15
65+	15	8.5	31	1	3	5	11	19	19	19
B. *Operated*										
0-19 YRS	4	8.8	19	5	5	7	11	15	15	15
20-34	30	7.8	18	3	3	7	10	13	14	22
35-49	41	8.7	74	2	3	7	10	16	22	53
50-64	87	10.2	111	3	3	7	12	21	25	64
65+	50	12.8	131	3	3	9	17	36	45	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.2	5	<1	1	3	4	7	8	8
B. *Operated*	196	7.3	25	3	3	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	45	6.2	21	1	1	5	8	13	16	19
B. *Operated*	212	10.1	95	3	3	7	12	21	28	64
1. SINGLE DX	210	7.1	25	2	3	6	8	12	14	22
2. MULTIPLE DX	257	9.4	85	2	3	7	11	20	25	52
A. NOT OPERATED	59	5.5	19	1	1	4	7	12	15	19
B. OPERATED	408	8.8	64	3	3	7	10	16	22	49
TOTAL 0-19 YRS	18	6.1	11	2	3	6	7	11	14	15
20-34	94	6.9	15	1	2	7	8	12	14	21
35-49	95	7.3	40	2	2	6	8	11	17	40
50-64	162	9.0	83	3	3	7	11	16	22	53
65+	98	10.2	84	3	3	7	12	21	37	73
GRAND TOTAL	**467**	**8.4**	**59**	**2**	**3**	**7**	**10**	**15**	**21**	**46**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	1.9	2	<1	<1	2	2	3	6	6
20-34	605	3.1	5	<1	<1	2	5	6	7	9
35-49	211	3.8	6	<1	1	4	6	7	7	10
50-64	58	4.3	9	<1	<1	4	6	9	10	11
65+	25	3.9	8	<1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	431	4.2	7	<1	1	5	6	7	9	11
35-49	311	5.3	6	1	1	6	7	8	9	13
50-64	72	6.4	50	1	1	6	7	9	11	49
65+	32	8.6	54	1	2	7	12	16	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.6	2	1	1	4	4	5	5	5
B. *Operated*	911	3.4	6	<1	<1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	9	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*	849	5.0	13	1	1	5	6	8	10	15
1. SINGLE DX	916	3.4	6	<1	<1	2	5	6	7	10
2. MULTIPLE DX	858	4.9	13	1	1	5	6	8	10	15
A. NOT OPERATED	14	2.6	3	<1	<1	2	4	5	6	6
B. OPERATED	1760	4.1	10	<1	1	4	6	7	8	13
TOTAL 0-19 YRS	15	1.8	2	<1	<1	2	2	2	5	6
20-34	1042	3.6	6	<1	1	3	5	7	8	10
35-49	523	4.7	7	<1	1	5	6	7	9	12
50-64	132	5.5	32	<1	1	5	7	9	10	33
65+	62	6.3	37	1	1	5	8	14	16	34
GRAND TOTAL	**1774**	**4.1**	**10**	**<1**	**1**	**4**	**6**	**7**	**8**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	27	2.9	5	<1	<1	2	4	6	7	11
35-49	48	4.7	15	<1	<1	3	7	10	12	18
50-64	87	3.6	6	<1	<1	3	6	7	8	11
65+	92	5.0	31	<1	1	3	6	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	5.2	12	1	1	5	8	10	10	10
65+	5	7.8	89	1	1	3	12	24	24	24
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	22	4.3	9	<1	1	4	6	8	10	11
35-49	61	5.8	32	<1	1	4	7	13	16	33
50-64	117	6.2	26	<1	1	5	8	12	16	28
65+	166	7.2	39	1	2	5	10	15	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.6	26	<1	<1	6	10	14	14	14
B. *Operated*	255	4.2	17	<1	<1	3	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	11	6.2	43	1	1	3	8	16	23	24
B. *Operated*	369	6.4	32	1	1	5	9	13	17	30
1. SINGLE DX	260	4.2	17	<1	<1	3	6	9	11	18
2. MULTIPLE DX	380	6.4	32	1	1	5	9	13	17	30
A. NOT OPERATED	16	6.3	36	<1	1	4	8	14	21	24
B. OPERATED	624	5.5	27	<1	1	4	7	12	15	26
TOTAL 0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	49	3.5	7	<1	<1	3	5	7	9	11
35-49	111	5.4	25	<1	1	4	7	11	14	27
50-64	212	5.1	19	<1	1	4	7	10	12	22
65+	264	6.4	38	1	1	4	9	14	18	30
GRAND TOTAL	**640**	**5.5**	**27**	**<1**	**1**	**4**	**7**	**12**	**15**	**26**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	16	1	1	2	3	10	14	15
20-34	25	3.2	4	<1	1	3	4	5	7	9
35-49	22	5.8	115	<1	1	2	4	14	33	49
50-64	47	3.4	9	<1	1	2	4	8	10	13
65+	61	3.2	10	<1	<1	2	4	8	11	15
B. *Operated*										
0-19 YRS	111	3.7	9	<1	1	2	5	8	10	15
20-34	179	4.1	19	<1	1	3	5	8	11	29
35-49	173	3.5	11	<1	1	2	5	7	9	18
50-64	243	4.1	17	<1	1	3	5	9	13	20
65+	264	4.0	15	<1	1	2	5	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.9	23	<1	<1	3	5	7	16	22
20-34	39	3.2	6	<1	1	2	4	6	7	14
35-49	49	4.2	19	<1	1	3	6	10	12	22
50-64	88	5.6	88	1	1	3	6	8	14	63
65+	292	6.6	40	1	1	5	9	13	19	33
B. *Operated*										
0-19 YRS	39	7.2	44	<1	1	5	10	17	24	27
20-34	134	7.1	76	1	1	5	8	13	21	45
35-49	163	6.9	48	1	1	6	8	12	19	45
50-64	253	6.2	44	1	1	4	8	12	16	41
65+	416	8.7	103	1	2	6	10	18	27	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	3.6	23	<1	<1	2	4	7	12	20
B. *Operated*	970	3.9	15	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	487	5.8	44	1	1	4	7	12	16	33
B. *Operated*	1005	7.5	74	1	1	5	9	15	24	47
1. SINGLE DX	1143	3.9	16	<1	1	2	5	9	11	19
2. MULTIPLE DX	1492	6.9	65	1	1	5	8	14	22	42
A. NOT OPERATED	660	5.2	40	<1	1	3	7	11	15	31
B. OPERATED	1975	5.8	48	1	1	4	7	12	17	37
TOTAL 0-19 YRS	187	4.4	20	<1	1	3	6	10	12	24
20-34	377	5.0	39	<1	1	4	6	10	13	30
35-49	407	5.1	35	<1	1	4	7	10	13	39
50-64	631	5.1	38	1	1	3	6	11	14	32
65+	1033	6.6	62	1	1	4	8	14	20	39
GRAND TOTAL	**2635**	**5.6**	**46**	**1**	**1**	**4**	**7**	**11**	**17**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	3	2.0	3	<1	<1	1	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	5	4.6	10	1	1	5	7	9	9	9
B. *Operated*										
0-19 YRS	13	3.1	2	<1	1	3	4	5	6	6
20-34	142	3.6	1	2	2	4	4	5	5	6
35-49	176	3.5	1	2	2	3	4	5	5	7
50-64	185	4.0	3	2	3	4	4	6	6	9
65+	81	4.4	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	3.0	8	<1	<1	2	4	8	9	9
35-49	10	2.8	3	<1	<1	2	4	6	7	7
50-64	12	3.4	13	1	1	2	4	8	13	14
65+	18	5.7	15	1	2	4	8	12	14	15
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	58	4.1	6	2	2	4	4	5	10	15
35-49	87	4.3	5	2	3	4	5	6	7	17
50-64	98	5.2	11	2	3	4	5	10	12	18
65+	76	6.1	22	2	3	5	7	11	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.2	7	<1	<1	2	5	7	9	9
B. *Operated*	597	3.8	2	2	2	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	51	3.9	12	1	1	3	5	9	13	15
B. *Operated*	323	4.9	11	2	3	4	5	8	12	18
1. SINGLE DX	608	3.8	2	2	2	4	4	5	6	8
2. MULTIPLE DX	374	4.8	12	2	2	4	5	8	12	18
A. NOT OPERATED	62	3.8	11	<1	1	3	5	9	11	15
B. OPERATED	920	4.2	6	2	2	4	5	6	7	15
TOTAL 0-19 YRS	20	2.9	2	<1	1	3	4	5	5	6
20-34	209	3.7	3	2	2	4	4	5	5	12
35-49	276	3.7	3	2	2	4	4	5	6	9
50-64	297	4.3	6	2	3	4	5	6	9	17
65+	180	5.3	13	2	3	4	6	9	11	22
GRAND TOTAL	982	4.2	6	2	2	4	5	6	8	15

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	2	<1	1	3	4	5	6	6
20-34	46	3.9	6	1	1	3	5	7	8	13
35-49	29	3.2	3	1	1	3	4	5	6	8
50-64	20	4.1	2	2	2	4	5	6	7	7
65+	22	4.3	9	1	2	4	5	7	11	15
B. *Operated*										
0-19 YRS	21	3.9	2	2	2	3	5	6	7	9
20-34	147	4.2	5	2	2	4	5	6	8	13
35-49	98	3.7	2	2	2	3	4	5	6	10
50-64	77	4.2	4	3	3	4	5	6	8	14
65+	19	4.2	1	2	3	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.4	141	1	1	3	6	8	35	53
20-34	66	5.1	14	1	2	4	7	10	11	22
35-49	83	7.2	72	2	2	5	8	11	19	55
50-64	150	7.0	73	2	2	5	8	12	18	31
65+	227	9.5	71	2	3	7	12	20	25	41
B. *Operated*										
0-19 YRS	12	6.0	6	4	4	5	7	10	12	12
20-34	74	5.8	24	2	3	4	6	10	15	29
35-49	68	6.0	16	3	3	5	6	12	15	23
50-64	87	6.7	58	2	3	4	7	14	17	48
65+	62	12.4	167	3	3	7	14	30	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	3.7	5	1	2	3	5	6	7	13
B. *Operated*	362	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	544	7.8	69	2	2	6	9	15	23	40
B. *Operated*	303	7.5	66	2	3	5	8	15	21	51
1. SINGLE DX	499	4.0	4	2	2	4	5	6	7	12
2. MULTIPLE DX	847	7.7	68	2	2	5	9	15	22	45
A. NOT OPERATED	681	7.0	59	1	2	5	8	13	21	37
B. OPERATED	665	5.6	35	2	3	4	5	10	14	30
TOTAL 0-19 YRS	71	4.6	38	1	1	3	5	7	9	44
20-34	333	4.7	11	1	2	4	5	8	10	22
35-49	278	5.2	29	2	2	4	6	9	12	26
50-64	334	6.1	50	2	3	4	6	11	16	26
65+	330	9.4	85	2	3	6	11	21	27	51
GRAND TOTAL	1346	6.3	47	2	2	4	7	12	18	35

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	5.3	12	1	2	5	7	9	11	16
20-34	147	4.4	9	1	2	4	6	7	8	16
35-49	130	4.7	7	1	2	4	6	8	10	14
50-64	178	5.3	13	2	2	5	7	9	10	21
65+	150	6.2	13	2	3	5	7	11	13	20
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34										
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	4.1	7	1	1	4	5	7	9	12
20-34	300	5.4	36	1	2	4	7	9	12	20
35-49	435	5.7	21	1	2	5	7	10	12	21
50-64	951	6.4	23	2	2	5	8	11	15	27
65+	1386	7.7	50	2	3	6	9	14	19	41
B. *Operated*										
0-19 YRS	10	5.4	3	3	3	6	6	7	8	8
20-34	25	11.2	105	2	4	8	13	19	39	45
35-49	48	10.0	96	2	2	7	14	18	21	58
50-64	105	11.4	105	2	3	9	14	23	28	60
65+	139	13.7	136	2	4	12	16	30	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	5.2	11	1	2	5	7	9	11	17
B. *Operated*	6	5.5	9	2	2	5	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	3227	6.7	36	2	2	5	8	12	16	32
B. *Operated*	327	12.0	116	2	3	9	15	23	37	71
1. SINGLE DX	863	5.2	11	1	2	5	7	9	11	17
2. MULTIPLE DX	3554	7.2	45	2	2	6	8	13	18	39
A. NOT OPERATED	4084	6.4	31	2	2	5	8	11	15	29
B. OPERATED	333	11.9	115	2	3	9	15	23	37	71
TOTAL 0-19 YRS	419	4.8	10	1	2	4	6	8	10	15
20-34	472	5.4	33	1	2	4	7	9	12	24
35-49	615	5.8	25	1	2	5	7	10	14	22
50-64	1235	6.7	31	2	2	5	8	12	16	29
65+	1676	8.1	56	2	3	6	10	15	21	48
GRAND TOTAL	**4417**	**6.8**	**39**	**2**	**2**	**5**	**8**	**12**	**17**	**34**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	493	3.6	5	1	1	3	5	7	8	11
20-34	338	3.7	6	1	1	3	5	7	8	12
35-49	116	4.5	6	2	2	4	6	7	9	13
50-64	80	5.5	17	1	2	5	7	9	12	27
65+	60	7.4	22	2	2	7	9	13	16	28
B. *Operated*										
0-19 YRS	5	5.0	8	2	2	5	7	9	9	9
20-34	3	6.0	13	3	3	5	9	10	10	10
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	2	22.0	200	12	12	22	32	32	32	32
65+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	4.4	11	1	1	3	6	9	11	14
20-34	532	4.8	14	1	2	4	6	9	12	18
35-49	333	6.6	39	2	2	5	8	11	15	27
50-64	342	7.6	28	2	3	6	10	13	16	28
65+	406	10.5	67	3	4	8	12	20	27	48
B. *Operated*										
0-19 YRS	9	6.8	44	1	1	6	7	17	23	23
20-34	38	11.5	84	3	4	10	14	23	44	99+
35-49	31	13.7	149	5	5	10	19	27	63	99+
50-64	41	19.5	310	4	5	13	24	38	66	80
65+	40	21.4	205	5	6	18	29	43	46	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	4.1	8	1	1	3	5	7	9	14
B. *Operated*	13	10.0	82	2	3	8	10	27	31	32
2. MULTIPLE DX										
A. *Not Operated*	1988	6.7	36	1	2	5	8	13	16	32
B. *Operated*	159	16.2	200	3	5	12	21	40	47	98
1. SINGLE DX	1100	4.2	9	1	2	3	5	7	9	14
2. MULTIPLE DX	2147	7.4	54	2	2	5	9	14	20	41
A. NOT OPERATED	3075	5.8	28	1	2	4	7	11	14	28
B. OPERATED	172	15.8	194	3	5	11	20	37	47	95
TOTAL 0-19 YRS	882	4.0	8	1	1	3	5	8	10	13
20-34	911	4.7	16	1	2	3	6	9	12	19
35-49	482	6.6	42	2	2	5	8	11	16	35
50-64	465	8.4	65	2	3	6	10	14	22	39
65+	507	11.0	83	3	4	8	13	22	31	48
GRAND TOTAL	**3247**	**6.3**	**41**	**1**	**2**	**5**	**8**	**12**	**16**	**36**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	4.4	9	1	1	4	6	8	10	15
20-34	169	4.4	7	1	2	4	5	8	9	15
35-49	171	5.3	8	2	2	5	7	9	10	16
50-64	196	5.8	19	2	2	5	7	10	14	26
65+	209	6.1	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	5	2.8	3	2	2	2	3	5	6	6
20-34	29	4.7	10	1	1	4	6	9	12	14
35-49	28	5.8	18	1	1	5	9	12	15	15
50-64	54	4.7	30	1	1	3	5	9	19	29
65+	38	6.7	99	1	1	3	6	14	33	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.7	14	<1	1	4	6	9	11	22
20-34	494	5.5	19	1	2	4	7	11	14	20
35-49	716	6.5	20	2	2	5	8	12	16	22
50-64	1391	7.3	37	2	3	6	9	13	17	34
65+	2039	8.2	36	2	3	7	10	15	19	35
B. *Operated*										
0-19 YRS	14	10.0	167	2	3	5	12	27	45	50
20-34	249	9.6	93	2	3	6	12	20	26	51
35-49	315	11.6	183	1	2	7	14	27	33	77
50-64	633	15.1	236	1	2	10	20	38	51	80
65+	762	17.7	245	2	3	14	24	40	52	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	5.3	12	1	2	4	7	9	12	19
B. *Operated*	154	5.3	40	1	1	3	6	11	15	42
2. MULTIPLE DX										
A. *Not Operated*	4752	7.3	33	2	3	6	9	14	17	30
B. *Operated*	1973	14.8	221	2	3	10	19	35	49	80
1. SINGLE DX	1044	5.3	16	1	2	4	6	9	12	20
2. MULTIPLE DX	6725	9.5	100	2	3	6	11	19	29	57
A. NOT OPERATED	5642	7.0	30	2	2	6	8	13	16	29
B. OPERATED	2127	14.2	214	2	2	9	18	33	48	78
TOTAL 0-19 YRS	276	4.8	20	1	1	4	6	9	11	23
20-34	941	6.4	40	1	2	5	7	13	17	32
35-49	1230	7.6	65	2	2	5	9	15	20	45
50-64	2274	9.3	104	2	3	6	10	19	29	59
65+	3048	10.4	106	2	3	7	12	21	30	59
GRAND TOTAL	**7769**	**9.0**	**90**	**2**	**2**	**6**	**10**	**18**	**27**	**54**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	6	2.2	2	<1	<1	1	4	4	4	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.0	4	<1	1	3	5	5	6	7
20-34	88	4.1	5	<1	1	5	6	6	7	10
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	3.5	5	<1	<1	3	5	6	7	7
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	18	4.1	3	<1	1	4	5	6	7	8
20-34	146	4.8	8	1	1	5	6	7	8	18
35-49	24	6.0	4	1	3	6	7	8	10	10
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	2	9.5	145	<1	<1	9	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.4	1	<1	<1	2	3	4	4	4
B. *Operated*	109	3.9	5	<1	1	5	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	12	3.3	3	<1	1	3	4	6	7	7
B. *Operated*	192	4.9	8	1	1	5	6	7	8	18
1. SINGLE DX	120	3.8	5	<1	<1	4	5	6	7	10
2. MULTIPLE DX	204	4.8	8	<1	1	5	6	7	8	18
A. NOT OPERATED	23	2.9	2	<1	<1	3	4	5	6	7
B. OPERATED	301	4.5	7	<1	1	5	6	7	8	14
TOTAL 0-19 YRS	40	3.5	4	<1	1	4	5	6	7	8
20-34	248	4.4	7	<1	1	5	6	7	8	11
35-49	31	5.3	6	<1	2	6	7	8	10	10
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	2	9.5	145	<1	<1	9	18	18	18	18
GRAND TOTAL	**324**	**4.4**	**7**	**<1**	**1**	**5**	**6**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.5	5	<1	<1	2	3	5	7	12
20-34	77	3.2	4	1	1	3	4	6	8	10
35-49	62	4.3	21	1	1	3	5	8	13	25
50-64	59	3.1	6	1	1	2	4	6	9	13
65+	59	5.2	21	1	1	4	7	11	16	23
B. *Operated*										
0-19 YRS	11	4.3	9	1	1	4	7	9	9	9
20-34	14	5.4	33	<1	1	4	6	10	21	24
35-49	25	5.8	18	3	3	4	8	10	13	23
50-64	23	4.8	5	2	2	4	6	8	9	10
65+	8	7.5	16	3	3	6	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	2.6	5	1	1	2	3	5	7	10
20-34	155	4.0	14	1	1	3	5	8	12	19
35-49	202	4.5	18	1	1	4	5	8	12	27
50-64	344	5.8	41	1	1	4	7	12	16	36
65+	660	6.5	35	1	2	5	8	13	18	32
B. *Operated*										
0-19 YRS	11	6.2	13	2	2	5	9	11	14	14
20-34	42	7.4	38	1	2	6	10	15	20	31
35-49	53	10.1	139	1	2	5	11	24	45	51
50-64	80	11.0	213	2	3	6	12	22	36	86
65+	93	13.1	160	3	4	9	16	28	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	3.6	12	1	1	3	4	7	10	18
B. *Operated*	81	5.4	15	1	2	4	7	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	1470	5.5	31	1	1	4	7	11	15	30
B. *Operated*	279	10.8	150	2	2	7	13	24	34	71
1. SINGLE DX	413	3.9	13	1	1	3	5	8	10	22
2. MULTIPLE DX	1749	6.4	54	1	1	4	7	13	18	36
A. NOT OPERATED	1802	5.2	28	1	1	4	6	11	15	28
B. OPERATED	360	9.6	125	2	2	6	11	21	30	51
TOTAL 0-19 YRS	206	2.8	6	<1	1	2	4	6	9	12
20-34	288	4.3	17	1	1	3	5	9	12	24
35-49	342	5.5	41	1	1	4	6	10	15	35
50-64	506	6.3	67	1	1	4	7	13	18	43
65+	820	7.2	53	1	2	5	8	15	22	35
GRAND TOTAL	2162	5.9	47	1	1	4	7	12	17	34

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	4	5.5	27	<1	<1	4	9	13	13	13
35-49										
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	8	8.4	38	2	2	7	12	18	19	19
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34										
35-49	1	23.0		23	23	23	23	23	23	23
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.6	28	1	2	6	10	16	20	21
20-34	13	9.2	39	1	2	7	15	19	21	21
35-49	21	6.0	27	1	2	4	7	11	18	24
50-64	65	10.7	238	2	3	8	11	18	44	99
65+	306	10.9	89	3	3	8	13	21	29	46
B. *Operated*										
0-19 YRS	5	5.8		5	5	6	6	6	6	6
20-34	24	8.0	89	4	5	6	7	9	64	99+
35-49	34	11.3	81	6	6	7	11	28	33	37
50-64	28	14.3	143	2	3	9	19	31	42	48
65+	33	20.5	363	2	3	20	30	94	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.4	26	<1	1	5	8	15	18	19
B. *Operated*	8	5.6	53	<1	1	3	5	18	23	23
2. MULTIPLE DX										
A. *Not Operated*	427	10.4	105	2	3	8	13	19	27	74
B. *Operated*	124	13.6	187	3	5	8	20	33	52	99+
1. SINGLE DX	26	6.2	32	<1	1	4	7	16	20	23
2. MULTIPLE DX	551	11.1	125	2	3	8	13	23	33	99
A. NOT OPERATED	445	10.2	102	2	3	8	13	19	27	71
B. OPERATED	132	13.1	182	2	4	7	20	33	52	99+
TOTAL 0-19 YRS	32	6.3	22	1	2	5	8	11	18	21
20-34	41	8.1	66	2	4	6	8	17	33	99+
35-49	56	9.6	68	2	3	6	10	23	31	37
50-64	97	11.5	203	2	3	8	13	25	38	98
65+	351	11.7	121	2	3	9	14	25	31	99
GRAND TOTAL	577	10.9	122	2	3	8	13	23	32	98

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	9.2	20	2	3	10	11	15	16	25
20-34	11	9.5	26	4	4	9	13	17	20	20
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2	13.5	1	13	13	13	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	8.1	23	1	2	9	12	14	16	19
20-34	36	9.0	25	2	3	8	13	17	18	21
35-49	3	9.0	1	8	8	9	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6	23.5	222	1	2	24	30	44	46	46
20-34	6	13.5	160	2	2	7	27	31	32	32
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	9.3	20	2	3	10	11	15	16	24
B. *Operated*	4	8.5	38	1	1	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	94	8.5	23	2	2	8	12	15	17	20
B. *Operated*	16	14.2	207	<1	1	7	26	32	42	46
1. SINGLE DX	69	9.2	21	2	3	10	12	15	16	24
2. MULTIPLE DX	110	9.3	52	1	2	8	13	17	24	30
A. NOT OPERATED	159	8.8	22	2	3	9	12	15	17	21
B. OPERATED	20	13.1	175	<1	1	7	24	31	39	46
TOTAL 0-19 YRS	116	9.5	41	1	2	10	12	15	18	35
20-34	54	9.5	40	2	3	8	13	17	21	32
35-49	9	5.1	15	<1	<1	6	8	10	10	10
50-64										
65+										
GRAND TOTAL	179	9.3	40	1	2	9	12	16	20	31

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	2	2	2	3	4	6	6	6
20-34	5	10.0	113	1	1	5	21	22	22	22
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	7.9	8	5	5	7	9	12	13	13
20-34	206	7.2	4	5	5	7	8	9	10	16
35-49	160	7.9	13	5	5	7	9	10	11	31
50-64	28	7.3	2	5	5	7	8	9	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.0	97	<1	<1	7	16	24	24	24
20-34	28	3.9	45	1	1	3	4	7	40	99+
35-49	48	4.5	17	1	1	4	6	8	10	24
50-64	28	6.9	34	<1	1	4	10	16	20	20
65+	19	8.7	26	1	2	8	13	16	17	18
B *Operated*										
0 19 YRS	6	7.5	1	6	6	7	8	9	9	9
20-34	235	10.3	91	5	6	8	10	16	22	62
35-49	326	10.5	77	5	6	8	10	15	25	53
50-64	108	10.5	66	6	6	9	11	15	21	54
65+	4	6.0	9	3	3	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	6.1	54	1	1	3	5	21	22	22
B. *Operated*	402	7.5	8	5	5	7	8	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	127	5.7	33	1	1	4	7	15	18	51
B. *Operated*	679	10.4	79	5	6	8	10	16	22	57
1. SINGLE DX	414	7.4	9	5	5	7	8	9	11	19
2. MULTIPLE DX	806	9.7	75	2	4	8	10	15	21	56
A. NOT OPERATED	139	5.7	34	1	1	4	7	15	20	43
B. OPERATED	1081	9.3	54	5	6	8	9	13	18	51
TOTAL 0-19 YRS	24	7.1	20	1	3	7	8	11	16	26
20-34	474	8.6	54	4	5	7	9	12	17	55
35-49	535	9.2	56	3	5	8	9	13	20	50
50-64	164	9.3	52	2	5	8	10	14	19	34
65+	23	8.2	23	2	3	8	12	15	17	18
GRAND TOTAL	1220	8.9	53	3	5	8	9	13	18	50

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.9	30	<1	<1	2	4	8	17	28
20-34	101	2.0	10	<1	<1	<1	1	3	5	20
35-49	53	1.7	2	<1	<1	<1	2	4	6	7
50-64	86	2.7	24	<1	<1	<1	2	6	9	31
65+	34	3.2	9	<1	<1	2	4	8	10	12
B. *Operated*										
0-19 YRS	20	3.5	5	<1	<1	3	5	7	8	8
20-34	26	4.2	22	<1	1	3	5	8	15	23
35-49	44	3.8	5	1	1	4	5	7	8	10
50-64	34	4.1	7	1	1	4	6	8	9	10
65+	23	9.4	76	1	2	8	12	16	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.3	17	1	1	3	5	9	15	19
20-34	87	4.5	17	1	1	4	5	9	12	24
35-49	93	7.7	130	1	1	4	8	15	27	69
50-64	144	7.5	43	1	2	6	9	15	20	28
65+	214	8.2	69	1	2	6	10	18	26	49
B. *Operated*										
0-19 YRS	12	14.4	207	1	2	10	17	42	45	45
20-34	56	6.6	72	1	2	5	7	13	15	60
35-49	93	8.1	61	1	2	6	10	15	24	44
50-64	112	8.8	90	1	1	6	11	18	27	48
65+	87	13.0	165	1	2	10	15	29	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	2.6	16	<1	<1	<1	3	6	8	26
B. *Operated*	147	4.8	23	1	1	4	6	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	611	7.0	61	1	2	4	8	14	20	47
B. *Operated*	360	9.5	106	1	2	6	12	20	29	55
1. SINGLE DX	476	3.2	19	<1	<1	1	4	7	10	25
2. MULTIPLE DX	971	7.9	79	1	2	5	9	16	24	50
A. NOT OPERATED	940	5.4	49	<1	<1	3	7	11	17	34
B. OPERATED	507	8.1	87	1	1	5	10	17	25	48
TOTAL 0-19 YRS	160	4.8	40	<1	1	3	5	10	17	40
20-34	270	4.0	29	<1	<1	3	5	8	12	27
35-49	283	6.1	70	<1	<1	4	7	12	17	50
50-64	376	6.5	55	<1	<1	5	8	14	19	31
65+	358	9.0	94	1	2	6	11	20	28	52
GRAND TOTAL	**1447**	**6.4**	**64**	**<1**	**<1**	**4**	**8**	**14**	**20**	**43**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	8	3.0	2	1	1	3	4	5	5	5
35-49	18	3.7	8	<1	1	3	5	9	10	10
50-64	19	4.2	10	1	2	3	5	8	12	14
65+	41	3.9	4	1	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	5	4.6	13	<1	<1	4	7	10	10	10
65+	8	5.8	15	1	2	5	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	30.0		30	30	30	30	30	30	30
20-34	11	4.2	3	2	2	4	6	7	7	7
35-49	33	4.1	6	2	2	3	5	7	9	12
50-64	57	5.1	19	1	2	4	7	9	13	27
65+	192	6.3	21	2	2	5	8	11	13	27
B. *Operated*										
0-19 YRS										
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	10	3.8	8	1	1	3	7	8	8	8
50-64	18	6.6	23	2	2	5	10	15	17	17
65+	40	9.8	83	2	2	7	15	20	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.8	5	1	2	3	5	7	8	12
B. *Operated*	19	4.7	10	<1	1	4	6	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	294	5.8	21	2	2	5	7	10	13	28
B. *Operated*	71	7.9	59	2	2	5	10	17	21	42
1. SINGLE DX	107	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX	365	6.2	29	2	2	5	8	11	16	30
A. NOT OPERATED	382	5.3	18	2	2	4	7	10	12	27
B. OPERATED	90	7.2	50	1	2	5	9	16	19	40
TOTAL 0-19 YRS	4	9.5	188	2	2	3	17	30	30	30
20-34	24	3.7	3	1	2	3	5	6	7	8
35-49	64	3.9	6	1	2	3	5	8	9	12
50-64	99	5.2	18	1	2	4	7	10	14	23
65+	281	6.4	29	2	2	5	8	12	16	31
GRAND TOTAL	**472**	**5.7**	**24**	**2**	**2**	**4**	**7**	**10**	**14**	**28**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.9	20	1	1	2	3	4	5	32
20-34	29	3.7	10	1	1	3	4	9	10	14
35-49	26	2.7	2	<1	1	3	4	5	5	5
50-64	41	3.2	3	1	1	3	4	5	6	9
65+	116	5.7	35	1	2	4	7	10	14	36
B. *Operated*										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34										
35-49	1	47.0		47	47	47	47	47	47	47
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	3.4	9	1	1	3	4	6	8	17
20-34	230	3.8	17	1	1	3	4	8	11	30
35-49	332	4.7	17	1	1	4	6	10	12	22
50-64	729	5.8	40	1	2	4	7	11	15	31
65+	2657	8.1	60	2	3	6	10	16	20	38
B. *Operated*										
0-19 YRS	14	9.2	89	3	3	5	9	25	34	36
20-34	22	7.3	59	1	1	4	11	19	24	27
35-49	32	8.3	39	1	2	7	12	18	21	22
50-64	59	11.8	161	1	2	7	14	29	42	63
65+	174	18.3	247	3	5	13	24	40	53	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	4.1	22	1	1	3	5	8	10	27
B. *Operated*	5	19.0	262	9	9	10	26	47	47	47
2. MULTIPLE DX										
A. *Not Operated*	4316	6.8	50	1	2	5	8	13	18	33
B. *Operated*	301	14.7	204	2	2	11	19	33	44	80
1. SINGLE DX	288	4.4	29	1	1	3	5	8	11	35
2. MULTIPLE DX	4617	7.3	64	1	2	5	9	15	20	41
A. NOT OPERATED	4599	6.7	48	1	2	5	8	13	18	33
B. OPERATED	306	14.8	205	2	2	11	19	33	45	80
TOTAL 0-19 YRS	455	3.5	14	1	1	3	4	6	8	23
20-34	281	4.1	20	1	1	3	4	9	12	28
35-49	391	5.0	24	1	1	4	6	10	14	23
50-64	830	6.1	49	1	2	4	7	12	16	38
65+	2948	8.6	76	2	3	6	10	17	23	50
GRAND TOTAL	**4905**	**7.2**	**62**	**1**	**2**	**5**	**8**	**14**	**20**	**41**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.9	4	<1	1	2	4	7	8	8
20-34	14	3.8	7	1	1	3	5	6	10	11
35-49	17	2.6	3	<1	<1	2	4	5	6	7
50-64	28	3.6	5	<1	1	3	5	7	7	9
65+	78	3.7	8	<1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	5	3.8	6	2	2	3	4	8	8	8
20-34	4	5.3	44	1	1	3	9	15	15	15
35-49	4	2.5	6	1	1	2	4	6	6	6
50-64	9	3.8	7	1	1	3	6	8	8	8
65+	8	4.6	14	2	2	3	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.3	6	<1	1	3	4	7	9	11
20-34	39	4.3	7	1	1	4	5	8	9	11
35-49	116	3.6	10	1	1	3	5	7	9	16
50-64	175	5.2	16	1	1	4	6	9	12	23
65+	765	6.3	25	1	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	10	4.6	15	<1	<1	4	6	10	14	14
20-34	14	7.4	30	1	2	6	8	16	20	21
35-49	56	8.9	83	1	2	7	11	17	23	57
50-64	72	9.4	111	1	2	6	10	24	36	91
65+	232	11.3	100	3	4	9	14	21	29	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.5	7	<1	1	3	5	7	8	14
B. *Operated*	30	4.0	12	1	1	3	6	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	1133	5.7	22	1	1	4	7	11	14	25
B. *Operated*	384	10.3	96	1	3	8	13	21	29	73
1. SINGLE DX	183	3.6	7	<1	1	3	5	7	8	15
2. MULTIPLE DX	1517	6.8	44	1	2	5	8	13	19	34
A. NOT OPERATED	1286	5.4	20	1	1	4	7	10	14	24
B. OPERATED	414	9.8	93	1	2	8	12	20	28	66
TOTAL 0-19 YRS	69	3.4	7	<1	1	3	4	7	8	13
20-34	71	4.9	14	1	1	4	7	9	12	20
35-49	193	5.0	36	1	1	3	6	10	13	28
50-64	284	6.0	42	1	1	5	7	11	16	43
65+	1083	7.1	45	1	2	5	9	14	19	33
GRAND TOTAL	**1700**	**6.5**	**42**	**1**	**1**	**5**	**8**	**13**	**18**	**33**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.0	6	1	2	4	5	7	8	15
20-34	169	5.6	14	1	2	5	8	10	14	18
35-49	43	5.8	31	1	1	4	6	13	20	26
50-64	7	3.3	3	1	1	3	5	6	6	6
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	2	7.0		7	7	7	7	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.1	11	1	2	4	7	11	12	15
20-34	146	6.1	23	1	2	5	7	11	17	24
35-49	49	7.9	39	2	3	6	9	16	19	36
50-64	12	8.0	67	1	2	6	9	17	30	32
65+										
B. *Operated*										
0-19 YRS										
20-34	15	15.6	208	4	5	9	18	43	50	52
35-49	5	10.6	65	4	4	7	15	24	24	24
50-64	3	26.0	871	7	7	11	48	60	60	60
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	5.2	14	1	2	4	6	10	13	20
B. *Operated*	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	272	6.3	25	1	2	5	8	12	17	30
B. *Operated*	23	15.9	244	4	5	9	18	45	55	60
1. SINGLE DX	305	5.2	14	1	2	4	6	10	13	20
2. MULTIPLE DX	295	7.0	48	1	2	5	8	12	18	40
A. NOT OPERATED	575	5.7	20	1	2	4	7	10	14	22
B. OPERATED	25	15.2	230	4	5	8	15	43	54	60
TOTAL 0-19 YRS	147	4.5	9	1	2	4	6	8	11	15
20-34	332	6.3	30	1	2	5	8	11	17	29
35-49	97	7.1	37	1	2	5	9	14	20	31
50-64	22	9.0	172	1	2	5	9	17	43	60
65+	2	5.0	2	4	4	5	6	6	6	6
GRAND TOTAL	**600**	**6.1**	**32**	**1**	**2**	**5**	**7**	**11**	**16**	**30**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.6	5	<1	<1	2	3	6	8	10
20-34	47	3.5	7	<1	<1	3	5	5	10	14
35-49	31	2.6	8	<1	<1	1	3	6	9	13
50-64	53	3.0	7	<1	1	2	4	7	9	12
65+	283	2.4	5	<1	<1	1	3	6	7	12
B. *Operated*										
0-19 YRS	35	4.0	6	1	1	4	6	6	7	13
20-34	14	6.1	10	3	3	5	8	11	13	13
35-49	9	9.3	122	3	3	6	9	27	38	38
50-64	19	5.4	16	<1	1	3	8	12	13	14
65+	52	5.6	21	1	1	4	7	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	3.5	13	<1	1	3	4	7	10	20
20-34	97	3.9	10	<1	1	3	6	9	11	14
35-49	135	4.5	21	<1	1	3	6	10	15	23
50-64	363	4.2	19	<1	1	3	6	10	13	22
65+	1415	5.3	34	<1	1	3	7	12	16	29
B. *Operated*										
0-19 YRS	27	4.8	9	1	1	5	6	9	10	11
20-34	50	6.9	40	1	1	5	9	17	24	99
35-49	57	7.2	33	1	2	6	9	14	17	33
50-64	116	9.5	68	2	2	7	11	20	25	44
65+	409	11.1	92	3	3	8	14	22	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	491	2.6	6	<1	<1	2	3	6	8	12
B. *Operated*	129	5.5	23	1	1	4	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	2115	4.9	28	<1	1	3	7	11	15	26
B. *Operated*	659	9.9	78	2	3	8	12	20	27	51
1. SINGLE DX	620	3.2	11	<1	<1	2	4	7	9	14
2. MULTIPLE DX	2774	6.1	45	<1	1	4	8	13	15	31
A. NOT OPERATED	2606	4.5	25	<1	1	3	6	10	13	24
B. OPERATED	788	9.2	72	1	2	7	11	16	25	49
TOTAL 0-19 YRS	244	3.4	9	<1	1	2	4	7	9	13
20-34	208	4.7	18	<1	1	3	6	10	13	27
35-49	232	5.1	28	<1	<1	4	7	11	15	27
50-64	551	5.3	33	<1	1	3	7	11	17	29
65+	2159	6.0	48	<1	1	4	8	13	18	31
GRAND TOTAL	**3394**	**5.5**	**40**	**<1**	**1**	**4**	**7**	**12**	**17**	**30**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
20-34	6	6.7	30	<1	<1	4	13	14	14	14
35-49	8	2.6	3	1	1	2	3	6	7	7
50-64	2	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	31.0		31	31	31	31	31	31	31
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.7	16	1	1	3	6	13	14	14
20-34	21	6.5	48	1	1	5	7	15	24	30
35-49	5	3.4	1	2	2	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	10	<1	<1	2	4	6	13	14
B. *Operated*	2	21.0	200	11	11	21	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	44	5.3	29	1	1	4	6	12	15	30
B. *Operated*	7	6.4	10	4	4	6	7	12	13	13
1. SINGLE DX	31	4.3	36	<1	<1	2	4	12	14	31
2. MULTIPLE DX	51	5.5	26	1	2	4	6	12	14	30
A. NOT OPERATED	73	4.4	23	<1	1	3	5	11	14	27
B. OPERATED	9	9.7	74	4	4	6	11	24	31	31
TOTAL 0-19 YRS	30	3.6	14	<1	<1	2	5	10	13	14
20-34	31	6.5	38	1	1	5	8	13	19	30
35-49	16	5.1	51	1	2	3	5	7	24	31
50-64	3	3.7		3	3	4	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	82	5.0	30	<1	1	3	5	12	14	31

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.2	5	<1	1	3	4	6	7	12
20-34	34	3.6	9	1	1	3	5	7	11	14
35-49	19	4.4	7	<1	1	5	6	7	10	12
50-64	28	3.6	8	1	1	3	5	7	10	12
65+	56	2.8	12	<1	<1	1	4	7	10	19
B. *Operated*										
0-19 YRS	67	4.1	5	1	1	4	6	7	9	10
20-34	59	6.7	20	1	2	6	7	13	17	24
35-49	31	7.7	27	2	3	6	10	16	18	24
50-64	38	7.6	128	1	2	5	7	12	16	72
65+	22	6.8	29	1	2	5	8	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	3.8	9	<1	1	3	5	9	10	18
20-34	71	4.6	16	1	1	4	5	9	13	23
35-49	87	5.7	20	1	1	4	8	12	15	22
50-64	210	6.0	42	1	1	5	8	11	13	29
65+	424	6.5	38	1	1	5	9	13	17	34
B. *Operated*										
0-19 YRS	35	6.1	44	1	1	4	7	12	16	38
20-34	61	7.9	49	1	2	6	10	16	18	40
35-49	59	9.5	85	1	2	6	12	22	33	42
50-64	138	10.5	92	2	2	7	14	21	27	57
65+	193	12.9	143	3	4	9	15	26	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	3.3	8	<1	<1	3	4	6	9	13
B. *Operated*	217	6.2	38	1	2	5	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	915	5.8	32	1	1	4	8	12	15	24
B. *Operated*	486	10.7	107	2	3	7	14	23	29	57
1. SINGLE DX	456	4.7	24	<1	1	4	6	9	12	20
2. MULTIPLE DX	1401	7.5	63	1	1	5	9	15	21	42
A. NOT OPERATED	1154	5.3	28	1	1	4	7	11	14	22
B. OPERATED	703	9.3	89	2	2	6	11	19	26	57
TOTAL 0-19 YRS	327	3.9	11	1	1	3	5	7	10	18
20-34	225	5.9	27	1	1	5	7	13	16	26
35-49	196	7.1	42	1	2	5	8	14	19	37
50-64	414	7.5	69	1	2	5	9	15	20	54
65+	695	8.0	75	1	1	6	10	16	22	47
GRAND TOTAL	1857	6.8	55	1	1	5	8	14	19	41

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	1.8	1	<1	1	2	2	3	4	6
20-34	78	1.9	2	1	1	2	2	3	4	7
35-49	17	2.5	6	1	1	2	2	6	9	10
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	333	3.5	2	2	2	3	4	5	6	9
20-34	126	3.7	2	2	2	3	4	5	6	9
35-49	15	3.9	2	2	2	4	5	5	7	7
50-64	7	5.7	10	2	2	5	8	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	1.8	1	<1	1	2	2	3	4	6
20-34	37	2.4	2	1	1	2	3	4	5	5
35-49	9	2.7	1	2	2	2	3	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	120	4.3	8	2	2	4	5	7	10	18
20-34	61	4.4	4	2	2	4	6	7	8	10
35-49	6	8.0	14	4	4	7	12	13	13	13
50-64	5	6.4	9	3	3	5	9	10	10	10
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	1.9	1	1	1	2	2	3	4	6
B. *Operated*	481	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	188	2.0	1	1	1	2	2	3	4	6
B. *Operated*	193	4.5	7	2	2	4	5	7	10	16
1. SINGLE DX	901	2.8	3	1	1	3	4	5	5	9
2. MULTIPLE DX	381	3.3	6	1	1	3	4	6	7	13
A. NOT OPERATED	608	1.9	1	1	1	2	2	3	4	6
B. OPERATED	674	3.9	4	2	2	3	4	6	7	11
TOTAL 0-19 YRS	913	2.8	3	1	1	2	4	5	5	9
20-34	302	3.2	3	1	1	3	4	5	7	9
35-49	47	3.7	7	1	1	3	5	7	10	13
50-64	17	4.9	9	1	2	4	7	10	11	11
65+	3	5.0	4	3	3	5	6	7	7	7
GRAND TOTAL	1282	2.9	4	1	1	3	4	5	6	10

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.7	4	1	1	3	5	7	7	9
20-34	11	2.4	2	1	1	3	3	4	5	5
35-49	4	2.8	4	1	1	3	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	3.3	6	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	75	2.6	6	<1	<1	2	3	6	8	12
20-34	72	2.3	3	<1	<1	2	3	5	6	9
35-49	27	2.4	3	<1	<1	2	3	5	6	8
50-64	19	2.2	1	<1	<1	2	3	4	4	4
65+	7	2.4	7	<1	<1	1	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	3.6	4	1	1	3	5	6	7	11
20-34	12	4.2	5	1	2	4	5	8	9	9
35-49	6	4.5	3	2	2	5	6	6	6	6
50-64	7	6.1	28	3	3	4	6	16	18	18
65+	7	3.9	12	1	1	3	5	10	11	11
B. *Operated*										
0-19 YRS	29	3.2	5	1	1	3	5	7	7	8
20-34	21	6.6	96	<1	<1	3	7	19	34	39
35-49	15	3.4	12	<1	<1	3	3	6	13	15
50-64	18	4.3	14	<1	1	3	6	11	12	12
65+	24	5.8	15	1	2	5	8	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	3.5	4	1	1	3	5	6	7	9
B. *Operated*	200	2.4	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	86	4.0	7	1	1	4	5	6	8	16
B. *Operated*	107	4.7	28	<1	1	3	6	10	12	34
1. SINGLE DX	285	2.7	4	<1	<1	2	4	5	7	10
2. MULTIPLE DX	193	4.4	19	1	1	3	5	8	12	25
A. NOT OPERATED	171	3.7	5	1	1	3	5	6	7	11
B. OPERATED	307	3.2	14	<1	<1	2	4	7	10	14
TOTAL 0-19 YRS	224	3.2	5	<1	1	3	5	6	7	10
20-34	116	3.3	22	<1	<1	2	3	6	8	33
35-49	52	2.9	6	<1	<1	2	4	6	6	15
50-64	45	3.7	12	<1	1	3	4	8	12	18
65+	41	4.7	14	<1	1	4	7	11	12	13
GRAND TOTAL	478	3.4	11	<1	<1	3	4	7	8	13

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	18	5.9	37	<1	1	4	7	17	19	20
35-49	6	6.2	15	2	2	5	9	12	12	12
50-64	8	4.1	8	<1	<1	4	6	8	9	9
65+	13	10.9	100	2	3	7	19	25	32	34
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49										
50-64	2	13.5	313	1	1	13	26	26	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.6	68	1	1	6	10	22	29	29
20-34	24	6.0	19	1	1	5	8	14	15	15
35-49	16	5.3	20	<1	<1	4	6	13	15	16
50-64	41	11.0	101	2	3	8	12	22	35	47
65+	89	8.0	52	1	2	6	10	18	21	36
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	3	28.0	525	6	6	21	43	51	51	51
50-64	5	10.0	18	6	6	8	14	15	15	15
65+	6	11.5	22	4	4	12	13	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	7.0	50	1	1	5	7	18	22	34
B. *Operated*	3	13.7	156	1	1	14	23	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	180	8.2	59	1	2	6	10	18	22	43
B. *Operated*	15	13.7	129	4	6	12	15	21	43	51
1. SINGLE DX	50	7.4	56	1	1	5	9	19	23	34
2. MULTIPLE DX	195	8.6	66	1	2	6	11	18	22	46
A. NOT OPERATED	227	7.9	57	1	1	6	10	18	22	41
B. OPERATED	18	13.7	124	2	5	12	15	24	41	51
TOTAL 0-19 YRS	12	7.8	61	1	1	6	9	19	28	29
20-34	44	6.3	27	<1	1	5	9	15	16	20
35-49	25	8.0	106	<1	1	5	9	16	28	51
50-64	56	10.0	87	1	2	8	12	22	26	47
65+	108	8.5	57	1	2	6	10	20	22	37
GRAND TOTAL	245	8.4	64	1	2	6	10	18	22	45

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.2	19	1	1	1	2	3	4	28
20-34	73	4.8	40	<1	<1	3	5	11	17	36
35-49	32	5.3	47	1	1	3	5	14	26	27
50-64	61	8.7	102	1	2	6	12	17	24	59
65+	319	9.0	88	1	2	6	11	19	27	54
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	6.3	16	2	2	7	9	10	10	10
65+	6	5.3	8	2	2	5	6	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.4	178	<1	1	2	4	10	44	99+
20-34	153	7.7	76	1	1	5	9	19	28	38
35-49	93	8.8	84	1	1	5	14	23	31	73
50-64	205	10.3	135	1	2	7	12	23	32	75
65+	1872	10.1	78	2	3	7	13	21	28	60
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	24.1	713	<1	1	21	37	53	89	99
35-49	8	12.0	179	2	2	7	15	35	42	42
50-64	17	10.5	62	1	2	9	15	23	27	28
65+	125	18.8	203	4	5	15	29	40	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	7.2	77	1	1	4	9	16	24	47
B. *Operated*	12	5.3	11	<1	1	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2394	9.8	87	2	2	7	12	21	28	64
B. *Operated*	165	18.0	236	2	4	14	27	39	48	99+
1. SINGLE DX	587	7.1	76	1	1	4	9	16	24	47
2. MULTIPLE DX	2559	10.3	100	2	2	7	13	22	32	71
A. NOT OPERATED	2969	9.3	86	1	2	7	12	20	28	60
B. OPERATED	177	17.1	231	2	3	12	26	30	46	99+
TOTAL 0-19 YRS	163	3.6	90	<1	1	2	3	5	10	99
20-34	241	7.7	117	1	1	4	9	21	28	49
35-49	134	8.2	82	1	1	4	11	23	29	51
50-64	286	9.9	122	1	2	7	12	22	29	68
65+	2322	10.4	90	2	3	8	13	22	30	64
GRAND TOTAL	3146	9.7	97	1	2	7	12	22	29	64

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+	14	10.7	118	1	4	9	11	15	40	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	22.5	313	10	10	22	35	35	35	35
50-64	9	11.0	58	5	5	8	14	23	29	29
65+	81	11.4	73	2	3	11	14	19	26	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	8	20.9	73	2	8	23	28	72	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	10.8	110	1	4	9	11	18	39	47
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	92	11.6	75	3	3	10	14	22	29	47
B. *Operated*	8	20.9	73	2	8	23	28	72	99+	99+
1. SINGLE DX	16	10.8	110	1	4	9	11	18	39	47
2. MULTIPLE DX	100	12.4	81	2	3	11	15	25	32	73
A. NOT OPERATED	108	11.5	80	3	3	9	14	20	30	47
B. OPERATED	8	20.9	73	2	8	23	28	72	99+	99+
TOTAL 0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	22.5	313	10	10	22	35	35	35	35
50-64	10	11.8	58	5	5	8	15	24	29	29
65+	103	12.1	84	2	3	11	15	24	32	72
GRAND TOTAL	116	12.2	84	2	3	10	18	25	33	68

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	89	4.5	35	<1	1	2	5	8	23	26
35-49	121	4.6	39	1	1	3	4	8	24	29
50-64	73	4.6	17	1	1	3	5	9	12	25
65+	37	8.6	83	1	2	5	11	25	31	33
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	13.8	138	<1	1	6	27	28	28	28
20-34	286	8.7	103	1	1	4	10	26	29	44
35-49	541	7.6	81	1	1	4	8	23	27	34
50-64	515	8.9	90	1	2	5	10	23	28	40
65+	222	9.7	91	2	3	7	12	21	26	41
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	16.3	88	5	6	12	25	29	29	29
35-49	15	15.4	250	<1	1	11	18	46	53	55
50-64	21	22.1	289	4	5	16	32	46	55	64
65+	19	21.4	496	3	4	12	28	47	73	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	5.0	39	1	1	3	5	10	23	29
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1575	8.5	90	1	2	5	10	24	28	39
B. *Operated*	63	19.3	317	2	4	12	28	45	51	89
1. SINGLE DX	325	5.0	39	1	1	3	5	10	23	29
2. MULTIPLE DX	1638	9.0	103	1	2	5	10	25	28	46
A. NOT OPERATED	1899	7.9	83	1	1	4	9	23	27	36
B. OPERATED	64	19.1	315	2	4	12	28	45	51	89
TOTAL 0-19 YRS	16	10.1	126	<1	<1	5	22	28	28	28
20-34	382	7.8	91	1	1	3	9	25	28	36
35-49	677	7.2	80	1	1	4	7	22	27	36
50-64	610	8.8	96	1	2	5	10	23	28	45
65+	278	10.3	124	2	3	7	13	22	28	53
GRAND TOTAL	1963	8.3	94	1	2	4	9	23	28	43

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.6	16	<1	1	2	5	8	13	17
20-34	32	4.8	22	<1	1	3	6	13	14	20
35-49	10	3.7	8	1	1	3	6	8	9	9
50-64	9	11.0	79	2	2	8	19	25	27	27
65+	9	4.9	10	1	1	4	7	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	8.0	203	1	1	3	7	16	40	70
20-34	107	5.9	41	1	1	4	7	13	18	38
35-49	58	5.7	25	1	1	4	7	13	18	22
50-64	46	7.5	30	1	3	6	10	15	19	29
65+	62	8.8	55	2	3	6	11	20	25	37
B. *Operated*										
0-19 YRS	2	9.5	41	5	5	9	14	14	14	14
20-34	4	11.8	55	4	4	11	17	21	21	21
35-49										
50-64	2	5.0	2	4	4	5	6	6	6	6
65+	4	13.8	250	2	2	8	25	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	5.1	27	1	1	3	7	12	17	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	301	6.9	55	1	1	5	8	15	20	37
B. *Operated*	12	10.9	97	2	3	7	14	25	34	36
1. SINGLE DX	80	5.1	27	1	1	3	7	12	17	25
2. MULTIPLE DX	313	7.1	57	1	2	5	8	15	21	37
A. NOT OPERATED	381	6.5	50	1	1	4	8	14	20	36
B. OPERATED	12	10.9	97	2	3	7	14	25	34	36
TOTAL 0-19 YRS	50	6.3	124	1	1	3	7	15	17	70
20-34	143	5.8	38	1	1	4	7	14	18	35
35-49	68	5.4	23	1	1	4	7	11	17	22
50-64	57	8.0	37	1	2	6	10	18	21	29
65+	75	8.6	60	2	2	6	10	19	25	37
GRAND TOTAL	**393**	**6.6**	**51**	**1**	**1**	**4**	**8**	**14**	**20**	**37**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	17.2	323	2	2	12	23	42	68	95
20-34	985	10.9	96	1	2	8	15	21	27	47
35-49	432	10.3	60	2	2	8	15	21	25	37
50-64	145	11.7	81	2	3	9	15	22	29	48
65+	37	10.6	53	2	3	7	16	22	26	28
B. *Operated*										
0-19 YRS										
20-34	2	22.0	98	15	15	22	29	29	29	29
35-49	1	27.0		27	27	27	27	27	27	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	15.9	304	1	2	9	19	36	53	89
20-34	492	11.6	107	1	2	9	15	24	30	49
35-49	252	12.0	107	2	3	10	15	25	28	46
50-64	159	12.1	73	2	3	9	17	23	30	43
65+	60	13.7	112	3	3	11	18	29	33	54
B. *Operated*										
0-19 YRS										
20-34	22	22.8	321	9	12	17	23	39	64	92
35-49	13	14.8	85	2	4	13	22	29	31	31
50-64	6	24.0	112	7	8	24	27	39	40	40
65+	2	19.0	8	17	17	19	21	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1705	11.2	101	1	2	9	15	22	28	52
B. *Operated*	3	23.7	57	15	15	27	28	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	1021	12.2	114	2	3	9	16	25	30	55
B. *Operated*	43	20.3	213	5	7	17	24	32	42	92
1. SINGLE DX	1708	11.2	101	1	2	9	15	22	28	52
2. MULTIPLE DX	1064	12.5	120	2	3	10	16	26	31	56
A. NOT OPERATED	2726	11.6	106	2	2	9	15	23	29	52
B. OPERATED	46	20.6	202	6	7	17	25	31	41	92
TOTAL 0-19 YRS	164	16.7	315	2	2	12	22	38	59	92
20-34	1501	11.3	105	1	2	9	15	22	28	49
35-49	698	11.1	78	2	2	9	15	23	28	39
50-64	310	12.1	79	2	3	10	17	23	31	45
65+	99	12.6	90	3	3	10	18	27	30	48
GRAND TOTAL	**2772**	**11.7**	**109**	**2**	**2**	**9**	**16**	**23**	**30**	**53**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	14.2	250	1	2	6	18	44	46	67
20-34	86	11.5	81	2	3	9	14	24	32	42
35-49	31	10.9	66	2	3	8	13	23	32	33
50-64	6	14.8	104	3	3	13	20	30	31	31
65+										
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	17.0	214	3	4	13	19	43	52	54
20-34	38	11.2	72	1	2	8	17	23	29	32
35-49	16	9.2	50	2	3	7	13	19	25	27
50-64	5	16.0	13	13	13	15	17	22	22	22
65+	6	9.0	60	1	1	8	12	21	22	22
B. *Operated*										
0-19 YRS										
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	12.1	116	2	3	9	14	26	33	47
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	86	12.5	105	2	3	11	16	23	33	53
B. *Operated*	3	7.7	24	2	2	10	11	11	11	11
1. SINGLE DX	159	12.1	115	2	3	9	14	26	33	47
2. MULTIPLE DX	89	12.4	103	2	3	11	16	23	32	52
A. NOT OPERATED	244	12.3	112	2	3	9	15	25	33	50
B. OPERATED	4	7.3	17	2	2	8	10	11	11	11
TOTAL 0-19 YRS	56	15.4	235	2	3	12	18	43	49	66
20-34	127	11.3	77	2	2	9	14	24	32	38
35-49	47	10.3	60	2	3	8	13	22	28	33
50-64	12	15.0	54	3	6	14	19	25	30	31
65+	6	9.0	60	1	1	8	12	21	22	22
GRAND TOTAL	248	12.2	111	2	3	9	15	25	33	50

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	16.2	237	2	3	11	20	39	46	84
20-34	1285	11.3	112	1	2	8	15	24	31	55
35-49	569	10.8	78	1	2	9	14	21	28	46
50-64	241	13.4	124	2	3	11	18	28	36	49
65+	47	13.9	134	2	2	10	21	33	39	45
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49	1	50.0		50	50	50	50	50	50	50
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	17.3	324	1	2	12	24	38	56	88
20-34	831	12.3	117	1	2	9	16	26	34	52
35-49	438	11.7	87	2	3	9	17	25	30	46
50-64	268	13.3	129	2	3	10	17	28	35	61
65+	72	14.8	178	3	4	11	18	30	35	76
B. *Operated*										
0-19 YRS	7	35.9	602	14	16	26	42	79	87	87
20-34	21	25.6	368	2	2	24	38	49	67	74
35-49	19	25.8	294	7	9	24	32	44	64	77
50-64	11	14.2	118	4	5	10	20	30	39	40
65+	3	16.3	72	10	10	13	23	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2324	11.9	117	1	2	9	16	25	33	54
B. *Operated*	2	34.5	481	19	19	34	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*	1731	12.8	130	2	3	9	17	27	34	57
B. *Operated*	61	24.3	332	3	7	23	33	42	67	86
1. SINGLE DX	2326	11.9	117	1	2	9	16	25	33	54
2. MULTIPLE DX	1792	13.2	141	2	3	10	17	28	35	62
A. NOT OPERATED	4055	12.3	123	1	2	9	16	26	34	55
B. OPERATED	63	24.7	332	3	7	23	33	46	66	86
TOTAL 0-19 YRS	311	17.1	285	2	2	12	23	39	50	87
20-34	2138	11.9	118	1	2	9	16	25	33	55
35-49	1027	11.5	91	2	3	9	15	24	30	48
50-64	520	13.4	126	2	3	10	18	28	36	54
65+	122	14.5	157	2	3	11	19	30	38	64
GRAND TOTAL	4118	12.4	128	1	2	9	16	26	34	56

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	42.8	1295	1	8	93	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	43.0	1132	5	7	44	86	98	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	42.8	1295	1	8	93	99+	99+	99+	99+
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	6	43.0	1132	5	7	44	86	98	99+	99+
B. *Operated*										
1. SINGLE DX	6	37.0	1238	1	4	76	99+	99+	99+	99+
2. MULTIPLE DX	6	43.0	1132	5	7	44	86	98	99+	99+
A. NOT OPERATED	11	42.9	1084	2	6	68	99+	99+	99+	99+
B. OPERATED	1	8.0		8	8	8	8	8	8	8
TOTAL 0-19 YRS	12	40.0	1087	2	6	60	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**12**	**40.0**	**1087**	**2**	**6**	**60**	**99+**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	12.3	158	1	1	9	16	34	44	90
20-34	499	10.7	97	1	2	8	14	25	31	49
35-49	442	10.9	105	1	2	8	14	24	33	66
50-64	341	13.3	135	2	3	10	17	27	41	53
65+	247	17.1	159	2	4	14	23	32	40	61
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	16.0		16	16	16	16	16	16	16
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	89.0		89	89	89	89	89	89	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	16.5	362	1	2	8	22	56	65	99+
20-34	720	11.6	122	1	2	8	16	27	35	59
35-49	595	12.0	117	1	2	9	17	25	32	50
50-64	465	13.2	147	2	3	10	18	27	32	73
65+	438	16.2	190	3	4	12	22	35	43	63
B. *Operated*										
0-19 YRS	4	33.8	1070	1	1	27	54	79	79	79
20-34	20	18.1	177	3	6	13	29	45	75	99+
35-49	27	28.0	421	5	6	24	32	47	84	93
50-64	27	25.1	366	6	7	16	34	60	67	70
65+	28	34.6	341	8	12	31	52	59	65	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1600	12.4	124	1	2	9	16	27	35	55
B. *Operated*	3	39.0	1879	12	12	16	71	89	89	89
2. MULTIPLE DX										
A. *Not Operated*	2337	13.1	154	1	3	9	18	29	38	63
B. *Operated*	106	27.3	379	5	8	22	38	59	67	96
1. SINGLE DX	1603	12.4	128	1	2	9	16	27	36	55
2. MULTIPLE DX	2443	13.7	172	1	3	10	18	30	41	70
A. NOT OPERATED	3937	12.8	142	1	2	9	17	28	37	62
B. OPERATED	109	27.7	406	5	8	22	38	59	70	96
TOTAL 0-19 YRS	194	15.3	307	1	2	8	21	45	62	99+
20-34	1239	11.3	114	1	2	8	15	27	34	54
35-49	1065	12.0	126	1	2	9	16	25	35	57
50-64	834	13.6	153	2	3	10	18	28	40	63
65+	714	17.3	204	3	4	14	23	36	45	68
GRAND TOTAL	**4046**	**13.2**	**155**	**1**	**2**	**10**	**17**	**29**	**39**	**68**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	16.7	265	3	3	11	21	40	57	99
20-34	596	12.3	117	1	2	9	16	26	34	55
35-49	[illegible]	11.6	88	1	2	9	16	24	29	46
50-64	263	13.4	124	2	3	10	18	27	36	55
65+	101	14.5	126	3	4	12	19	27	35	58
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	16.6	261	3	4	14	22	33	41	87
20-34	470	12.1	111	1	2	9	17	25	32	54
35-49	414	10.9	87	1	2	8	14	23	30	51
50-64	314	13.9	155	2	3	11	18	29	41	60
65+	147	16.3	195	3	4	13	21	32	44	87
B. *Operated*										
0-19 YRS	1	59.0		59	59	59	59	59	59	59
20-34	18	19.6	247	7	8	13	25	36	57	71
35-49	17	18.8	165	5	6	16	22	35	49	56
50-64	15	23.1	169	6	8	20	33	42	48	50
65+	13	28.5	555	11	11	17	29	78	80	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1437	12.6	118	2	3	10	17	26	35	59
B. *Operated*	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1392	12.7	131	2	3	10	17	26	35	59
B. *Operated*	64	22.6	287	6	8	17	29	43	63	80
1. SINGLE DX	1438	12.6	118	2	3	10	17	26	34	59
2. MULTIPLE DX	1456	13.2	141	2	3	10	17	28	36	60
A. NOT OPERATED	2829	12.7	124	2	3	10	17	26	35	59
B. OPERATED	65	22.5	283	6	8	16	28	42	62	80
TOTAL 0-19 YRS	106	17.0	275	3	3	12	21	36	60	95
20-34	1084	12.3	117	1	2	9	16	26	34	55
35-49	831	11.4	90	1	2	9	16	23	30	51
50-64	612	13.9	143	2	3	10	18	29	39	59
65+	261	16.2	192	3	4	13	20	32	42	83
GRAND TOTAL	2894	12.9	130	2	3	10	17	27	35	60

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	10.8	104	1	1	8	15	29	35	93
20-34	287	8.3	65	1	2	6	11	17	25	38
35-49	154	8.0	46	1	1	6	11	17	19	30
50-64	105	8.4	65	1	1	5	12	22	26	33
65+	107	9.4	91	<1	1	6	11	22	28	49
B. *Operated*										
0-19 YRS										
20-34	2	13.0	162	4	4	13	22	22	22	22
35-49	1	20.0		20	20	20	20	20	20	20
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	12.6	126	2	3	9	16	32	50	99+
20-34	272	10.2	118	1	1	6	14	23	29	52
35-49	183	10.8	122	1	2	8	13	24	35	59
50-64	202	12.1	130	1	3	8	16	28	35	55
65+	449	10.2	88	1	2	7	13	22	29	47
B. *Operated*										
0-19 YRS	2	10.0	50	5	5	10	15	15	15	15
20-34	14	14.9	82	4	5	13	23	28	29	29
35-49	10	12.3	233	1	1	5	17	35	52	52
50-64	11	11.7	120	1	2	9	15	27	39	40
65+	39	14.2	63	3	5	12	19	25	30	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	8.6	68	1	1	6	11	19	27	39
B. *Operated*	5	13.6	55	4	4	12	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	1164	10.7	110	1	2	7	14	24	31	55
B. *Operated*	76	13.6	93	2	4	11	18	26	30	49
1. SINGLE DX	718	8.6	68	1	1	6	11	20	27	39
2. MULTIPLE DX	1240	10.9	109	1	2	8	14	24	31	53
A. NOT OPERATED	1877	9.9	95	1	2	7	13	22	29	52
B. OPERATED	81	13.6	89	2	4	11	18	25	30	48
TOTAL 0-19 YRS	120	11.7	113	1	2	9	15	29	39	99+
20-34	575	9.3	92	1	1	6	12	22	28	48
35-49	348	9.6	93	1	2	7	12	20	28	52
50-64	319	10.8	110	1	2	7	14	26	32	52
65+	596	10.3	87	1	2	8	13	22	29	47
GRAND TOTAL	1958	10.1	95	1	2	7	13	23	29	52

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	12.3	353	<1	1	3	9	51	54	56
20-34	155	4.3	40	<1	1	2	5	9	13	43
35-49	124	3.8	26	<1	1	2	4	7	11	30
50-64	57	3.4	9	1	1	2	5	6	10	17
65+	44	4.6	16	1	1	3	5	10	13	21
B. *Operated*										
0-19 YRS										
20-34	1	30.0		30	30	30	30	30	30	30
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	9.1	219	1	1	2	6	34	49	56
20-34	295	5.2	39	1	1	3	5	12	16	35
35-49	292	5.4	43	1	1	3	6	12	18	35
50-64	236	4.5	22	1	1	3	5	10	14	23
65+	220	4.7	20	1	1	3	6	9	14	25
B. *Operated*										
0-19 YRS										
20-34	8	9.1	76	<1	1	5	15	23	26	26
35-49	11	5.7	17	1	1	3	9	12	12	12
50-64	8	6.0	20	2	2	5	8	13	15	15
65+	4	5.0	5	3	3	4	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.8	64	<1	1	2	5	9	15	52
B. *Operated*	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	1095	5.2	41	1	1	3	5	11	16	35
B. *Operated*	31	6.6	31	1	2	5	9	14	16	26
1. SINGLE DX	421	4.9	66	<1	1	2	5	9	16	52
2. MULTIPLE DX	1126	5.2	41	1	1	3	6	12	16	35
A. NOT OPERATED	1515	5.1	46	1	1	3	5	11	16	42
B. OPERATED	32	7.3	47	1	2	5	9	15	25	30
TOTAL 0-19 YRS	92	10.5	277	1	1	3	7	44	52	56
20-34	459	5.0	41	<1	1	3	5	11	16	35
35-49	427	4.9	38	1	1	3	5	11	16	31
50-64	301	4.3	19	1	1	3	5	9	13	22
65+	268	4.7	19	1	1	3	6	9	14	23
GRAND TOTAL	1547	5.1	48	1	1	3	6	11	16	42

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	25.1	657	1	1	14	46	61	81	92
20-34	493	7.3	52	1	1	5	9	17	22	37
35-49	399	8.9	103	1	1	5	11	21	30	45
50-64	169	8.8	88	1	2	6	12	19	24	31
65+	71	12.5	103	2	3	10	15	25	34	49
B. *Operated*										
0-19 YRS										
20-34	3	15.3	144	3	3	16	24	27	27	27
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	24.0	592	2	2	12	45	62	80	99+
20-34	919	9.0	80	1	2	6	12	21	27	44
35-49	630	9.3	82	1	2	7	12	22	27	42
50-64	398	9.1	92	1	2	6	11	19	28	55
65+	304	9.7	76	2	3	7	12	20	30	43
B. *Operated*										
0-19 YRS	10	33.6	493	4	4	34	49	65	70	70
20-34	39	19.1	327	3	5	14	28	55	95	99+
35-49	37	18.8	336	2	2	13	25	48	64	71
50-64	19	14.7	187	1	2	12	16	35	50	86
65+	13	16.2	99	3	5	15	27	41	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1287	10.4	179	1	1	6	12	24	38	69
B. *Operated*	5	15.0	94	3	3	16	22	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	2458	10.4	142	1	2	7	13	24	34	62
B. *Operated*	118	19.2	309	2	3	14	30	50	67	99+
1. SINGLE DX	1292	10.4	179	1	1	6	12	24	38	69
2. MULTIPLE DX	2576	10.8	153	1	2	7	13	25	37	66
A. NOT OPERATED	3745	10.4	154	1	2	6	13	24	35	63
B. OPERATED	123	19.0	300	2	3	14	27	49	68	99+
TOTAL 0-19 YRS	372	24.7	616	1	2	14	48	61	79	99
20-34	1454	8.7	81	1	1	6	11	20	27	46
35-49	1066	9.5	101	1	2	6	12	22	29	49
50-64	587	9.2	94	1	2	6	12	19	26	55
65+	389	10.4	84	2	3	8	13	22	31	46
GRAND TOTAL	3868	10.7	161	1	2	6	13	25	37	68

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	7.9	144	<1	1	3	9	19	31	61
20-34	415	6.5	56	<1	1	4	9	16	22	37
35-49	182	6.7	53	1	1	4	8	16	24	44
50-64	65	6.1	88	<1	1	3	7	12	31	47
65+	22	6.3	95	1	1	3	7	13	27	46
B. *Operated*										
0-19 YRS	4	7.5	9	3	3	9	9	9	9	9
20-34	60	9.1	41	3	4	9	9	10	11	51
35-49	29	7.4	7	2	2	9	9	9	10	10
50-64	17	3.8	6	1	1	4	5	8	9	9
65+	13	2.7	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	9.7	201	1	1	5	10	28	56	99+
20-34	886	8.2	107	1	1	5	10	20	29	62
35-49	418	7.1	74	1	1	5	8	16	23	47
50-64	188	7.5	73	1	1	5	10	16	20	68
65+	129	8.3	55	1	2	6	10	19	28	36
B. *Operated*										
0-19 YRS	6	4.7	28	<1	<1	2	8	13	14	14
20-34	64	10.9	122	1	2	9	11	31	48	99+
35-49	33	10.3	74	2	3	9	12	24	28	34
50-64	34	7.6	134	1	1	4	7	11	39	57
65+	19	7.6	70	2	3	5	8	17	29	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	813	6.7	76	1	1	4	8	16	23	49
B. *Operated*	123	7.2	28	1	2	9	9	9	10	24
2. MULTIPLE DX										
A. *Not Operated*	1820	8.1	103	1	1	5	9	19	28	56
B. *Operated*	156	9.4	106	1	2	6	10	25	36	96
1. SINGLE DX	936	6.8	70	1	1	4	9	15	22	49
2. MULTIPLE DX	1976	8.2	103	1	1	5	9	19	28	57
A. NOT OPERATED	2633	7.6	95	1	1	4	9	18	26	55
B. OPERATED	279	8.4	72	1	2	9	9	14	26	56
TOTAL 0-19 YRS	338	8.9	182	<1	1	4	9	23	52	99+
20-34	1425	7.9	91	1	1	5	10	19	26	50
35-49	662	7.1	66	1	1	5	9	15	24	46
50-64	304	7.0	79	1	1	4	9	14	20	59
65+	183	7.6	59	1	2	5	9	16	24	40
GRAND TOTAL	2912	7.7	93	1	1	5	9	18	26	55

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	7.2	104	<1	<1	1	7	26	29	31
20-34	602	14.4	118	1	1	20	24	28	30	32
35-49	744	12.2	107	1	2	7	22	26	29	31
50-64	492	11.6	105	1	1	6	21	26	29	31
65+	160	10.9	91	1	2	5	21	24	27	32
B. *Operated*										
0-19 YRS										
20-34	5	22.2	7	21	21	21	23	27	27	27
35-49	1	21.0		21	21	21	21	21	21	21
50-64	2	26.5	61	21	21	26	32	32	32	32
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	14.8	182	<1	1	14	26	31	37	52
20-34	1545	13.5	131	1	1	6	24	29	31	37
35-49	2284	13.1	116	1	2	8	23	28	30	34
50-64	2140	13.0	111	1	2	8	23	28	30	34
65+	1132	12.4	87	1	2	9	21	25	28	34
B. *Operated*										
0-19 YRS	2	22.0	882	1	1	22	43	43	43	43
20-34	57	20.3	146	1	2	23	28	34	37	91
35-49	81	17.2	104	2	4	19	25	29	32	41
50-64	77	18.9	171	1	2	21	27	34	42	59
65+	46	17.8	114	2	5	18	25	31	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2087	12.4	111	1	1	7	22	27	29	32
B. *Operated*	9	22.9	16	21	21	21	23	30	32	32
2. MULTIPLE DX										
A. *Not Operated*	7233	13.1	115	1	2	8	23	28	30	35
B. *Operated*	263	18.5	137	1	3	21	26	31	37	49
1. SINGLE DX	2096	12.4	111	1	1	7	22	27	29	32
2. MULTIPLE DX	7496	13.3	116	1	2	9	23	28	30	36
A. NOT OPERATED	9320	12.9	114	1	2	8	23	28	30	35
B. OPERATED	272	18.7	133	1	3	21	26	31	37	49
TOTAL 0-19 YRS	223	11.8	166	<1	<1	3	23	30	32	46
20-34	2209	13.9	129	1	1	11	24	29	30	37
35-49	3110	13.0	114	1	2	8	23	28	30	34
50-64	2711	12.9	113	1	2	8	23	28	30	36
65+	1339	12.4	90	2	2	9	21	25	28	35
GRAND TOTAL	9592	13.1	115	1	2	8	23	28	30	36

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	27	10.4	96	1	1	7	13	29	30	30
35-49	11	14.7	249	1	2	8	21	38	54	55
50-64	3	6.0	19	3	3	4	9	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.0	39	1	1	4	11	13	13	13
20-34	79	13.4	124	1	1	7	25	29	30	36
35-49	26	15.2	119	2	3	14	28	28	29	29
50-64	8	17.1	242	2	2	16	27	38	43	43
65+	11	17.5	152	3	4	14	25	37	38	38
B. Operated										
0-19 YRS										
20-34	7	19.0	120	4	4	18	27	32	33	33
35-49	1	32.0		32	32	32	32	32	32	32
50-64	2	11.5	181	2	2	11	21	21	21	21
65+	2	10.0	32	6	6	10	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	11.3	129	1	1	7	18	28	30	55
B. Operated										
2. MULTIPLE DX										
A. Not Operated	127	14.2	130	1	2	9	26	28	30	39
B. Operated	12	17.3	122	2	3	18	27	32	33	33
1. SINGLE DX	43	11.3	129	1	1	7	18	28	30	55
2. MULTIPLE DX	139	14.5	130	1	2	10	26	29	31	39
A. NOT OPERATED	170	13.5	131	1	2	8	25	28	30	42
B. OPERATED	12	17.3	122	2	3	18	27	32	33	33
TOTAL 0-19 YRS	4	9.8	82	1	1	8	17	21	21	21
20-34	113	12.1	119	1	1	7	25	29	30	34
35-49	38	15.5	156	1	2	10	27	28	31	55
50-64	13	13.7	183	2	2	8	26	30	41	43
65+	14	15.3	141	3	3	13	24	36	38	38
GRAND TOTAL	182	13.7	131	1	2	9	26	29	31	41

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	18.4	185	2	2	24	30	33	35	39
20-34	44	15.9	151	1	1	15	27	32	34	41
35-49	13	7.4	84	<1	1	4	8	24	29	30
50-64	4	6.5	10	4	4	5	8	11	11	11
65+										
B. Operated										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	21.6	343	2	4	18	31	39	55	82
20-34	127	14.4	132	1	2	11	25	29	31	34
35-49	56	17.0	127	1	4	19	26	28	34	50
50-64	25	12.9	121	3	4	8	20	30	38	42
65+	24	13.3	70	3	3	13	20	23	28	32
B. Operated										
0-19 YRS										
20-34	4	22.0	62	11	11	24	27	29	29	29
35-49										
50-64	1	38.0		38	38	38	38	38	38	38
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	14.3	149	1	1	8	27	31	33	40
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	255	15.4	141	2	2	12	25	30	33	42
B. Operated	5	25.2	98	11	11	26	31	38	38	38
1. SINGLE DX	74	14.1	149	1	1	8	27	31	33	40
2. MULTIPLE DX	260	15.6	142	2	2	12	26	30	33	42
A. NOT OPERATED	328	15.1	143	1	2	11	26	30	33	41
B. OPERATED	6	21.5	160	3	4	24	29	37	38	38
TOTAL 0-19 YRS	35	20.5	284	2	3	24	31	35	40	82
20-34	176	14.9	129	1	2	12	26	29	31	37
35-49	69	15.2	132	1	2	17	26	28	33	49
50-64	30	12.9	129	3	4	8	20	33	38	42
65+	24	13.3	70	3	3	13	20	23	28	32
GRAND TOTAL	334	15.2	143	1	2	12	26	30	33	41

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.1		<1	<1	1	1	1	2	4
20-34	69	1.4	1	<1	<1	1	1	3	3	7
35-49	32	3.2	38	<1	<1	1	2	4	24	27
50-64	22	3.6	27	<1	<1	2	4	7	15	25
65+	12	4.8	85	<1	<1	3	3	13	31	34
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	1.8	10	<1	<1	1	2	2	4	20
20-34	165	3.4	37	<1	<1	1	2	7	20	30
35-49	84	5.2	58	<1	1	2	5	14	29	31
50-64	76	3.7	21	<1	<1	2	4	7	13	26
65+	56	4.6	22	<1	1	3	6	12	16	21
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	10	2.5	12	<1	<1	1	2	7	12	12
35-49	3	4.7	16	1	1	4	8	9	9	9
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	2	4.0	8	2	2	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	1.9	13	<1	<1	1	1	3	4	26
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	475	3.6	32	<1	<1	2	3	7	15	30
B. *Operated*	21	2.9	9	<1	<1	2	3	7	10	12
1. SINGLE DX	250	1.8	12	<1	<1	1	1	3	4	26
2. MULTIPLE DX	496	3.6	31	<1	<1	2	3	7	15	30
A. NOT OPERATED	724	3.0	26	<1	<1	1	3	5	11	29
B. OPERATED	22	2.8	9	<1	<1	2	3	7	10	12
TOTAL 0-19 YRS	212	1.4	5	<1	<1	1	1	2	3	8
20-34	244	2.8	27	<1	<1	1	2	5	11	30
35-49	119	4.7	52	<1	1	2	4	11	28	30
50-64	101	3.6	21	<1	<1	2	4	7	12	26
65+	70	4.6	31	<1	<1	3	5	11	16	31
GRAND TOTAL	**746**	**3.0**	**25**	**<1**	**<1**	**1**	**3**	**6**	**11**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.7	79	<1	<1	1	3	20	30	31
20-34	53	7.9	117	<1	<1	3	6	28	30	46
35-49	13	8.9	84	<1	1	4	20	22	25	26
50-64	4	7.3	50	1	1	6	13	16	16	16
65+	4	3.3	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	27.0		27	27	27	27	27	27	27
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	13.2	408	<1	1	3	26	29	67	84
20-34	173	8.7	100	1	1	4	11	28	30	38
35-49	50	10.7	119	1	1	4	22	28	28	33
50-64	27	10.9	117	1	1	8	14	26	32	47
65+	22	9.3	39	3	4	7	10	19	24	29
B. *Operated*										
0-19 YRS										
20-34	4	16.8	493	4	4	6	28	50	50	50
35-49	1	34.0		34	34	34	34	34	34	34
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.7	95	<1	1	2	5	26	30	37
B. *Operated*	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	305	9.8	133	1	1	4	14	28	30	45
B. *Operated*	7	15.6	349	3	3	6	27	47	50	50
1. SINGLE DX	115	6.9	97	<1	1	2	5	27	30	36
2. MULTIPLE DX	312	9.9	138	1	1	5	14	28	30	48
A. NOT OPERATED	419	8.9	124	1	1	4	12	28	30	44
B. OPERATED	8	17.0	315	3	3	6	30	45	50	50
TOTAL 0-19 YRS	73	8.5	242	<1	<1	2	4	29	31	81
20-34	231	8.7	110	1	1	4	11	28	30	44
35-49	64	10.7	118	1	1	4	21	28	29	34
50-64	32	10.2	106	1	1	7	13	23	29	47
65+	27	8.2	37	2	3	7	9	17	22	29
GRAND TOTAL	**427**	**9.1**	**128**	**1**	**1**	**4**	**13**	**28**	**30**	**46**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	7	1	1	3	3	5	6	15
20-34	57	4.1	26	1	1	2	5	8	10	34
35-49	39	3.9	22	<1	1	2	5	7	15	23
50-64	23	4.8	24	<1	1	3	6	11	15	22
65+	12	2.7	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	7.8	21	1	1	7	11	13	13	13
35-49	2	8.0	98	<1	<1	7	15	15	15	15
50-64	3	10.0	61	5	5	6	16	19	19	19
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.9	4	1	1	3	4	5	6	9
20-34	117	4.2	19	1	1	3	4	10	15	22
35-49	110	4.2	11	1	1	3	6	9	11	17
50-64	97	4.1	16	1	1	3	5	8	11	24
65+	96	5.6	27	1	2	4	6	11	19	26
B. *Operated*										
0-19 YRS	4	6.8	12	2	2	7	9	10	10	10
20-34	6	13.7	68	4	4	14	18	25	26	26
35-49	14	6.4	19	2	2	5	8	15	16	16
50-64	8	13.6	293	1	2	7	17	43	53	53
65+	5	11.0	41	5	5	9	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	3.9	19	1	1	3	4	8	11	23
B. *Operated*	12	8.5	30	<1	1	7	12	16	19	19
2. MULTIPLE DX										
A. *Not Operated*	448	4.4	18	1	1	3	5	9	12	24
B. *Operated*	37	9.8	90	2	2	7	15	19	24	53
1. SINGLE DX	172	4.2	21	1	1	3	5	8	12	23
2. MULTIPLE DX	485	4.8	25	1	1	3	5	10	15	25
A. NOT OPERATED	608	4.3	18	1	1	3	5	9	11	23
B. OPERATED	49	9.5	75	1	2	7	13	18	20	53
TOTAL 0-19 YRS	62	3.4	7	1	1	3	4	6	9	15
20-34	185	4.5	25	1	1	3	5	11	16	25
35-49	165	4.4	15	1	1	3	6	8	11	23
50-64	131	5.0	38	1	1	3	5	10	17	34
65+	114	5.5	27	1	2	4	6	11	19	26
GRAND TOTAL	**657**	**4.6**	**24**	**1**	**1**	**3**	**5**	**10**	**15**	**24**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	5.6	44	<1	1	3	7	14	17	31
20-34	260	3.9	18	<1	1	2	5	9	12	23
35-49	170	4.3	23	<1	1	3	5	9	13	22
50-64	54	3.4	12	<1	1	2	4	6	9	22
65+	30	9.5	96	<1	1	6	11	27	33	33
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	9.0	171	1	1	4	10	24	38	67
20-34	711	5.4	41	<1	1	3	7	12	18	33
35-49	420	5.9	57	1	1	3	7	13	19	50
50-64	199	5.7	41	1	1	3	6	14	21	32
65+	111	6.9	41	1	2	5	9	14	19	35
B. *Operated*										
0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	14	10.2	115	1	1	5	19	23	33	36
35-49	16	11.9	179	1	2	7	12	36	47	50
50-64	3	14.3	358	<1	<1	6	28	36	36	36
65+	4	10.8	12	8	8	10	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	681	4.6	30	<1	1	3	6	10	15	28
B. *Operated*	4	5.0	38	1	1	3	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1710	6.2	67	1	1	3	7	14	21	42
B. *Operated*	40	10.7	133	<1	1	7	13	29	38	50
1. SINGLE DX	685	4.6	30	<1	1	3	6	10	15	28
2. MULTIPLE DX	1750	6.3	69	1	1	3	7	14	22	42
A. NOT OPERATED	2391	5.8	57	<1	1	3	7	13	19	39
B. OPERATED	44	10.2	126	<1	1	6	13	23	37	50
TOTAL 0-19 YRS	440	7.6	124	1	1	3	8	18	30	59
20-34	986	5.1	37	<1	1	3	6	11	17	31
35-49	607	5.6	52	1	1	3	7	12	17	47
50-64	257	5.3	39	1	1	3	6	12	20	35
65+	145	7.5	52	1	2	5	10	16	25	34
GRAND TOTAL	**2435**	**5.8**	**59**	**<1**	**1**	**3**	**7**	**13**	**20**	**40**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	263	14.4	368	1	1	5	22	48	64	99+
20-34	407	6.8	68	1	1	4	8	15	23	49
35-49	219	8.1	103	1	1	4	10	19	28	60
50-64	107	7.3	42	1	1	5	10	18	20	61
65+	61	10.1	124	1	2	6	13	24	30	60
B. *Operated*										
0-19 YRS	8	2.3	6	1	1	1	3	6	7	7
20-34	9	10.8	198	1	2	7	9	34	47	47
35-49	11	7.6	109	1	1	4	7	25	34	35
50-64										
65+	5	18.6	412	2	2	8	33	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	15.7	426	1	2	6	24	54	77	99+
20-34	735	7.7	80	1	1	4	9	19	26	51
35-49	504	8.8	98	1	2	5	11	22	28	47
50-64	412	9.0	84	1	2	6	12	21	28	47
65+	365	8.8	72	2	2	6	10	19	27	42
B. *Operated*										
0-19 YRS	16	28.3	556	3	4	23	49	64	65	65
20-34	52	15.3	277	1	2	11	21	43	60	99+
35-49	31	12.7	116	1	3	10	16	27	42	43
50-64	27	19.1	407	2	3	12	25	44	75	77
65+	29	16.1	265	1	1	9	30	38	56	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1057	9.2	159	1	1	5	11	23	39	82
B. *Operated*	33	8.8	164	1	1	4	8	29	45	50
2. MULTIPLE DX										
A. *Not Operated*	2373	9.6	142	1	2	5	11	24	35	76
B. *Operated*	155	16.9	304	1	2	10	22	43	60	81
1. SINGLE DX	1090	9.2	159	1	1	5	10	24	40	82
2. MULTIPLE DX	2528	10.0	155	1	2	5	12	25	37	77
A. NOT OPERATED	3430	9.5	147	1	1	5	11	24	36	80
B. OPERATED	188	15.5	288	1	2	9	20	42	56	79
TOTAL 0-19 YRS	644	15.3	405	1	1	6	23	51	73	99+
20-34	1203	7.8	88	1	1	4	9	19	27	55
35-49	765	8.8	100	1	2	5	11	21	28	51
50-64	546	9.2	96	1	2	6	12	21	28	50
65+	460	9.6	97	2	2	7	11	22	30	55
GRAND TOTAL	**3618**	**9.8**	**156**	**1**	**1**	**5**	**11**	**25**	**37**	**80**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	11.0	467	<1	<1	2	5	50	55	55
20-34	7	6.1	68	1	1	3	7	21	24	24
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.9	77	1	1	3	8	18	29	35
20-34	39	9.9	258	1	1	4	8	26	47	82
35-49	13	7.6	82	1	2	4	11	19	31	34
50-64	8	9.8	115	3	3	5	11	28	35	35
65+	5	9.4	53	4	4	7	12	22	22	22
B. *Operated*										
0-19 YRS	9	4.4	5	<1	<1	5	6	7	7	7
20-34	5	9.4	121	<1	<1	5	16	27	27	27
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.2	182	<1	1	3	5	21	44	55
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	91	8.7	154	1	1	4	9	23	35	68
B. *Operated*	16	5.7	42	<1	<1	4	6	12	23	27
1. SINGLE DX	18	7.2	171	<1	1	3	7	19	43	55
2. MULTIPLE DX	107	8.2	138	1	1	4	8	21	34	63
A. NOT OPERATED	108	8.5	157	1	1	4	8	23	35	66
B. OPERATED	17	5.8	40	<1	<1	5	7	12	22	27
TOTAL 0-19 YRS	42	7.0	109	<1	1	4	7	17	31	55
20-34	51	9.3	215	1	1	4	8	25	45	82
35-49	16	6.6	70	1	1	3	9	15	28	34
50-64	10	8.7	96	2	2	5	9	24	35	35
65+	6	8.2	52	2	2	6	9	21	22	22
GRAND TOTAL	**125**	**8.1**	**142**	**1**	**1**	**4**	**8**	**22**	**34**	**62**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	10.1	19	2	3	11	12	14	17	22
20-34	52	7.6	56	2	2	5	9	16	29	34
35-49	25	8.3	33	2	3	7	10	14	19	29
50-64	13	14.0	183	1	2	16	17	27	48	53
65+	5	28.4	415	12	12	16	46	57	57	57
B. *Operated*										
0-19 YRS	30	13.3	55	5	6	11	15	22	25	42
20-34	20	7.7	56	2	2	6	9	18	26	31
35-49	26	9.6	47	1	1	8	16	20	20	21
50-64	20	8.3	56	1	1	5	13	20	23	25
65+	6	17.8	120	1	2	20	27	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	11.6	33	2	4	11	14	17	21	34
20-34	48	10.8	72	1	1	9	15	23	30	32
35-49	49	11.1	56	2	3	11	15	20	26	99+
50-64	58	11.9	115	1	3	10	14	26	36	58
65+	35	14.3	128	2	4	12	19	24	39	55
B. *Operated*										
0-19 YRS	66	19.6	197	5	9	17	23	39	45	76
20-34	34	21.0	273	1	3	18	28	38	53	78
35-49	44	22.6	443	1	3	15	35	56	74	99+
50-64	47	18.3	347	2	2	13	23	45	77	99+
65+	36	28.2	466	2	2	21	45	66	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	10.1	38	2	2	11	12	15	18	32
B. *Operated*	102	10.5	63	1	2	10	15	22	26	36
2. MULTIPLE DX										
A. *Not Operated*	501	11.7	55	1	3	11	15	20	24	42
B. *Operated*	227	21.5	334	2	3	17	28	50	67	99+
1. SINGLE DX	520	10.1	43	2	2	10	12	16	21	32
2. MULTIPLE DX	728	14.7	162	2	3	12	17	29	43	77
A. NOT OPERATED	919	10.9	48	2	3	11	13	17	22	41
B. OPERATED	329	18.1	275	2	2	14	23	42	58	97
TOTAL 0-19 YRS	730	11.7	49	2	4	11	14	18	22	41
20-34	154	11.6	134	1	2	8	15	28	32	54
35-49	144	13.9	200	1	3	11	17	31	51	99+
50-64	138	13.7	201	1	2	11	17	35	45	89
65+	82	21.5	329	2	3	16	28	55	65	90
GRAND TOTAL	**1248**	**12.8**	**118**	**2**	**3**	**11**	**15**	**22**	**35**	**67**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	39	9.4	67	2	2	7	13	21	30	33
65+	113	9.9	57	2	3	8	14	19	22	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	10.5	120	1	1	7	18	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.5	61	5	5	10	16	16	16	16
35-49	11	11.6	115	1	2	6	21	29	29	29
50-64	106	11.4	91	3	3	9	13	23	32	53
65+	580	10.6	68	2	3	8	14	21	26	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	13.1	122	4	5	8	30	72	99+	99+
65+	60	21.0	306	4	6	15	25	53	64	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	9.7	58	2	3	8	13	19	23	33
B. *Operated*	4	10.5	120	1	1	7	18	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	699	10.7	72	2	3	8	14	21	28	46
B. *Operated*	68	20.1	288	4	5	15	25	53	66	99+
1. SINGLE DX	159	9.7	59	2	3	8	13	19	25	33
2. MULTIPLE DX	767	11.5	98	2	3	9	14	23	30	59
A. NOT OPERATED	854	10.5	70	2	3	8	14	21	27	45
B. OPERATED	72	19.6	282	4	5	14	25	53	65	99+
TOTAL 0-19 YRS										
20-34	3	8.0	49	3	3	5	13	16	16	16
35-49	13	10.9	99	1	2	6	16	29	29	29
50-64	153	11.0	86	2	3	8	13	25	32	59
65+	757	11.3	93	2	3	9	14	22	29	54
GRAND TOTAL	**926**	**11.2**	**92**	**2**	**3**	**9**	**14**	**22**	**30**	**55**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	102	8.2	71	1	1	6	12	16	22	45
35-49	104	8.8	84	1	2	7	11	17	24	54
50-64	36	8.7	62	1	2	7	12	15	19	44
65+	7	11.9	162	1	2	9	13	34	39	39
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	21	4.1	14	1	1	2	6	10	12	13
35-49	22	4.3	26	1	1	3	6	8	15	24
50-64	14	7.6	62	1	1	4	13	16	26	29
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	30.3	1497	7	7	9	58	75	75	75
20-34	106	9.6	86	1	1	8	11	23	34	70
35-49	165	11.2	139	1	3	8	14	21	28	71
50-64	127	11.8	130	2	3	8	15	27	37	84
65+	39	8.5	25	2	2	7	12	15	18	20
B. *Operated*										
0-19 YRS	3	13.0	48	5	5	17	17	17	17	17
20-34	28	20.4	418	1	4	14	30	44	65	88
35-49	40	15.2	348	2	3	8	18	29	74	76
50-64	31	14.5	191	2	3	10	18	47	49	99+
65+	13	19.5	449	1	2	13	25	42	74	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	8.6	76	1	1	7	11	16	23	44
B. *Operated*	60	4.9	30	1	1	2	7	12	14	28
2. MULTIPLE DX										
A. *Not Operated*	440	10.9	123	1	2	8	14	23	32	75
B. *Operated*	115	16.7	323	2	3	10	20	42	70	92
1. SINGLE DX	311	7.9	70	1	1	6	11	15	22	42
2. MULTIPLE DX	555	12.1	169	1	2	8	14	26	37	81
A. NOT OPERATED	691	10.1	107	1	2	8	13	21	29	70
B. OPERATED	175	12.6	254	1	1	7	16	31	48	86
TOTAL 0-19 YRS	10	14.3	485	1	2	6	17	46	75	75
20-34	257	9.8	125	1	1	7	12	22	33	63
35-49	331	10.5	145	1	2	7	13	20	27	74
50-64	208	11.4	125	2	2	8	14	27	38	88
65+	60	11.1	146	1	2	9	13	22	31	77
GRAND TOTAL	**866**	**10.6**	**137**	**1**	**2**	**7**	**13**	**22**	**32**	**75**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	2.7	20	1	1	2	3	4	6	22
20-34	240	2.9	9	1	1	2	3	5	7	18
35-49	103	3.2	6	1	1	3	4	5	8	13
50-64	88	3.5	7	1	1	3	5	7	8	12
65+	85	3.6	9	1	1	3	4	8	11	15
B. *Operated*										
0-19 YRS										
20-34	12	4.6	17	1	1	4	6	11	14	15
35-49	3	5.3	33	2	2	2	10	12	12	12
50-64	3	10.7	160	1	1	6	20	25	25	25
65+	3	5.7	2	4	4	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	3.6	15	1	1	2	4	8	10	18
20-34	371	4.1	15	1	1	3	5	8	11	20
35-49	280	4.7	36	1	1	3	5	10	14	31
50-64	350	5.6	35	1	2	4	6	11	17	30
65+	442	7.2	56	1	2	5	8	16	23	38
B. *Operated*										
0-19 YRS	14	5.9	22	1	2	5	8	11	17	19
20-34	46	8.9	87	1	2	6	11	21	28	50
35-49	22	11.1	145	2	3	5	13	33	41	45
50-64	35	12.6	123	3	4	7	19	27	30	53
65+	34	16.0	150	2	2	15	24	31	37	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	3.0	12	1	1	2	3	6	8	15
B. *Operated*	21	5.7	34	1	1	4	7	13	19	25
2. MULTIPLE DX										
A. *Not Operated*	1779	5.2	34	1	1	3	6	10	16	33
B. *Operated*	151	11.4	119	2	2	7	16	27	31	53
1. SINGLE DX	787	3.1	13	1	1	2	3	6	8	15
2. MULTIPLE DX	1930	5.7	43	1	1	4	7	12	18	35
A. NOT OPERATED	2545	4.5	28	1	1	3	5	9	13	29
B. OPERATED	172	10.7	112	1	2	7	15	26	31	52
TOTAL 0-19 YRS	600	3.3	17	1	1	2	3	7	9	19
20-34	669	4.0	20	1	1	3	5	8	12	25
35-49	408	4.7	36	1	1	3	5	9	13	35
50-64	476	5.8	41	1	1	4	7	12	19	30
65+	564	7.2	61	1	2	4	8	16	24	38
GRAND TOTAL	**2717**	**4.9**	**36**	**1**	**1**	**3**	**6**	**10**	**16**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	3.2	8	<1	1	2	4	8	9	13
20-34	198	3.9	12	1	1	3	4	9	12	22
35-49	118	4.8	49	1	1	3	5	8	14	99+
50-64	96	5.0	31	1	1	3	6	10	16	32
65+	195	5.9	22	1	2	4	8	13	15	23
B. *Operated*										
0-19 YRS	150	5.6	29	1	1	4	7	11	17	26
20-34	179	6.0	53	<1	1	3	7	14	19	41
35-49	146	5.0	24	1	1	3	7	11	15	24
50-64	155	5.8	34	1	1	4	8	13	16	26
65+	151	10.3	121	1	1	7	14	27	34	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	6.2	59	1	1	4	7	17	24	99+
20-34	284	8.5	187	1	1	4	10	18	43	99+
35-49	256	9.2	152	1	1	5	9	27	41	72
50-64	412	9.5	140	1	2	6	10	23	38	96
65+	1135	10.8	112	2	3	8	13	23	33	62
B. *Operated*										
0-19 YRS	230	8.8	151	1	2	5	9	18	32	94
20-34	248	11.4	228	1	2	7	14	27	46	99+
35-49	198	10.0	121	1	1	7	12	22	30	56
50-64	281	13.7	231	1	2	9	18	37	61	99+
65+	459	16.7	248	2	3	11	22	38	50	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	4.6	23	1	1	3	5	10	14	28
B. *Operated*	781	6.5	56	1	1	4	8	15	23	38
2. MULTIPLE DX										
A. *Not Operated*	2309	9.6	128	1	2	6	11	22	34	87
B. *Operated*	1416	12.9	216	1	2	8	17	33	45	94
1. SINGLE DX	1515	5.6	41	1	1	3	7	12	17	35
2. MULTIPLE DX	3725	10.9	164	1	2	7	13	25	39	91
A. NOT OPERATED	3043	8.4	107	1	2	5	10	19	31	72
B. OPERATED	2197	10.7	169	1	2	6	13	26	39	80
TOTAL 0-19 YRS	729	6.4	77	1	1	4	8	14	24	74
20-34	909	7.8	141	1	1	4	9	17	33	99+
35-49	718	7.8	106	1	1	4	9	19	29	69
50-64	944	9.7	148	1	2	6	11	23	39	99
65+	1940	11.6	146	2	2	8	14	26	37	63
GRAND TOTAL	**5240**	**9.4**	**134**	**1**	**2**	**6**	**11**	**22**	**34**	**77**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	2.2	2	<1	1	2	3	4	5	6
20-34	336	3.1	6	1	1	2	4	6	8	12
35-49	218	3.2	5	1	1	3	4	6	8	11
50-64	89	3.4	6	1	1	3	5	6	8	14
65+	24	3.9	8	<1	1	3	5	7	11	12
B. *Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	27	3.4	4	1	1	3	4	6	8	9
35-49	25	3.1	4	1	1	2	4	5	7	10
50-64	12	2.8	1	1	1	3	4	4	5	5
65+	4	2.5	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.1	7	1	1	2	4	6	10	13
20-34	311	4.2	17	1	1	3	5	8	12	22
35-49	259	4.7	24	1	1	3	6	9	12	24
50-64	193	4.6	20	1	2	3	5	8	12	25
65+	58	4.3	10	1	2	3	5	8	12	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	8.4	108	1	2	5	9	21	39	43
35-49	35	8.5	87	2	2	4	12	18	26	47
50-64	19	5.3	25	1	2	4	6	8	17	24
65+	3	11.0	9	8	8	11	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	768	3.0	5	1	1	2	4	6	8	12
B. *Operated*	70	3.2	5	1	1	3	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	885	4.4	19	1	1	3	5	8	12	23
B. *Operated*	85	7.8	77	1	2	4	10	16	25	46
1. SINGLE DX	838	3.1	5	1	1	2	4	6	8	12
2. MULTIPLE DX	970	4.7	25	1	1	3	5	9	13	24
A. NOT OPERATED	1653	3.8	13	1	1	3	5	7	9	19
B. OPERATED	155	5.7	49	1	1	3	6	12	17	43
TOTAL 0-19 YRS	168	2.6	5	1	1	2	3	5	6	13
20-34	701	3.8	16	1	1	3	4	7	10	22
35-49	537	4.3	21	1	1	3	5	8	11	22
50-64	313	4.2	16	1	1	3	5	8	10	24
65+	89	4.3	10	1	1	3	5	9	12	15
GRAND TOTAL	**1808**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**11**	**22**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.5	6	<1	<1	2	3	7	7	7
35-49	7	3.1	10	<1	<1	2	3	9	10	10
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	37	1.8	1	<1	<1	2	2	3	4	6
20-34	619	1.7	1	<1	<1	2	2	3	3	5
35-49	811	1.9	1	<1	<1	2	2	3	4	6
50-64	834	2.0	2	<1	<1	2	2	3	4	6
65+	488	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	3.3	7	<1	<1	2	5	7	9	9
35-49	16	2.9	8	<1	<1	1	5	7	9	10
50-64	16	3.4	6	<1	<1	3	5	8	8	8
65+	15	3.1	9	<1	1	2	4	8	10	11
B. *Operated*										
0-19 YRS	14	2.4	2	<1	<1	2	3	4	5	5
20-34	201	2.6	4	<1	<1	2	3	5	6	13
35-49	312	2.7	7	<1	1	2	3	5	6	11
50-64	441	2.9	10	<1	1	2	3	5	7	13
65+	321	3.3	11	<1	1	2	3	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.6	6	<1	<1	2	3	6	9	10
B. *Operated*	2789	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	58	3.2	7	<1	<1	2	5	7	9	11
B. *Operated*	1289	2.9	9	<1	1	2	3	5	7	15
1. SINGLE DX	2807	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	1347	2.9	9	<1	1	2	3	5	8	15
A. NOT OPERATED	76	3.0	7	<1	<1	2	4	7	9	11
B. OPERATED	4078	2.2	4	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	52	2.0	1	<1	<1	2	3	4	4	6
20-34	836	1.9	2	<1	<1	2	2	3	4	8
35-49	1146	2.1	3	<1	<1	2	3	4	5	8
50-64	1295	2.3	5	<1	<1	2	3	4	5	11
65+	825	2.6	6	<1	1	2	3	4	6	14
GRAND TOTAL	**4154**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.7	94	1	1	4	7	13	23	58
20-34	136	5.4	29	1	1	4	7	13	18	40
35-49	127	6.2	44	1	1	4	7	15	20	36
50-64	138	5.4	41	1	1	4	6	10	14	39
65+	107	6.4	40	1	1	4	8	15	18	33
B. *Operated*										
0-19 YRS	115	3.1	8	<1	1	2	4	6	7	19
20-34	709	3.3	9	<1	1	3	4	6	8	12
35-49	751	3.5	16	<1	1	2	4	7	9	17
50-64	659	3.2	8	<1	1	2	4	7	8	13
65+	269	3.8	15	<1	1	3	4	8	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	8.8	134	1	1	4	9	30	37	47
20-34	143	7.3	91	1	1	5	9	15	21	57
35-49	203	6.0	31	1	1	5	7	13	17	40
50-64	303	7.1	56	1	2	5	8	16	20	40
65+	465	8.2	71	1	2	6	10	18	22	62
B. *Operated*										
0-19 YRS	61	4.2	15	1	1	3	5	7	10	24
20-34	365	5.2	39	1	1	3	6	9	13	42
35-49	428	5.8	48	1	1	4	7	11	17	38
50-64	462	6.8	100	1	1	4	7	14	24	71
65+	318	9.1	116	2	2	5	11	23	34	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	5.9	42	1	1	4	7	13	18	35
B. *Operated*	2503	3.4	11	<1	1	2	4	7	8	16
2. MULTIPLE DX										
A. *Not Operated*	1146	7.5	65	1	2	5	9	16	21	48
B. *Operated*	1634	6.5	75	1	2	4	7	13	23	52
1. SINGLE DX	3053	3.8	18	<1	1	3	4	8	10	20
2. MULTIPLE DX	2780	6.9	71	1	2	4	8	14	22	51
A. NOT OPERATED	1696	6.9	58	1	1	5	8	15	20	46
B. OPERATED	4137	4.6	39	<1	1	3	5	9	13	36
TOTAL 0-19 YRS	250	4.7	43	1	1	3	5	8	13	37
20-34	1353	4.4	29	<1	1	3	5	9	12	28
35-49	1509	4.7	31	1	1	3	5	9	13	29
50-64	1562	5.2	50	1	1	3	6	10	16	43
65+	1159	7.3	72	1	2	4	9	16	24	51
GRAND TOTAL	**5833**	**5.3**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**40**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	13	<1	<1	1	4	9	10	10
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	3	5.3	6	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	58	4.7	5	2	3	4	5	8	10	11
20-34	121	4.9	9	2	2	4	5	8	10	18
35-49	172	5.1	8	2	2	5	6	8	11	16
50-64	505	4.9	9	2	2	4	6	7	11	16
65+	436	4.7	6	2	3	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	9	2.4	4	1	1	1	4	5	6	6
65+	17	2.9	3	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	47	6.1	17	2	2	5	8	10	15	22
20-34	101	5.3	10	1	2	5	6	9	12	17
35-49	126	5.4	8	2	3	5	6	9	11	17
50-64	449	5.2	9	2	2	5	6	9	11	17
65+	518	5.7	13	2	3	5	7	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.5	10	<1	<1	3	5	9	10	10
B. *Operated*	1292	4.8	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	33	2.6	3	1	1	3	4	5	6	7
B. *Operated*	1241	5.5	11	2	3	5	6	9	12	19
1. SINGLE DX	1307	4.8	8	2	2	4	6	8	10	15
2. MULTIPLE DX	1274	5.4	11	2	2	5	6	9	12	19
A. NOT OPERATED	48	2.9	5	<1	<1	3	4	6	8	10
B. OPERATED	2533	5.2	9	2	2	5	6	8	11	17
TOTAL 0-19 YRS	115	5.0	11	1	2	4	6	9	10	19
20-34	225	5.1	9	2	2	4	6	9	11	17
35-49	302	5.2	8	2	3	5	6	8	11	17
50-64	965	5.0	9	2	2	4	6	8	11	17
65+	974	5.2	10	2	3	4	6	8	11	17
GRAND TOTAL	**2581**	**5.1**	**9**	**2**	**2**	**4**	**6**	**8**	**11**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	3.2	23	<1	<1	1	2	12	13	13
65+	17	2.2	2	<1	1	2	3	4	5	6
B. *Operated*										
0-19 YRS	11	3.6	6	<1	1	3	5	8	8	8
20-34	28	2.8	2	1	1	3	3	5	7	7
35-49	42	3.3	8	<1	1	2	4	7	10	14
50-64	168	2.8	6	1	1	2	3	5	7	12
65+	276	2.6	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.0		1	1	1	1	1	1	1
50-64	10	3.2	9	1	1	2	4	8	11	11
65+	22	3.8	8	1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	16	3.1	2	1	1	3	4	5	6	6
35-49	17	2.7	1	1	2	2	3	4	5	6
50-64	103	3.8	16	1	1	2	4	8	11	23
65+	223	3.7	10	1	2	3	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.4	6	<1	1	2	2	4	7	13
B. *Operated*	525	2.8	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	35	3.4	8	1	1	2	5	8	10	11
B. *Operated*	364	3.6	11	1	2	3	4	7	9	20
1. SINGLE DX	551	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	399	3.6	10	1	1	3	4	7	9	20
A. NOT OPERATED	61	3.0	7	1	1	2	4	6	10	13
B. OPERATED	889	3.1	7	1	1	2	3	6	8	15
TOTAL 0-19 YRS	16	3.1	5	<1	1	2	4	7	8	8
20-34	46	2.8	2	1	1	3	3	5	6	7
35-49	63	3.0	6	<1	1	2	4	6	8	14
50-64	287	3.1	10	1	1	2	3	6	9	19
65+	538	3.1	6	1	1	2	3	5	8	15
GRAND TOTAL	**950**	**3.1**	**7**	**1**	**1**	**2**	**3**	**6**	**8**	**15**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	7	1.9		1	1	2	2	3	3	3
65+	8	3.6	10	1	1	3	4	9	11	11
B. *Operated*										
0-19 YRS	11	3.1	4	1	1	2	5	6	7	7
20-34	19	3.7	13	1	1	3	5	7	12	17
35-49	26	2.6	2	1	1	2	3	5	6	7
50-64	92	3.1	6	1	2	2	3	5	7	15
65+	200	2.7	3	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	6	3.0	2	1	1	3	3	5	5	5
65+	26	3.7	8	<1	1	3	5	8	9	11
B. *Operated*										
0-19 YRS	9	3.9	10	2	2	3	4	9	12	12
20-34	15	4.7	19	1	2	3	6	8	16	19
35-49	28	4.2	24	1	1	3	4	8	13	26
50-64	52	3.4	7	1	1	3	4	6	7	17
65+	168	4.4	20	1	2	3	5	8	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.8	5	1	1	2	3	5	8	11
B. *Operated*	348	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	39	3.4	6	<1	1	3	5	7	9	11
B. *Operated*	272	4.2	17	1	1	3	4	8	13	24
1. SINGLE DX	368	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX	311	4.1	16	1	1	3	5	8	12	23
A. NOT OPERATED	59	3.2	6	<1	1	2	4	6	9	11
B. OPERATED	620	3.5	10	1	1	3	4	6	9	19
TOTAL 0-19 YRS	25	3.2	6	<1	1	3	4	6	8	12
20-34	37	4.0	15	1	1	3	5	7	14	19
35-49	58	3.4	13	1	1	3	4	5	8	25
50-64	157	3.1	6	1	1	3	3	5	7	17
65+	402	3.5	11	1	1	3	4	6	10	19
GRAND TOTAL	**679**	**3.4**	**10**	**1**	**1**	**3**	**4**	**6**	**9**	**19**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	2.8	6	<1	<1	2	4	7	7	7
65+	23	2.1	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	423	2.3	1	1	2	2	3	3	4	6
50-64	3061	2.3	1	1	1	2	3	3	4	6
65+	10167	2.4	2	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.9	66	1	1	1	5	19	24	24
50-64	65	1.6	1	<1	<1	1	2	3	4	6
65+	213	2.3	5	<1	<1	2	3	4	7	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	271	2.8	5	1	2	2	3	4	6	14
50-64	1983	2.6	3	1	2	2	3	4	5	9
65+	8737	2.9	6	1	2	2	3	4	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.2	3	<1	<1	2	3	5	6	7
B. *Operated*	13651	2.4	2	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	286	2.2	6	<1	<1	1	2	4	6	14
B. *Operated*	10991	2.8	5	1	2	2	3	4	5	11
1. SINGLE DX	13680	2.4	2	1	2	2	3	3	4	6
2. MULTIPLE DX	11277	2.8	5	1	2	2	3	4	5	11
A. NOT OPERATED	315	2.2	6	<1	<1	1	2	4	6	14
B. OPERATED	24642	2.6	3	1	2	2	3	4	4	9
TOTAL 0-19 YRS										
20-34										
35-49	703	2.6	3	1	1	2	3	4	4	9
50-64	5114	2.4	2	1	1	2	3	3	4	7
65+	19140	2.6	4	1	2	2	3	4	5	9
GRAND TOTAL	**24957**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**4**	**9**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	69	2.0	1	<1	1	2	2	3	4	7
20-34	59	2.4	4	1	1	2	3	3	5	14
35-49	63	2.3	1	1	1	2	3	3	4	5
50-64	109	2.0	1	<1	1	2	2	3	4	5
65+	153	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	53	2.0	1	1	1	2	3	3	3	7
20-34	51	2.5	2	1	1	2	3	4	5	9
35-49	48	2.7	3	<1	1	2	3	4	7	9
50-64	98	2.7	4	1	2	2	3	4	5	13
65+	200	2.6	2	1	1	2	3	4	5	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	453	2.1	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	10	1.6		<1	<1	2	2	2	2	2
B. *Operated*	450	2.5	3	1	1	2	3	4	5	12
1. SINGLE DX	455	2.1	1	<1	1	2	2	3	4	5
2. MULTIPLE DX	460	2.5	2	1	1	2	3	4	5	12
A. NOT OPERATED	12	1.7		<1	<1	2	2	2	2	2
B. OPERATED	903	2.3	2	<1	1	2	3	4	4	8
TOTAL 0-19 YRS	126	2.0	1	<1	1	2	2	3	4	7
20-34	112	2.5	3	1	1	2	3	4	5	11
35-49	114	2.5	2	1	1	2	3	4	4	8
50-64	207	2.3	2	1	1	2	2	4	4	11
65+	356	2.3	2	<1	1	2	3	3	4	7
GRAND TOTAL	**915**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.5	1	<1	<1	1	2	2	3	4
20-34	9	2.8	7	1	1	2	3	7	9	9
35-49	7	2.4	3	1	1	2	3	5	6	6
50-64	6	4.0	3	1	1	4	5	6	6	6
65+	11	3.1	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	1171	1.6	2	<1	<1	1	2	2	2	3
20-34	199	1.6		<1	<1	2	2	2	3	3
35-49	107	1.8		<1	1	2	2	2	3	3
50-64	72	1.9	1	<1	<1	2	2	3	3	6
65+	30	2.4	5	<1	1	2	3	4	4	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.4	1	<1	<1	1	1	3	3	4
20-34	12	1.8	2	<1	<1	1	2	4	5	5
35-49	16	3.9	13	<1	1	3	5	8	13	15
50-64	12	5.0	33	1	1	4	6	11	20	22
65+	31	4.8	24	1	1	4	5	10	19	22
B. *Operated*										
0-19 YRS	238	1.6	1	<1	<1	2	2	2	3	5
20-34	81	2.2	2	<1	1	2	3	4	4	9
35-49	52	2.4	2	1	1	2	3	4	4	11
50-64	44	2.9	11	1	1	2	3	5	8	21
65+	39	3.4	12	1	2	2	3	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	1579	1.6	2	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	97	3.4	16	<1	<1	2	4	6	12	22
B. *Operated*	454	2.1	3	<1	1	2	2	3	4	10
1. SINGLE DX	1633	1.6	2	<1	<1	2	2	2	3	5
2. MULTIPLE DX	551	2.3	6	<1	<1	2	2	4	5	15
A. NOT OPERATED	151	3.1	12	<1	<1	2	4	6	7	22
B. OPERATED	2033	1.7	2	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS	1456	1.6	2	<1	<1	1	2	2	2	4
20-34	301	1.8	1	<1	<1	2	2	3	3	7
35-49	182	2.2	2	<1	1	2	2	3	4	10
50-64	134	2.6	8	<1	1	2	3	5	6	21
65+	111	3.5	13	1	1	2	4	6	11	21
GRAND TOTAL	**2184**	**1.8**	**3**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	1.6	2	<1	<1	<1	2	4	5	7
20-34	32	3.4	4	1	1	3	5	7	7	7
35-49	11	2.7	8	<1	<1	2	3	6	11	11
50-64	23	5.1	16	<1	1	4	7	9	13	18
65+	41	5.7	21	1	1	5	7	12	15	22
B. *Operated*										
0-19 YRS	152	1.9	2	<1	<1	1	2	4	5	8
20-34	200	2.2	2	<1	<1	2	3	4	5	7
35-49	193	1.9	2	<1	<1	2	2	4	5	6
50-64	328	2.1	2	<1	<1	2	2	4	5	9
65+	496	2.4	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.9	5	<1	1	2	4	6	7	11
20-34	21	4.6	20	<1	1	3	5	11	16	18
35-49	22	4.3	15	<1	1	3	7	11	13	14
50-64	45	4.8	21	1	1	4	6	10	13	26
65+	83	5.5	17	<1	1	5	8	11	12	21
B. *Operated*										
0-19 YRS	60	2.6	6	<1	<1	2	3	5	7	14
20-34	97	3.2	14	1	1	2	3	5	7	26
35-49	123	2.5	6	<1	<1	2	3	4	5	15
50-64	261	2.9	5	<1	1	2	4	5	6	13
65+	574	3.5	10	1	1	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	2.9	9	<1	<1	2	4	7	9	15
B. *Operated*	1369	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	266	4.3	14	<1	1	3	6	9	11	18
B. *Operated*	1115	3.1	8	<1	1	2	4	5	7	14
1. SINGLE DX	1623	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1381	3.4	10	<1	1	3	4	6	9	15
A. NOT OPERATED	520	3.6	12	<1	<1	2	5	8	11	17
B. OPERATED	2484	2.6	5	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	454	2.1	3	<1	<1	1	3	4	6	9
20-34	350	2.7	7	<1	<1	2	3	5	6	15
35-49	349	2.3	4	<1	<1	2	3	4	5	12
50-64	657	2.7	6	<1	<1	2	3	5	7	13
65+	1194	3.2	9	<1	1	2	4	6	8	15
GRAND TOTAL	**3004**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	3.3	3	1	2	3	4	6	7	9
20-34	58	4.1	11	1	1	4	5	6	8	23
35-49	28	4.1	13	1	1	3	5	9	12	17
50-64	31	4.6	53	1	1	3	4	8	10	42
65+	38	3.8	6	1	1	3	5	7	8	13
B. *Operated*										
0-19 YRS	43	4.4	22	<1	1	2	5	12	15	22
20-34	55	2.5	1	1	1	2	3	4	5	6
35-49	61	2.9	4	1	1	2	3	6	7	11
50-64	261	2.5	2	1	1	2	3	4	5	8
65+	664	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	4.0	7	1	2	3	5	6	8	15
20-34	51	4.0	8	1	1	4	5	7	9	14
35-49	48	4.5	11	1	1	4	6	9	12	15
50-64	71	3.5	7	1	1	3	4	7	9	14
65+	115	5.1	19	1	1	4	7	10	15	22
B. *Operated*										
0-19 YRS	68	5.1	60	1	1	3	6	10	13	53
20-34	102	4.5	7	2	2	4	5	7	8	16
35-49	130	4.9	22	1	2	4	6	9	13	25
50-64	320	3.8	12	1	1	3	5	7	9	14
65+	737	3.6	14	1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	3.6	9	1	1	3	4	6	7	12
B. *Operated*	1084	2.6	4	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	526	4.2	10	1	1	3	5	7	10	16
B. *Operated*	1357	3.9	16	1	1	3	5	7	10	17
1. SINGLE DX	1499	2.9	5	1	1	2	3	5	6	12
2. MULTIPLE DX	1883	4.0	14	1	1	3	5	7	10	17
A. NOT OPERATED	941	3.9	10	1	1	3	5	7	9	15
B. OPERATED	2441	3.3	11	1	1	2	4	6	8	15
TOTAL 0-19 YRS	612	3.8	12	1	1	3	5	7	8	15
20-34	266	3.9	7	1	1	3	5	7	8	16
35-49	267	4.3	16	1	1	3	5	8	11	20
50-64	683	3.3	10	1	1	2	4	6	8	13
65+	1554	3.3	10	1	1	2	3	6	9	16
GRAND TOTAL	**3382**	**3.5**	**11**	**1**	**1**	**3**	**4**	**6**	**9**	**15**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	1	1	2	3	5	6	6
20-34	16	2.3	3	<1	<1	2	3	3	7	8
35-49	7	2.0	2	1	1	1	3	5	5	5
50-64	11	2.3		1	1	2	3	3	3	3
65+	16	3.9	12	1	1	3	4	6	13	16
B. *Operated*										
0-19 YRS	14	2.4	8	<1	<1	1	2	4	10	12
20-34	13	2.0	1	1	1	2	2	3	4	4
35-49	9	2.2	1	<1	<1	2	3	4	4	4
50-64	23	2.7	3	<1	1	2	4	5	7	8
65+	21	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.2	3	<1	<1	1	3	4	5	6
20-34	16	3.8	10	1	1	3	5	7	11	13
35-49	15	3.0	2	1	1	3	4	4	6	6
50-64	24	4.8	11	1	2	4	7	9	12	13
65+	40	5.2	13	2	2	4	8	10	12	17
B. *Operated*										
0-19 YRS	14	2.1	1	1	1	2	2	4	5	5
20-34	20	3.7	5	2	2	3	5	6	9	11
35-49	20	4.3	21	1	1	2	4	11	16	20
50-64	24	2.6	3	<1	1	2	3	5	7	8
65+	54	4.3	79	1	2	2	4	6	8	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.7	5	1	1	2	3	5	6	15
B. *Operated*	80	2.5	3	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	111	4.2	10	1	1	3	5	9	11	15
B. *Operated*	132	3.7	37	1	1	2	4	6	8	28
1. SINGLE DX	139	2.5	4	<1	1	2	3	4	6	12
2. MULTIPLE DX	243	3.9	25	1	1	3	4	8	10	17
A. NOT OPERATED	170	3.6	9	1	1	3	4	8	10	15
B. OPERATED	212	3.2	25	1	1	2	3	5	8	15
TOTAL 0-19 YRS	53	2.2	4	<1	<1	2	3	4	6	12
20-34	65	3.0	5	1	1	2	4	6	7	13
35-49	51	3.2	10	1	1	2	4	5	11	20
50-64	82	3.2	6	1	1	2	4	7	8	12
65+	131	4.2	39	1	2	3	4	8	10	26
GRAND TOTAL	**382**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	2.5	3	1	1	2	3	5	5	9
20-34	6	2.7	4	1	1	2	5	5	5	5
35-49	8	4.4	13	1	1	3	6	10	11	11
50-64	5	4.6	8	2	2	5	6	9	9	9
65+	4	4.0	13	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	3564	1.1	1	<1	<1	<1	1	1	2	3
20-34	349	1.8		<1	1	2	2	2	3	4
35-49	340	1.9	3	1	1	2	2	3	3	5
50-64	298	1.9	1	<1	1	2	2	3	3	5
65+	114	1.8	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	983	2.9	5	<1	1	2	4	5	6	10
20-34	45	3.3	5	<1	1	3	5	6	7	10
35-49	21	5.5	13	1	1	5	7	11	13	15
50-64	25	3.7	7	<1	1	3	5	8	9	11
65+	30	6.6	64	2	2	5	8	11	16	45
B. *Operated*										
0-19 YRS	2389	1.4	1	<1	<1	1	1	2	3	7
20-34	265	2.3	2	<1	1	2	3	3	4	9
35-49	220	2.5	8	<1	1	2	3	4	5	15
50-64	251	2.6	5	1	1	2	3	4	5	14
65+	96	2.5	2	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	2.6	3	1	1	2	3	5	6	9
B. *Operated*	4665	1.3	1	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	1104	3.1	7	<1	1	2	4	6	7	12
B. *Operated*	3221	1.7	2	<1	<1	1	2	3	3	8
1. SINGLE DX	4978	1.4	1	<1	<1	<1	2	2	3	5
2. MULTIPLE DX	4325	2.0	4	<1	<1	1	2	4	5	9
A. NOT OPERATED	1417	3.0	6	<1	1	2	4	5	7	11
B. OPERATED	7886	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	7226	1.5	2	<1	<1	1	2	3	4	7
20-34	665	2.1	2	<1	1	2	2	3	4	8
35-49	589	2.3	6	1	1	2	2	3	4	12
50-64	579	2.3	3	1	1	2	3	3	4	10
65+	244	2.7	12	<1	1	2	3	4	7	12
GRAND TOTAL	**9303**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.0	4	1	1	3	4	5	6	11
20-34	27	3.1	3	1	1	3	4	5	6	9
35-49	19	3.8	8	1	1	3	5	6	11	14
50-64	11	5.2	29	2	2	4	5	12	20	21
65+	5	5.6	23	2	2	4	7	14	14	14
B. *Operated*										
0-19 YRS	310	1.3	1	<1	<1	<1	1	2	3	7
20-34	49	2.3	4	<1	1	2	3	3	7	11
35-49	28	2.8	11	1	1	2	3	5	7	18
50-64	30	3.2	16	1	1	2	3	5	11	22
65+	15	3.9	9	<1	1	3	5	7	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.0	9	1	1	3	5	8	10	15
20-34	38	5.2	13	2	2	4	7	9	11	20
35-49	36	4.7	9	1	1	4	6	9	10	15
50-64	21	5.7	12	1	2	5	8	11	12	12
65+	29	9.9	61	2	2	8	13	20	30	33
B. *Operated*										
0-19 YRS	264	2.1	9	<1	<1	1	2	3	6	15
20-34	79	3.2	13	1	1	2	3	6	10	22
35-49	59	3.5	13	1	1	3	4	6	11	23
50-64	58	5.8	85	1	2	3	6	13	19	60
65+	34	9.1	130	2	2	5	13	22	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	3.5	8	1	1	3	4	6	7	17
B. *Operated*	432	1.7	4	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*	206	5.3	21	1	1	4	7	11	13	26
B. *Operated*	494	3.3	31	<1	<1	2	3	6	11	28
1. SINGLE DX	539	2.1	5	<1	<1	1	2	4	6	13
2. MULTIPLE DX	700	3.9	29	<1	<1	2	4	9	12	28
A. NOT OPERATED	313	4.7	17	1	1	4	6	10	12	21
B. OPERATED	926	2.6	19	<1	<1	1	2	5	8	22
TOTAL 0-19 YRS	701	2.0	6	<1	<1	1	2	4	6	11
20-34	193	3.4	10	1	1	3	4	7	9	17
35-49	142	3.7	11	1	1	3	4	7	11	18
50-64	120	5.1	50	1	2	3	5	11	14	40
65+	83	8.2	81	1	2	5	11	16	27	50
GRAND TOTAL	**1239**	**3.1**	**19**	**<1**	**<1**	**2**	**3**	**6**	**10**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	3	<1	<1	2	3	6	7	7
20-34	82	2.7	3	<1	1	2	3	5	6	8
35-49	118	2.9	3	1	1	2	4	5	6	9
50-64	180	3.0	6	1	1	3	4	6	7	12
65+	230	3.7	9	1	1	3	4	7	8	16
B. *Operated*										
0-19 YRS	11	3.0	2	2	2	2	4	5	6	6
20-34	63	3.6	4	1	1	3	4	7	8	8
35-49	116	3.8	9	1	1	3	4	6	8	16
50-64	117	3.4	3	1	2	3	4	6	6	9
65+	39	3.5	5	1	1	3	5	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	1	1	1	3	3	4	4	4
20-34	77	3.3	4	1	1	3	4	7	7	10
35-49	171	3.5	7	1	1	3	5	7	8	15
50-64	379	3.9	7	1	1	3	5	7	9	13
65+	782	4.6	14	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	16	2.6	3	1	1	2	3	4	7	8
20-34	42	5.5	17	2	2	4	7	11	12	24
35-49	47	5.1	18	2	2	4	6	11	13	25
50-64	79	6.4	35	1	2	5	8	14	19	28
65+	49	6.9	23	2	2	6	9	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	3.2	6	1	1	3	4	6	8	13
B. *Operated*	346	3.6	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1414	4.2	11	1	1	3	5	8	10	16
B. *Operated*	233	5.8	24	1	2	4	8	13	15	26
1. SINGLE DX	968	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	1647	4.4	13	1	2	3	5	8	11	17
A. NOT OPERATED	2036	3.9	10	1	1	3	5	7	9	15
B. OPERATED	579	4.5	14	1	2	3	5	8	11	23
TOTAL 0-19 YRS	44	2.7	2	<1	1	2	3	5	6	8
20-34	264	3.5	7	1	1	3	4	7	8	11
35-49	452	3.6	8	1	1	3	4	6	8	14
50-64	755	3.9	10	1	1	3	5	7	9	15
65+	1100	4.5	13	1	2	4	5	8	11	18
GRAND TOTAL	**2615**	**4.0**	**11**	**1**	**1**	**3**	**5**	**8**	**9**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	2.3		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	30	1.7	1	1	1	2	2	3	3	4
20-34	204	1.8	2	1	1	2	2	3	3	6
35-49	332	1.7	1	1	1	2	2	3	3	4
50-64	327	1.8	4	1	1	2	2	3	3	5
65+	132	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	44	2.3	1	1	1	2	3	4	5	6
35-49	74	2.5	6	1	1	2	3	3	4	17
50-64	78	2.0	1	1	1	2	2	3	3	4
65+	42	2.9	7	1	1	2	3	5	6	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	1025	1.8	2	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	3	3.3	16	<1	<1	1	6	8	8	8
B. *Operated*	242	2.3	3	1	1	2	3	3	4	8
1. SINGLE DX	1034	1.8	2	1	1	2	2	3	3	4
2. MULTIPLE DX	245	2.4	3	1	1	2	3	3	4	8
A. NOT OPERATED	12	1.9	4	<1	<1	1	2	4	7	8
B. OPERATED	1267	1.9	2	1	1	2	2	3	3	5
TOTAL 0-19 YRS	34	1.8	1	1	1	2	2	3	3	4
20-34	251	1.9	2	1	1	2	2	3	3	6
35-49	409	1.8	2	1	1	2	2	3	3	4
50-64	407	1.9	3	1	1	2	2	3	3	5
65+	178	2.0	2	1	1	2	2	3	4	7
GRAND TOTAL	**1279**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	3	<1	<1	1	3	5	6	6
20-34	22	2.9	2	<1	1	3	4	5	6	6
35-49	20	2.5	2	1	1	2	3	4	5	6
50-64	26	3.0	6	<1	1	2	4	5	7	13
65+	12	2.3	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	513	1.7	1	<1	<1	2	2	3	3	3
20-34	408	1.8	1	<1	<1	2	2	3	3	5
35-49	295	1.8	2	<1	1	2	2	3	3	5
50-64	261	1.9	2	<1	1	2	2	3	4	9
65+	89	2.1	3	<1	1	2	2	3	3	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	2	<1	<1	1	2	4	5	5
20-34	27	3.0	6	<1	<1	2	4	7	9	10
35-49	27	3.7	13	<1	<1	3	4	8	11	17
50-64	35	5.4	30	<1	1	4	7	13	17	26
65+	29	4.3	16	1	1	4	5	9	11	20
B. *Operated*										
0-19 YRS	367	2.0	5	<1	<1	2	2	3	4	8
20-34	308	2.3	3	1	1	2	3	3	5	11
35-49	236	2.4	16	<1	1	2	3	3	4	10
50-64	226	2.5	6	1	1	2	3	4	5	16
65+	88	2.9	5	1	1	2	3	5	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.7	3	<1	1	2	4	5	6	11
B. *Operated*	1566	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	136	3.9	16	<1	<1	3	5	9	12	21
B. *Operated*	1225	2.3	7	<1	1	2	3	3	4	11
1. SINGLE DX	1653	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX	1361	2.4	8	<1	1	2	3	4	5	14
A. NOT OPERATED	223	3.4	11	<1	<1	2	4	6	10	19
B. OPERATED	2791	2.0	4	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	905	1.8	2	<1	<1	2	2	3	3	6
20-34	765	2.1	2	<1	1	2	2	3	4	9
35-49	578	2.2	8	<1	1	2	2	3	4	9
50-64	548	2.4	6	1	1	2	3	4	5	14
65+	218	2.7	6	<1	1	2	3	5	8	14
GRAND TOTAL	**3014**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.9	17	1	2	4	6	8	10	25
20-34	17	4.5	6	1	2	4	5	6	10	12
35-49	2	5.0		5	5	5	5	5	5	5
50-64	5	5.2	7	3	3	4	7	9	9	9
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	11.0	200	<1	<1	10	21	21	21	21
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.7	27	3	3	8	12	17	18	18
20-34	9	6.8	45	1	2	5	6	17	24	24
35-49	13	7.5	93	1	1	5	8	16	34	38
50-64	20	7.5	21	3	3	6	9	15	17	19
65+	30	8.3	66	1	2	6	10	18	32	34
B. *Operated*										
0-19 YRS	3	14.7	6	12	12	15	16	17	17	17
20-34	4	16.0	561	1	1	6	30	51	51	51
35-49	10	10.1	171	2	2	3	15	29	43	43
50-64	9	10.6	101	1	1	5	20	25	27	27
65+	8	20.6	151	3	5	21	30	35	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.8	12	1	2	4	6	8	10	23
B. *Operated*	4	8.0	81	<1	<1	5	14	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	94	8.0	47	1	3	6	10	17	22	36
B. *Operated*	34	13.8	173	1	2	11	20	31	42	51
1. SINGLE DX	68	5.0	15	1	2	4	6	8	11	24
2. MULTIPLE DX	128	9.5	86	1	2	6	12	21	30	45
A. NOT OPERATED	158	6.7	35	1	2	5	8	13	18	34
B. OPERATED	38	13.2	164	1	2	11	20	30	41	51
TOTAL 0-19 YRS	65	6.8	29	1	2	5	9	17	18	24
20-34	30	6.7	88	1	1	5	6	11	24	51
35-49	25	8.4	113	1	2	5	9	16	39	43
50-64	35	7.9	39	2	3	5	9	19	21	27
65+	41	10.3	102	2	2	6	12	30	33	37
GRAND TOTAL	**196**	**7.9**	**66**	**1**	**2**	**5**	**10**	**17**	**26**	**41**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	10	3.1	5	1	1	3	4	6	8	8
35-49	10	3.9	5	1	1	4	5	7	9	9
50-64	13	3.7	5	1	1	3	5	7	8	8
65+	20	6.5	12	1	2	6	9	11	13	13
B. *Operated*										
0-19 YRS	5	6.4	24	1	1	8	9	13	13	13
20-34	43	6.3	22	1	2	4	11	12	15	17
35-49	83	5.3	25	1	1	2	9	12	14	21
50-64	105	5.8	27	1	1	2	10	13	15	23
65+	39	7.6	53	1	2	3	13	18	23	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.1	85	<1	<1	4	7	22	31	31
20-34	31	4.7	18	1	1	3	6	10	16	19
35-49	106	4.0	11	1	1	3	5	7	10	20
50-64	194	6.3	32	1	2	5	8	14	17	38
65+	341	8.7	48	2	3	7	11	16	22	38
B. *Operated*										
0-19 YRS	15	8.4	40	2	2	8	12	18	20	21
20-34	66	7.8	60	1	2	8	12	15	18	92
35-49	212	9.3	71	2	2	8	13	19	23	44
50-64	404	10.0	68	2	2	9	15	20	25	36
65+	325	12.1	159	2	2	9	16	26	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	4.5	9	1	1	4	6	9	10	13
B. *Operated*	275	6.0	29	1	2	2	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	682	7.1	40	1	2	5	9	14	18	33
B. *Operated*	1022	10.3	98	2	2	9	15	21	26	52
1. SINGLE DX	332	5.7	26	1	1	3	9	13	15	23
2. MULTIPLE DX	1704	9.1	77	1	2	6	13	19	25	49
A. NOT OPERATED	739	6.9	38	1	2	5	9	14	18	32
B. OPERATED	1297	9.4	87	1	2	8	14	20	25	51
TOTAL 0-19 YRS	34	7.0	47	<1	1	4	11	15	20	31
20-34	150	6.4	38	1	2	4	10	13	16	53
35-49	411	7.0	50	1	2	4	11	16	20	26
50-64	716	8.3	55	1	2	6	12	18	22	35
65+	725	10.1	100	2	2	8	14	21	27	52
GRAND TOTAL	**2036**	**8.5**	**70**	**1**	**2**	**6**	**12**	**18**	**23**	**46**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	3	1	1	2	3	5	7	7
20-34	81	3.1	4	<1	1	3	4	6	7	10
35-49	189	3.6	11	1	1	3	4	6	8	16
50-64	240	3.8	12	1	1	3	4	7	9	21
65+	143	4.2	10	1	1	4	5	8	10	17
B. *Operated*										
0-19 YRS	10	3.7	10	1	1	3	4	9	11	11
20-34	26	2.3	3	<1	1	2	3	5	6	7
35-49	33	3.0	7	1	1	2	3	6	10	13
50-64	28	3.8	5	1	1	3	5	8	8	9
65+	12	3.3	9	1	1	2	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.6	7	1	1	3	4	8	9	12
20-34	206	4.0	7	1	1	3	5	7	9	13
35-49	628	4.3	9	1	2	3	5	8	11	16
50-64	1222	4.7	14	1	2	4	6	9	11	19
65+	1664	6.0	28	2	2	5	7	11	15	29
B. *Operated*										
0-19 YRS	13	7.2	33	1	2	6	10	16	20	21
20-34	53	5.6	22	1	1	4	7	13	17	21
35-49	111	6.2	49	1	1	4	8	13	18	39
50-64	198	6.7	53	1	1	5	9	15	17	52
65+	162	9.4	75	2	2	8	12	17	27	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	3.7	10	1	1	3	5	7	9	20
B. *Operated*	109	3.2	6	1	1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3746	5.2	20	1	2	4	6	10	13	23
B. *Operated*	537	7.3	57	1	2	5	9	15	20	45
1. SINGLE DX	775	3.6	10	1	1	3	5	7	9	17
2. MULTIPLE DX	4283	5.4	25	1	2	4	7	10	14	26
A. NOT OPERATED	4412	4.9	19	1	2	4	6	9	12	22
B. OPERATED	646	6.6	51	1	1	5	9	15	18	42
TOTAL 0-19 YRS	62	4.1	14	1	1	3	5	9	12	20
20-34	366	3.9	9	1	1	3	5	7	9	17
35-49	961	4.3	15	1	1	3	5	8	11	18
50-64	1688	4.8	19	1	2	4	6	9	12	22
65+	1981	6.1	32	1	2	5	7	12	16	30
GRAND TOTAL	**5058**	**5.2**	**23**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.2	3	<1	<1	3	4	6	6	6
35-49	18	4.2	4	2	2	4	5	7	9	9
50-64	52	4.3	7	1	2	4	6	7	10	15
65+	98	5.8	23	1	2	5	7	11	17	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	2.7	1	2	2	2	3	5	5	5
50-64	14	3.8	6	1	2	2	6	7	9	9
65+	9	3.2	7	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.7	134	2	2	4	18	23	23	23
20-34	15	5.2	13	1	2	5	6	13	13	13
35-49	122	5.4	11	2	2	5	7	9	12	19
50-64	462	6.2	19	2	2	5	8	11	14	25
65+	1509	7.7	41	2	3	6	9	14	19	33
B. *Operated*										
0-19 YRS										
20-34	6	7.2	22	2	2	6	11	14	14	14
35-49	32	5.6	19	1	2	4	8	12	15	16
50-64	127	8.0	98	1	2	4	11	16	28	55
65+	158	14.0	166	2	3	11	17	26	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	5.1	16	1	2	4	6	9	12	23
B. *Operated*	29	3.4	5	1	2	2	5	7	9	9
2. MULTIPLE DX										
A. *Not Operated*	2111	7.2	35	2	2	6	9	13	17	30
B. *Operated*	323	10.7	133	2	2	7	13	21	32	61
1. SINGLE DX	203	4.8	15	1	2	4	6	9	11	21
2. MULTIPLE DX	2434	7.7	49	2	2	6	9	14	19	35
A. NOT OPERATED	2285	7.0	34	2	2	6	9	13	17	29
B. OPERATED	352	10.1	126	2	2	7	13	20	31	56
TOTAL 0-19 YRS	4	8.0	101	2	2	3	13	23	23	23
20-34	26	5.3	14	1	2	4	6	13	13	14
35-49	178	5.2	12	2	2	4	7	10	12	18
50-64	655	6.4	34	2	2	5	8	12	16	28
65+	1774	8.1	55	2	3	6	10	16	20	35
GRAND TOTAL	**2637**	**7.4**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**34**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	4	1	1	2	4	6	6	6
20-34	6	3.3	3	<1	<1	3	5	6	6	6
35-49	13	3.9	5	1	1	4	5	7	9	9
50-64	10	6.8	101	1	1	3	9	22	34	34
65+	14	6.5	12	2	3	6	7	12	13	14
B. *Operated*										
0-19 YRS	6	2.5	4	1	1	2	3	6	6	6
20-34	11	7.1	76	1	1	3	8	22	28	29
35-49	18	6.0	28	1	2	3	9	14	17	19
50-64	29	3.9	8	<1	1	3	6	9	10	11
65+	25	5.1	34	<1	<1	3	6	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.7	12	1	2	4	5	11	12	13
20-34	18	3.7	6	1	1	3	5	6	9	10
35-49	34	4.7	7	1	1	4	6	8	10	11
50-64	75	6.2	22	1	2	5	8	12	15	24
65+	188	9.7	50	2	2	8	13	19	21	37
B. *Operated*										
0-19 YRS	14	18.6	610	3	3	10	23	38	85	98
20-34	62	8.1	161	<1	1	5	9	14	24	87
35-49	70	9.2	78	1	2	7	12	20	27	46
50-64	149	9.6	67	1	2	7	14	21	27	37
65+	133	13.4	161	2	2	9	17	33	43	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	5.0	27	1	1	4	6	10	11	34
B. *Operated*	89	5.0	28	<1	1	3	6	11	14	28
2. MULTIPLE DX										
A. *Not Operated*	331	7.8	40	1	2	6	10	17	19	29
B. *Operated*	428	10.8	133	1	2	8	14	23	32	56
1. SINGLE DX	138	5.0	27	1	1	3	6	11	14	30
2. MULTIPLE DX	759	9.5	95	1	2	7	12	20	27	49
A. NOT OPERATED	380	7.4	39	1	2	6	10	16	19	32
B. OPERATED	517	9.8	120	1	2	7	12	22	29	51
TOTAL 0-19 YRS	42	8.7	249	1	1	4	9	18	29	98
20-34	97	6.9	115	<1	1	4	8	14	22	64
35-49	135	7.1	51	1	2	5	9	14	21	37
50-64	263	7.9	53	1	2	6	10	17	23	36
65+	360	10.6	94	2	2	8	14	21	30	49
GRAND TOTAL	**897**	**8.8**	**87**	**1**	**2**	**6**	**11**	**18**	**26**	**46**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	27	1	1	5	8	15	15	15
20-34	45	7.8	11	2	3	8	9	11	13	18
35-49	475	9.0	13	3	4	9	11	13	15	19
50-64	1179	9.4	14	4	5	9	11	14	15	21
65+	1005	10.1	15	4	6	10	12	15	17	22
B. *Operated*										
0-19 YRS										
20-34	9	8.8	150	1	1	4	9	28	40	40
35-49	48	8.8	30	1	2	9	12	15	17	24
50-64	92	11.0	44	2	2	10	14	19	20	39
65+	58	13.5	51	2	2	13	17	22	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	9.7	8	4	5	10	12	13	14	14
20-34	97	9.5	14	3	5	9	12	14	16	20
35-49	1195	9.7	24	3	5	9	12	14	17	23
50-64	4061	10.5	24	4	5	10	13	15	18	27
65+	6088	11.8	40	4	6	11	14	18	23	35
B. *Operated*										
0-19 YRS	3	12.7	310	2	2	3	25	33	33	33
20-34	20	11.9	122	2	2	11	14	29	40	41
35-49	292	12.5	62	2	2	12	16	22	27	36
50-64	924	13.7	86	2	3	12	17	24	31	54
65+	934	18.0	121	6	9	15	21	32	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2709	9.6	14	3	5	9	12	14	16	21
B. *Operated*	207	11.1	50	2	2	11	14	19	22	38
2. MULTIPLE DX										
A. *Not Operated*	11453	11.1	33	4	6	10	13	17	21	32
B. *Operated*	2173	15.4	104	2	5	14	19	27	35	54
1. SINGLE DX	2916	9.7	17	3	5	9	12	14	16	22
2. MULTIPLE DX	13626	11.8	47	4	6	11	14	19	23	39
A. NOT OPERATED	14162	10.8	30	4	5	10	13	16	20	30
B. OPERATED	2380	15.0	100	2	4	13	19	27	35	53
TOTAL 0-19 YRS	20	9.3	48	1	2	9	12	14	24	33
20-34	171	9.3	33	2	3	9	11	14	17	40
35-49	2010	9.9	28	3	4	10	12	15	18	27
50-64	6256	10.8	33	3	5	10	13	16	20	32
65+	8085	12.3	51	4	6	11	14	20	25	40
GRAND TOTAL	**16542**	**11.4**	**42**	**3**	**5**	**10**	**14**	**18**	**22**	**36**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	22	3.0	5	<1	1	2	4	7	8	9
35-49	238	3.6	21	1	1	3	4	6	7	13
50-64	492	3.3	5	1	1	3	4	6	7	12
65+	464	3.5	9	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS										
20-34	7	2.7	3	1	1	2	4	6	6	6
35-49	49	3.3	9	1	1	2	4	7	8	15
50-64	141	3.9	16	1	1	2	5	8	13	20
65+	40	2.6	3	<1	1	2	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	9	1	1	4	5	9	11	11
20-34	81	3.5	5	1	1	3	4	6	8	14
35-49	797	3.8	8	1	1	3	5	7	9	14
50-64	2892	4.1	9	1	2	3	5	7	9	16
65+	4713	5.0	13	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	3	6.7	26	1	1	8	10	11	11	11
20-34	39	4.6	16	1	1	2	7	12	13	15
35-49	580	5.8	36	1	1	3	9	12	15	27
50-64	2214	6.4	40	1	2	3	10	14	17	29
65+	1328	8.3	69	1	2	6	12	18	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1218	3.5	9	1	1	3	4	6	7	12
B. *Operated*	237	3.5	12	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	8493	4.5	11	1	2	4	6	8	11	17
B. *Operated*	4164	6.9	50	1	2	4	10	15	19	33
1. SINGLE DX	1455	3.5	10	1	1	3	4	6	8	15
2. MULTIPLE DX	12657	5.3	25	1	2	4	7	11	14	24
A. NOT OPERATED	9711	4.4	11	1	2	4	5	8	10	17
B. OPERATED	4401	6.7	48	1	2	4	10	15	19	32
TOTAL 0-19 YRS	15	4.8	11	1	1	5	7	11	11	11
20-34	149	3.7	8	1	1	3	5	8	10	15
35-49	1664	4.4	21	1	1	3	5	9	12	18
50-64	5739	4.9	22	1	2	3	6	11	14	22
65+	6545	5.5	26	1	2	4	7	11	15	25
GRAND TOTAL	**14112**	**5.1**	**24**	**1**	**2**	**4**	**6**	**11**	**14**	**24**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.8	1	1	1	3	4	4	4	4
35-49	82	3.0	3	1	1	3	4	6	7	8
50-64	237	3.8	6	1	1	3	5	7	8	14
65+	249	4.6	8	2	2	4	6	9	11	14
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	40	6.6	19	2	2	6	9	13	13	15
50-64	107	6.2	23	1	1	5	9	13	14	21
65+	67	7.4	29	1	2	7	10	16	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	14	1	1	4	8	10	10	10
20-34	16	5.1	18	1	2	4	6	8	16	19
35-49	369	4.3	8	1	2	4	5	8	10	15
50-64	1360	4.9	13	1	2	4	6	9	11	18
65+	2347	6.0	18	2	2	5	7	11	15	22
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	8.1	14	2	3	9	11	12	14	14
35-49	286	8.6	31	2	2	9	12	15	17	25
50-64	1012	9.9	49	2	2	9	13	18	22	32
65+	741	12.3	77	2	2	11	16	22	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	4.0	6	1	2	3	5	7	9	14
B. *Operated*	215	6.6	24	1	2	6	10	14	16	21
2. MULTIPLE DX										
A. *Not Operated*	4097	5.5	16	2	2	4	7	10	13	20
B. *Operated*	2051	10.6	58	2	2	10	14	20	23	37
1. SINGLE DX	791	4.7	13	1	2	4	6	9	12	17
2. MULTIPLE DX	6148	7.2	36	2	2	5	10	15	18	28
A. NOT OPERATED	4673	5.3	15	1	2	4	7	10	13	20
B. OPERATED	2266	10.2	56	2	2	9	14	19	23	35
TOTAL 0-19 YRS	6	4.8	11	1	1	4	7	10	10	10
20-34	36	5.6	16	1	2	4	8	11	13	19
35-49	777	5.9	21	1	2	4	8	12	15	21
50-64	2716	6.7	32	1	2	5	9	14	17	28
65+	3404	7.3	38	2	2	5	9	15	19	29
GRAND TOTAL	**6939**	**6.9**	**34**	**2**	**2**	**5**	**9**	**14**	**18**	**28**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	78	3.6	10	<1	1	3	4	7	11	17
50-64	191	3.6	6	1	1	3	5	7	9	10
65+	214	4.6	30	1	1	3	6	9	11	15
B. *Operated*										
0-19 YRS	4	6.8	118	1	1	2	12	23	23	23
20-34	25	3.5	13	1	1	2	3	11	12	14
35-49	581	4.6	19	1	1	2	8	11	13	19
50-64	1816	5.1	22	1	1	2	9	11	14	20
65+	868	6.2	34	1	1	2	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.3	8	2	2	5	8	9	9	9
20-34	27	3.7	8	1	1	3	5	8	10	13
35-49	490	4.2	11	1	1	3	5	9	11	18
50-64	1965	4.9	16	1	1	4	6	9	12	20
65+	4581	6.7	31	2	2	5	8	13	17	27
B. *Operated*										
0-19 YRS	3	9.3	161	2	2	2	19	24	24	24
20-34	88	5.8	31	1	2	3	9	12	14	30
35-49	1552	6.2	36	1	2	3	9	13	16	27
50-54	5219	7.3	50	1	2	5	11	15	18	31
65+	3216	9.8	89	1	2	8	14	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	4.0	17	1	1	3	5	8	10	14
B. *Operated*	3294	5.3	25	1	1	2	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	7072	6.0	26	1	2	5	8	12	15	25
B. *Operated*	10078	7.9	62	1	2	6	11	16	21	37
1. SINGLE DX	3780	5.1	24	1	1	2	9	12	14	20
2. MULTIPLE DX	17150	7.1	48	1	2	5	10	15	19	33
A. NOT OPERATED	7558	5.9	26	1	2	5	7	12	15	25
B. OPERATED	13372	7.3	54	1	2	4	11	15	19	34
TOTAL 0-19 YRS	16	6.4	52	1	1	3	8	22	24	24
20-34	143	4.9	24	1	1	2	8	11	13	19
35-49	2701	5.4	28	1	1	3	8	12	14	22
50-64	9191	6.3	38	1	2	4	10	13	17	26
65+	8879	7.7	55	1	2	6	10	16	21	36
GRAND TOTAL	20930	6.8	44	1	2	4	10	14	18	31

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.7	10	5	5	8	11	14	14	14
20-34	69	7.7	10	2	4	8	10	12	13	16
35-49	121	8.3	12	2	4	8	10	13	15	20
50-64	120	9.0	12	4	5	9	11	13	15	20
65+	107	9.5	16	5	6	9	11	14	19	23
B. *Operated*										
0-19 YRS										
20-34	10	9.3	15	2	4	9	12	14	16	16
35-49	15	12.1	88	3	5	11	12	15	37	44
50-64	22	10.4	27	4	6	10	11	17	24	25
65+	12	10.3	23	3	5	10	12	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.7	6	4	4	6	9	10	10	10
20-34	99	8.6	16	2	4	9	11	14	16	20
35-49	194	9.8	26	3	5	9	12	15	19	32
50-64	400	11.0	53	4	5	10	12	17	23	41
65+	700	11.8	50	4	6	10	14	19	23	39
B. *Operated*										
0-19 YRS	3	12.3	25	7	7	13	16	17	17	17
20-34	37	14.2	73	5	6	12	17	25	35	39
35-49	64	12.1	41	1	6	11	15	22	24	32
50-64	121	13.3	66	5	6	11	16	22	28	46
65+	172	15.8	90	5	8	13	18	32	38	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	8.7	13	3	5	8	10	13	16	21
B. *Operated*	59	10.6	39	3	5	10	12	16	22	42
2. MULTIPLE DX										
A. *Not Operated*	1399	11.0	46	4	5	10	13	17	22	37
B. *Operated*	397	14.3	74	5	7	12	17	25	34	45
1. SINGLE DX	483	8.9	17	3	5	8	11	13	16	22
2. MULTIPLE DX	1796	11.8	54	4	5	10	14	19	25	40
A. NOT OPERATED	1823	10.5	39	4	5	9	12	17	20	34
B. OPERATED	456	13.8	71	5	6	12	16	24	33	44
TOTAL 0-19 YRS	16	8.6	14	4	5	8	11	14	16	17
20-34	215	9.3	29	2	4	8	11	15	18	34
35-49	394	9.8	28	3	5	9	12	15	19	31
50-64	663	11.0	49	4	5	10	12	18	23	43
65+	991	12.2	56	5	6	11	14	20	25	41
GRAND TOTAL	2279	11.2	47	4	5	10	13	18	23	39

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	22.6	182	4	4	22	35	37	37	37
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	32.5	221	22	22	32	43	43	43	43
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	56.0		56	56	56	56	56	56	56
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	19.3	235	2	2	15	28	44	45	45
20-34	41	24.1	170	4	8	23	32	41	48	56
35-49	33	23.1	181	5	6	23	29	42	51	56
50-64	34	24.6	218	5	7	25	34	47	48	58
65+	61	28.5	188	6	13	30	35	44	48	74
B. *Operated*										
0-19 YRS	2	36.0		36	36	36	36	36	36	36
20-34	19	39.8	509	7	16	35	46	74	93	98
35-49	17	39.2	505	9	12	40	53	62	81	91
50-64	23	33.7	375	6	10	35	43	66	92	99+
65+	25	38.4	343	8	15	37	50	60	73	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	19.6	183	4	4	16	31	39	43	43
B. *Operated*	1	56.0		56	56	56	56	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	180	25.2	194	5	6	27	33	44	48	58
B. *Operated*	86	37.5	403	8	14	36	49	62	88	99
1. SINGLE DX	12	22.7	277	4	4	19	35	47	55	56
2. MULTIPLE DX	266	29.2	294	5	9	29	40	52	58	91
A. NOT OPERATED	191	24.9	194	4	6	25	33	43	48	58
B. OPERATED	87	37.8	402	8	14	36	50	62	88	99
TOTAL 0-19 YRS	14	21.3	221	2	3	16	36	44	45	45
20-34	65	28.6	314	4	10	29	35	46	55	96
35-49	51	28.3	339	5	7	24	40	54	60	91
50-64	60	28.9	298	6	8	28	42	50	61	99
65+	88	30.7	261	5	10	30	42	49	58	76
GRAND TOTAL	**278**	**28.9**	**294**	**5**	**8**	**29**	**40**	**51**	**58**	**96**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.7	1	<1	<1	1	2	3	4	4
20-34	30	1.7	1	<1	<1	1	2	3	5	5
35-49	73	1.8	1	<1	<1	1	2	4	4	6
50-64	127	2.2	3	<1	<1	2	3	4	5	10
65+	82	2.4	5	<1	1	2	3	5	6	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	7	5.0	21	2	2	4	5	13	15	15
65+	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	3	<1	<1	3	4	5	6	7
20-34	56	2.8	4	<1	<1	2	4	7	8	8
35-49	99	3.0	8	1	1	2	4	7	8	15
50-64	322	3.1	8	1	1	2	4	6	8	14
65+	537	4.6	18	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	10	4.4	6	2	2	4	6	8	9	9
50-64	27	3.9	8	1	1	2	6	9	9	10
65+	22	10.3	36	3	4	9	12	16	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	2.1	3	<1	<1	2	3	4	5	8
B. *Operated*	11	5.5	17	1	1	5	8	11	15	15
2. MULTIPLE DX										
A. *Not Operated*	1029	3.8	13	1	1	3	5	8	10	19
B. *Operated*	62	6.2	26	1	2	6	9	11	15	29
1. SINGLE DX	347	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1091	4.0	14	1	1	3	5	8	11	19
A. NOT OPERATED	1365	3.4	11	1	1	2	4	7	9	18
B. OPERATED	73	6.1	25	1	2	5	8	11	15	28
TOTAL 0-19 YRS	40	2.1	2	<1	<1	2	3	4	5	7
20-34	86	2.4	4	<1	<1	2	3	5	7	8
35-49	184	2.6	6	<1	1	2	3	6	8	10
50-64	483	2.9	7	<1	1	2	4	6	8	14
65+	643	4.5	18	1	1	3	6	9	12	20
GRAND TOTAL	**1438**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	67	1.5	1	<1	<1	1	2	3	3	4
35-49	147	1.8	1	<1	<1	1	2	3	4	5
50-64	321	2.1	3	<1	<1	2	2	4	6	9
65+	401	3.0	6	<1	1	2	4	6	8	12
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.0		2	2	2	2	2	2	2
50-64	11	3.5	9	1	1	2	4	9	9	9
65+	18	4.0	12	<1	1	3	4	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	10	1	1	2	4	8	12	12
20-34	96	2.5	5	<1	1	2	3	5	7	11
35-49	262	3.3	8	<1	1	2	4	7	9	15
50-64	1204	4.0	16	1	1	3	5	8	11	19
65+	3186	5.6	27	1	1	4	7	11	15	27
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	9	9.3	237	1	1	5	6	33	50	50
35-49	29	4.9	13	1	1	4	6	10	11	18
50-64	107	7.7	86	2	2	5	10	15	20	50
65+	294	10.9	80	2	2	9	14	21	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	937	2.4	4	<1	<1	2	3	5	6	11
B. *Operated*	34	3.7	9	1	1	3	4	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	4759	5.0	23	1	1	4	6	10	14	24
B. *Operated*	441	9.7	83	2	2	7	12	20	25	51
1. SINGLE DX	971	2.5	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX	5200	5.4	30	1	1	4	7	11	15	27
A. NOT OPERATED	5696	4.6	21	1	1	3	6	9	13	23
B. OPERATED	475	9.3	80	1	2	7	12	19	25	49
TOTAL 0-19 YRS	15	4.1	15	1	1	3	5	12	13	14
20-34	173	2.5	17	<1	<1	1	3	5	6	12
35-49	441	2.9	7	<1	<1	2	3	6	8	14
50-64	1643	3.9	19	<1	1	3	5	8	11	20
65+	3899	5.8	31	1	1	4	7	12	16	28
GRAND TOTAL	**6171**	**5.0**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.8	7	1	1	2	3	7	8	13
20-34	100	2.7	7	<1	1	2	3	5	7	14
35-49	124	2.8	10	<1	1	2	3	5	6	15
50-64	262	3.4	6	1	1	3	4	7	8	13
65+	308	3.7	9	1	1	3	5	8	9	17
B. *Operated*										
0-19 YRS	9	2.8	4	<1	<1	3	3	6	7	7
20-34	7	4.0	12	1	1	4	5	10	11	11
35-49	32	3.0	3	1	1	2	4	6	8	8
50-64	107	4.4	8	1	2	4	6	9	11	12
65+	424	5.6	13	2	2	5	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.4	21	<1	1	2	5	11	13	25
20-34	182	3.3	6	1	1	3	4	6	7	14
35-49	472	4.0	12	1	1	3	5	7	10	20
50-64	1426	4.7	18	1	1	4	6	10	12	21
65+	3376	5.8	25	1	2	4	7	11	15	25
B. *Operated*										
0-19 YRS	15	13.1	364	1	2	4	15	35	64	74
20-34	27	7.3	79	1	1	4	9	21	47	99+
35-49	124	6.4	30	1	2	5	8	13	16	31
50-64	554	8.0	59	2	2	6	10	16	23	50
65+	2245	9.4	62	2	3	7	11	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	834	3.3	8	1	1	2	4	7	9	14
B. *Operated*	579	5.2	12	1	2	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	5521	5.3	22	1	2	4	7	10	14	24
B. *Operated*	2965	9.0	62	2	3	7	11	17	23	43
1. SINGLE DX	1413	4.1	11	1	1	3	5	8	10	16
2. MULTIPLE DX	8486	6.6	39	1	2	5	8	13	18	33
A. NOT OPERATED	6355	5.0	21	1	1	4	6	10	14	22
B. OPERATED	3544	8.4	56	2	2	6	10	16	21	41
TOTAL 0-19 YRS	129	4.8	62	1	1	2	5	10	14	43
20-34	316	3.4	14	1	1	2	4	6	10	20
35-49	752	4.1	16	1	1	3	5	8	12	21
50-64	2349	5.3	28	1	1	4	7	11	14	28
65+	6353	6.9	40	1	2	5	9	14	18	33
GRAND TOTAL	**9899**	**6.2**	**36**	**1**	**2**	**5**	**8**	**12**	**17**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	7	1	1	5	7	8	8	8
20-34	5	8.0	9	4	4	9	10	11	11	11
35-49	23	6.5	75	<1	1	4	6	20	27	38
50-64	135	5.2	16	1	2	4	6	10	13	20
65+	786	6.0	23	1	2	5	8	12	14	24
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	15.5	365	2	2	15	29	29	29	29
35-49	5	8.0	166	2	2	2	10	31	31	31
50-64	4	6.5	17	2	2	7	10	10	10	10
65+	7	8.6	21	2	3	8	11	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	7.1	105	1	1	5	7	12	18	65
20-34	49	8.9	71	1	2	7	11	16	27	40
35-49	358	6.6	32	1	2	6	9	12	15	23
50-64	2496	7.4	35	2	2	6	9	14	18	29
65+	12344	8.4	44	2	3	7	10	16	20	33
B. *Operated*										
0-19 YRS	21	8.1	59	1	2	6	10	20	25	31
20-34	27	12.0	215	2	2	7	11	30	54	61
35-49	66	10.4	64	2	2	8	13	22	27	35
50-64	330	13.2	145	2	2	10	17	27	35	63
65+	1158	15.2	124	4	5	12	20	29	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	5.9	23	1	2	5	7	11	14	24
B. *Operated*	21	7.7	73	1	1	4	10	21	30	31
2. MULTIPLE DX										
A. *Not Operated*	15328	8.2	43	2	3	7	10	15	20	32
B. *Operated*	1602	14.5	128	3	4	11	19	28	35	62
1. SINGLE DX	976	6.0	24	1	2	5	7	11	15	26
2. MULTIPLE DX	16930	8.8	54	2	3	7	11	17	22	38
A. NOT OPERATED	16283	8.0	42	2	3	6	10	15	20	32
B. OPERATED	1623	14.4	128	2	4	11	18	28	35	62
TOTAL 0-19 YRS	111	7.0	89	1	1	5	8	13	21	64
20-34	83	10.0	117	1	2	7	11	21	34	58
35-49	452	7.2	42	1	2	6	9	13	19	28
50-64	2965	7.9	50	2	2	6	10	15	20	35
65+	14295	8.8	53	2	3	7	11	17	22	38
GRAND TOTAL	**17906**	**8.6**	**53**	**2**	**3**	**7**	**11**	**17**	**22**	**37**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.8	14	1	1	3	4	8	14	17
20-34	154	3.8	12	1	1	3	5	8	10	19
35-49	161	3.9	11	1	1	3	5	7	9	17
50-64	162	4.6	11	1	1	4	6	8	11	14
65+	113	5.7	18	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	35	3.0	11	1	1	2	2	8	11	15
20-34	61	4.1	11	1	1	2	6	9	10	15
35-49	138	5.1	25	1	1	2	8	13	17	20
50-64	261	4.6	21	1	1	2	7	11	14	21
65+	159	5.4	32	1	1	2	8	13	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	5.7	32	1	1	4	8	14	15	30
20-34	249	5.6	31	1	2	4	6	11	16	30
35-49	472	5.7	30	1	2	4	7	11	15	30
50-64	1023	6.6	36	1	2	5	8	13	17	30
65+	1636	8.0	52	2	2	6	10	15	19	35
B. *Operated*										
0-19 YRS	46	5.0	36	1	1	2	7	13	18	28
20-34	129	7.4	85	1	2	4	9	17	28	49
35-49	350	6.2	44	1	2	3	9	14	17	34
50-64	1058	7.7	71	1	2	4	11	17	23	37
65+	1020	10.7	97	2	2	8	15	23	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	4.4	13	1	1	3	6	8	11	17
B. *Operated*	654	4.8	23	1	1	2	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	3434	7.1	43	1	2	5	9	14	18	32
B. *Operated*	2603	8.6	80	1	2	5	12	19	25	43
1. SINGLE DX	1280	4.6	18	1	1	3	6	10	13	20
2. MULTIPLE DX	6037	7.7	60	1	2	5	10	16	22	36
A. NOT OPERATED	4060	6.6	39	1	2	5	8	13	17	31
B. OPERATED	3257	7.8	71	1	2	4	11	18	23	37
TOTAL 0-19 YRS	171	4.5	26	1	1	2	5	11	15	27
20-34	593	5.4	37	1	1	4	6	10	15	31
35-49	1121	5.5	31	1	2	4	7	12	16	29
50-64	2504	6.7	48	1	2	4	9	14	19	34
65+	2928	8.7	67	2	2	6	12	18	24	40
GRAND TOTAL	**7317**	**7.2**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**35**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	9.3	108	1	1	6	17	21	21	21
50-64	10	2.4	2	<1	<1	2	4	5	5	5
65+	19	5.6	21	<1	1	4	8	11	15	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	6.3	26	2	2	6	10	12	12	12
50-64	18	4.9	24	1	1	2	9	11	15	18
65+	14	6.9	36	1	2	4	11	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	6.2	18	1	1	5	10	11	11	11
35-49	36	4.6	16	1	2	4	6	8	10	24
50-64	194	5.4	26	1	2	4	7	11	15	26
65+	841	7.8	53	2	2	6	9	15	20	38
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	33	4.9	26	1	1	2	7	11	17	23
50-64	131	6.8	68	1	2	3	10	14	19	52
65+	154	11.4	95	2	2	9	15	25	33	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.9	23	<1	1	4	6	10	18	21
B. *Operated*	38	5.6	27	1	1	2	10	12	17	20
2. MULTIPLE DX										
A. *Not Operated*	1077	7.2	48	2	2	5	9	14	19	36
B. *Operated*	319	8.8	83	1	2	6	12	21	27	42
1. SINGLE DX	71	5.3	25	1	1	3	9	12	18	21
2. MULTIPLE DX	1396	7.6	56	2	2	5	9	15	22	39
A. NOT OPERATED	1110	7.2	47	2	2	5	9	14	19	35
B. OPERATED	357	8.5	78	1	2	5	12	20	26	41
TOTAL 0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	8	4.8	14	1	1	3	7	11	11	11
35-49	76	5.0	24	1	2	3	6	10	16	24
50-64	353	5.8	42	1	2	4	7	12	16	28
65+	1028	8.3	60	2	2	6	10	17	24	40
GRAND TOTAL	1467	7.5	55	1	2	5	9	15	22	38

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64	11	5.6	50	<1	<1	2	11	18	19	19
65+	3	9.7	137	1	1	5	18	23	23	23
B. *Operated*										
0-19 YRS	2	15.0		15	15	15	15	15	15	15
20-34	20	11.2	47	1	2	11	16	21	22	22
35-49	34	20.8	425	2	2	17	23	34	77	99
50-64	32	16.1	242	1	3	13	19	25	42	87
65+	9	22.1	116	7	9	24	31	36	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	2	16.0	8	14	14	16	18	18	18	18
35-49	3	22.3	421	5	5	17	38	45	45	45
50-64	9	14.3	237	<1	2	6	18	41	49	49
65+	27	18.1	292	1	2	13	23	44	52	72
B. *Operated*										
0-19 YRS	5	23.2	208	12	12	15	34	45	45	45
20-34	19	17.1	131	4	5	15	24	27	41	52
35-49	37	24.2	339	4	7	19	39	57	91	99+
50-64	60	30.4	467	7	10	24	47	72	89	99+
65+	45	30.1	376	6	10	24	42	61	66	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.3	45	<1	<1	3	5	18	21	23
B. *Operated*	97	17.3	258	1	3	14	22	31	37	94
2. MULTIPLE DX										
A. *Not Operated*	43	17.0	256	1	3	13	19	45	48	72
B. *Operated*	166	27.2	381	5	8	22	38	58	80	99+
1. SINGLE DX	118	15.1	240	1	1	13	20	29	34	92
2. MULTIPLE DX	209	25.1	371	4	6	19	37	55	73	99+
A. NOT OPERATED	64	13.2	215	<1	1	8	18	38	46	69
B. OPERATED	263	23.5	357	3	6	19	30	54	73	99+
TOTAL 0-19 YRS	11	15.4	156	3	3	13	15	37	44	45
20-34	44	13.4	91	1	3	13	19	24	26	52
35-49	76	22.0	376	1	3	18	29	54	85	99+
50-64	112	22.6	416	1	3	16	29	55	79	99+
65+	84	24.7	344	2	5	21	34	51	63	83
GRAND TOTAL	327	21.5	346	1	3	17	26	49	67	99+

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	24.0		24	24	24	24	24	24	24
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
0-19 YRS										
20-34	3	52.7	1108	31	31	63	95	99+	99+	99+
35-49	3	46.7	692	23	23	42	67	75	75	75
50-64	9	59.8	1012	2	22	78	96	99+	99+	99+
65+	3	46.0	481	22	22	58	82	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	18.0	52	10	10	20	23	24	24	24
B. *Operated*	18	54.1	783	14	23	65	96	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	21	49.0	839	8	20	53	92	99+	99+	99+
A. NOT OPERATED	3	18.0	52	10	10	20	23	24	24	24
B. OPERATED	18	54.1	783	14	23	65	96	99+	99+	99+
TOTAL 0-19 YRS										
20-34	3	52.7	1108	31	31	63	95	99+	99+	99+
35-49	4	41.0	590	23	23	33	58	75	75	75
50-64	10	54.8	1147	1	7	66	95	99+	99+	99+
65+	4	39.5	490	20	20	51	74	99+	99+	99+
GRAND TOTAL	**21**	**49.0**	**839**	**8**	**20**	**53**	**92**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	19.5	61	14	14	19	25	25	25	25
20-34	4	2.3	6	<1	<1	1	4	6	6	6
35-49	5	7.6	48	2	2	3	14	17	17	17
50-64	13	6.5	48	<1	<1	4	11	17	22	23
65+	33	10.9	86	2	2	8	15	23	34	38
B. *Operated*										
0-19 YRS	8	10.3	53	2	3	9	14	21	24	24
20-34	9	18.6	821	1	1	8	16	64	93	93
35-49	18	11.7	55	3	4	10	17	25	26	26
50-64	40	14.0	172	1	5	10	14	24	40	75
65+	57	11.1	46	4	5	9	14	20	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	36	1	1	3	10	15	16	16
20-34	7	13.4	340	3	3	4	16	46	53	53
35-49	16	11.6	81	2	2	10	20	32	77	99+
50-64	58	15.4	247	2	3	11	20	36	50	74
65+	176	16.4	229	3	4	12	20	32	44	91
B. *Operated*										
0-19 YRS	17	14.6	91	4	5	13	18	30	36	38
20-34	15	20.2	508	3	5	14	20	33	80	96
35-49	27	21.1	589	2	4	15	29	96	99+	99+
50-64	69	20.3	232	5	6	16	27	46	73	99+
65+	156	24.6	326	7	8	20	34	60	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	9.3	75	1	1	6	13	23	25	38
B. *Operated*	132	12.5	135	2	4	10	14	23	26	78
2. MULTIPLE DX										
A. *Not Operated*	263	15.6	224	2	3	11	20	32	46	93
B. *Operated*	284	22.4	327	5	6	17	30	55	85	99+
1. SINGLE DX	189	11.6	119	1	2	9	14	23	26	64
2. MULTIPLE DX	547	19.1	288	3	4	15	24	45	71	99+
A. NOT OPERATED	320	14.5	203	2	3	11	19	30	44	84
B. OPERATED	416	19.3	287	4	6	14	25	46	75	99+
TOTAL 0-19 YRS	33	12.2	79	1	3	11	16	25	30	38
20-34	35	16.4	496	1	1	10	19	33	83	96
35-49	66	15.2	297	2	3	12	20	51	99+	99+
50-64	180	16.3	222	1	4	12	20	37	51	92
65+	422	18.3	256	3	5	14	23	41	59	99+
GRAND TOTAL	**736**	**17.2**	**255**	**2**	**4**	**13**	**22**	**38**	**59**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49	5	8.4	47	1	1	8	12	19	19	19
50-64	9	10.9	23	3	4	10	15	17	17	17
65+	70	21.4	180	4	6	19	28	39	47	64
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	6	37.8	1192	3	4	31	57	89	93	93
35-49	11	24.9	270	6	7	21	32	52	57	58
50-64	18	25.8	474	5	7	20	46	90	99+	99+
65+	36	32.3	418	13	14	26	40	68	77	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	86	19.3	172	4	5	17	26	37	45	62
B. *Operated*	72	29.8	459	7	9	25	43	70	87	99+
1. SINGLE DX										
2. MULTIPLE DX	158	24.1	329	4	7	19	31	52	69	99
A. NOT OPERATED	86	19.3	172	4	5	17	26	37	45	62
B. OPERATED	72	29.8	459	7	9	25	43	70	87	99+
TOTAL 0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	8	30.6	1034	3	4	13	52	82	93	93
35-49	16	19.8	255	2	4	18	26	47	55	58
50-64	27	20.9	368	3	6	15	29	76	99+	99+
65+	106	25.1	285	5	7	22	31	47	60	83
GRAND TOTAL	**158**	**24.1**	**329**	**4**	**7**	**19**	**31**	**52**	**69**	**99**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.3	44	<1	<1	2	10	13	13	13
35-49	6	4.0	10	1	1	3	8	8	8	8
50-64	19	4.9	62	<1	1	3	4	9	24	36
65+	23	4.6	16	1	1	3	6	11	14	15
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	6.3	52	1	1	4	7	18	23	23
35-49	47	4.2	11	1	1	3	6	9	11	12
50-64	411	4.8	14	1	1	4	6	9	13	20
65+	790	5.5	18	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.3	3	<1	<1	3	5	6	6	6
35-49	5	5.2	9	2	2	4	7	10	10	10
50-64	61	5.9	55	1	1	4	7	10	16	45
65+	168	6.2	31	1	1	5	8	13	17	30
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	9	6.1	35	2	2	3	8	16	19	19
35-49	104	6.9	35	1	2	5	9	13	17	33
50-64	935	6.9	43	1	2	5	8	14	18	34
65+	1922	7.7	49	1	2	6	10	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.7	32	1	1	3	5	10	14	36
B. *Operated*	1257	5.2	17	1	1	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	240	6.0	36	1	1	4	8	13	17	33
B. *Operated*	2971	7.4	47	1	2	5	9	15	20	35
1. SINGLE DX	1308	5.2	18	1	1	4	7	10	13	20
2. MULTIPLE DX	3211	7.3	46	1	2	5	9	15	20	35
A. NOT OPERATED	291	5.8	35	1	1	4	7	12	16	34
B. OPERATED	4228	6.7	39	1	2	5	8	13	18	31
TOTAL 0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	26	5.4	31	<1	1	3	6	13	20	23
35-49	162	6.0	28	1	1	5	8	12	15	25
50-64	1426	6.2	36	1	2	5	7	13	17	31
65+	2903	7.0	40	1	2	5	9	14	18	32
GRAND TOTAL	**4519**	**6.7**	**39**	**1**	**2**	**5**	**8**	**13**	**18**	**32**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64	7	12.7	97	3	3	13	19	26	28	28
65+	25	15.0	170	3	3	12	14	38	49	50
B. *Operated*										
0-19 YRS										
20-34	1	35.0		35	35	35	35	35	35	35
35-49	7	17.6	381	2	2	13	16	51	60	60
50-64	49	11.2	133	2	2	8	12	31	37	52
65+	85	15.4	154	2	2	12	23	37	41	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	33	14.7	148	3	3	12	18	30	47	50
B. *Operated*	142	14.2	161	2	2	10	21	35	40	53
1. SINGLE DX										
2. MULTIPLE DX	175	14.3	158	2	2	11	21	35	41	52
A. NOT OPERATED	33	14.7	148	3	3	12	18	30	47	50
B. OPERATED	142	14.2	161	2	2	10	21	35	40	53
TOTAL 0-19 YRS										
20-34	1	35.0		35	35	35	35	35	35	35
35-49	8	18.1	329	2	3	14	19	49	60	60
50-64	56	11.4	127	2	2	8	14	28	37	51
65+	110	15.3	156	2	2	12	22	37	41	50
GRAND TOTAL	**175**	**14.3**	**158**	**2**	**2**	**11**	**21**	**35**	**41**	**52**

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	7.0	4	5	5	7	8	9	9	9
35-49	13	8.7	151	1	2	5	7	24	43	47
50-64	65	6.4	23	2	2	6	8	12	14	29
65+	147	9.2	69	2	3	7	11	17	27	38
B. *Operated*										
0-19 YRS	4	5.5	42	1	1	3	9	15	15	15
20-34	4	8.0	89	2	2	4	13	22	22	22
35-49	16	11.9	205	2	2	7	14	42	46	47
50-64	27	8.0	52	2	2	5	10	19	27	28
65+	29	8.6	114	2	2	5	11	14	17	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.3	71	2	2	6	10	23	27	27
20-34	11	6.0	7	2	3	5	7	10	12	12
35-49	57	10.9	143	1	2	8	11	24	40	57
50-64	374	10.0	95	2	3	7	12	20	33	56
65+	1406	12.4	130	3	3	9	15	25	34	66
B. *Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	6	10.3	111	2	2	6	16	28	29	29
35-49	25	21.5	572	2	2	9	34	65	74	78
50-64	107	13.5	228	2	2	8	16	35	47	75
65+	183	16.3	217	2	3	11	21	38	52	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	8.3	60	2	2	7	10	15	22	39
B. *Operated*	80	8.9	104	2	2	5	11	17	27	55
2. MULTIPLE DX										
A. *Not Operated*	1856	11.8	123	2	3	9	14	24	34	63
B. *Operated*	322	15.8	250	2	2	10	20	39	53	81
1. SINGLE DX	311	8.4	71	2	2	6	10	16	26	47
2. MULTIPLE DX	2178	12.4	144	2	3	9	15	26	38	68
A. NOT OPERATED	2087	11.4	117	2	3	8	14	23	34	61
B. OPERATED	402	14.4	228	2	2	9	18	37	49	75
TOTAL 0-19 YRS	16	9.0	143	1	2	4	10	26	40	46
20-34	24	7.5	42	2	2	5	8	17	24	29
35-49	111	13.2	263	2	2	8	14	39	55	75
50-64	573	10.2	113	2	2	7	12	22	34	57
65+	1765	12.5	136	2	3	9	15	26	37	67
GRAND TOTAL	**2489**	**11.9**	**136**	**2**	**3**	**8**	**14**	**25**	**37**	**66**

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	31	5	5	6	12	17	17	17
20-34	5	21.0	392	4	4	12	31	54	54	54
35-49	20	12.4	67	2	3	10	17	23	29	34
50-64	154	14.6	172	4	4	11	17	32	42	73
65+	603	16.7	182	4	5	13	21	37	46	65
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	20.8	283	2	3	17	34	47	50	50
50-64	36	15.8	185	2	3	13	25	52	99+	99+
65+	61	27.3	384	6	9	22	39	66	72	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	786	16.2	178	4	5	12	20	35	46	66
B. *Operated*	108	22.6	333	2	4	17	33	58	77	99+
1. SINGLE DX										
2. MULTIPLE DX	894	16.9	201	3	5	12	21	38	51	77
A. NOT OPERATED	786	16.2	178	4	5	12	20	35	46	66
B. OPERATED	108	22.6	333	2	4	17	33	58	77	99+
TOTAL 0-19 YRS	4	8.8	31	5	5	6	12	17	17	17
20-34	6	17.8	374	2	2	11	24	51	54	54
35-49	30	15.2	148	2	3	11	20	34	44	50
50-64	190	14.8	174	3	4	11	19	33	49	99+
65+	664	17.7	210	4	5	13	22	39	52	74
GRAND TOTAL	**894**	**16.9**	**201**	**3**	**5**	**12**	**21**	**38**	**51**	**77**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	20	2.5	2	<1	1	2	3	4	5	6
35-49	57	3.3	4	1	1	3	4	6	8	10
50-64	189	2.9	4	1	1	2	4	6	7	9
65+	598	3.7	8	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	4	4.0	5	1	1	4	5	6	6	6
35-49	53	2.9	5	<1	1	2	4	5	8	11
50-64	160	3.2	7	1	1	2	4	7	9	13
65+	209	3.4	6	1	1	2	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	2	2	2	4	5	5	5	5
20-34	23	3.4	5	1	1	3	5	7	8	8
35-49	145	4.2	11	1	1	3	5	7	11	17
50-64	760	4.2	11	1	1	3	5	8	10	19
65+	3571	5.5	25	1	2	4	7	10	14	24
B. *Operated*										
0-19 YRS										
20-34	5	10.0	21	7	7	9	11	18	18	18
35-49	67	5.9	17	2	2	4	8	12	14	19
50-64	430	6.3	35	1	2	5	8	12	16	30
65+	771	8.1	65	2	2	6	10	16	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	3.5	7	1	1	3	4	7	9	13
B. *Operated*	429	3.2	6	1	1	2	4	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	4507	5.2	22	1	2	4	6	10	13	23
B. *Operated*	1273	7.3	53	1	2	5	9	15	21	38
1. SINGLE DX	1293	3.4	7	1	1	3	4	7	9	13
2. MULTIPLE DX	5780	5.7	30	1	2	4	7	11	15	27
A. NOT OPERATED	5371	5.0	20	1	2	4	6	9	12	21
B. OPERATED	1702	6.3	44	1	2	4	8	13	18	34
TOTAL 0-19 YRS	11	2.9	3	1	1	3	4	5	5	5
20-34	52	3.7	9	1	1	3	5	7	9	18
35-49	322	4.2	11	1	1	3	5	8	11	17
50-64	1539	4.5	18	1	1	3	6	9	12	22
65+	5149	5.6	30	1	2	4	7	11	15	27
GRAND TOTAL	**7073**	**5.3**	**26**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	54	1	1	4	8	20	21	21
20-34	9	6.7	24	1	1	6	9	14	16	16
35-49	34	5.6	78	1	1	4	6	7	9	54
50-64	148	7.0	44	1	2	5	9	14	16	38
65+	643	9.1	81	2	2	7	11	18	24	48
B. *Operated*										
0-19 YRS										
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	16	7.9	29	2	2	7	11	16	19	20
50-64	38	5.1	26	1	1	3	7	8	18	24
65+	53	10.8	238	1	2	6	12	26	41	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.6	72	2	2	12	17	21	21	21
20-34	16	9.7	168	1	1	5	12	20	43	53
35-49	100	9.4	69	2	2	7	12	19	27	43
50-64	717	10.6	111	2	3	7	13	22	31	55
65+	3768	11.8	101	3	3	9	15	24	31	52
B. *Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	13	12.7	194	2	2	7	18	31	47	51
35-49	43	15.0	299	2	3	8	17	48	68	99+
50-64	171	12.8	145	2	3	9	16	24	40	82
65+	492	18.6	246	3	4	14	26	41	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	8.5	74	1	2	6	11	17	23	47
B. *Operated*	111	8.2	133	1	2	5	8	18	25	71
2. MULTIPLE DX										
A. *Not Operated*	4606	11.5	102	2	3	9	14	23	31	53
B. *Operated*	721	16.9	230	2	3	12	23	39	53	99+
1. SINGLE DX	951	8.5	81	1	2	6	10	17	23	48
2. MULTIPLE DX	5327	12.2	123	2	3	9	15	25	34	61
A. NOT OPERATED	5446	11.1	99	2	3	8	14	22	30	52
B. OPERATED	832	15.7	225	2	3	11	21	37	51	99+
TOTAL 0-19 YRS	13	8.2	55	1	1	5	13	21	21	21
20-34	42	9.4	131	1	1	6	11	20	36	53
35-49	193	9.9	126	1	2	6	11	20	37	69
50-64	1074	10.2	108	2	2	7	12	21	30	54
65+	4956	12.1	120	2	3	9	15	25	33	61
GRAND TOTAL	**6278**	**11.7**	**118**	**2**	**3**	**8**	**14**	**24**	**32**	**60**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	15.8	91	5	5	15	21	30	31	31
20-34	6	21.2	1220	2	2	8	13	84	92	92
35-49	34	15.3	213	1	3	12	21	37	45	67
50-64	256	14.1	193	3	3	9	18	36	47	99
65+	1434	16.2	192	3	4	12	21	35	46	75
B. *Operated*										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	3	20.3	146	11	11	16	29	34	34	34
35-49	17	18.4	235	2	4	14	31	51	81	99+
50-64	42	24.0	508	2	3	18	34	74	81	99+
65+	140	27.2	345	5	8	26	38	59	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1736	15.9	195	3	4	12	21	35	46	77
B. *Operated*	203	25.8	371	4	6	21	37	59	78	99+
1. SINGLE DX										
2. MULTIPLE DX	1939	16.9	223	3	4	12	22	38	49	88
A. NOT OPERATED	1736	15.9	195	3	4	12	21	35	46	77
B. OPERATED	203	25.8	371	4	6	21	37	59	78	99+
TOTAL 0-19 YRS	7	21.0	263	5	6	18	28	48	52	52
20-34	9	20.9	799	2	3	11	20	69	92	92
35-49	51	16.4	218	2	3	12	22	43	52	99
50-64	298	15.4	248	3	3	10	20	39	52	99+
65+	1574	17.2	215	3	5	13	22	38	49	82
GRAND TOTAL	**1939**	**16.9**	**223**	**3**	**4**	**12**	**22**	**38**	**49**	**88**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	14.0	823	2	2	3	5	64	79	79
35-49	32	3.4	8	1	1	2	4	7	9	14
50-64	50	3.8	6	1	1	3	5	7	9	12
65+	148	5.4	29	1	2	4	7	10	16	29
B. *Operated*										
0-19 YRS	4	10.5	90	2	2	9	18	21	21	21
20-34	15	9.4	57	2	2	8	17	20	21	22
35-49	32	5.3	61	1	1	2	5	10	27	37
50-64	67	4.9	18	1	1	3	7	11	14	18
65+	66	3.9	18	1	1	2	4	10	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.1	141	1	2	4	7	18	41	47
20-34	32	3.9	4	1	2	4	5	6	7	10
35-49	108	6.9	103	1	2	4	7	12	18	61
50-64	317	7.3	62	1	2	5	8	14	19	37
65+	1770	8.1	64	2	2	6	10	16	22	46
B. *Operated*										
0-19 YRS	3	23.0	387	2	2	26	37	41	41	41
20-34	20	13.4	146	2	2	10	16	29	42	52
35-49	57	14.4	478	1	2	6	11	48	71	91
50-64	184	10.0	194	1	2	6	11	20	31	96
65+	321	11.1	168	1	2	7	13	28	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	5.1	45	1	1	4	6	8	13	31
B. *Operated*	184	5.1	32	1	1	2	7	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2241	7.9	65	2	2	6	9	16	22	45
B. *Operated*	585	11.2	207	1	2	7	13	26	42	82
1. SINGLE DX	421	5.1	39	1	1	3	6	10	16	28
2. MULTIPLE DX	2826	8.6	97	2	2	6	10	17	25	55
A. NOT OPERATED	2478	7.6	64	2	2	5	9	15	21	45
B. OPERATED	769	9.7	172	1	2	6	11	21	35	72
TOTAL 0-19 YRS	21	10.7	171	1	2	5	15	32	44	47
20-34	74	8.6	137	2	2	5	9	18	24	72
35-49	229	8.0	190	1	1	4	7	14	36	84
50-64	618	7.5	95	1	2	5	9	15	21	64
65+	2305	8.2	77	2	2	6	10	17	24	50
GRAND TOTAL	**3247**	**8.1**	**90**	**1**	**2**	**5**	**9**	**16**	**24**	**54**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	2.5	1	1	1	2	3	4	4	4
65+	17	4.9	50	1	1	2	5	10	23	30
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	34	4.2	16	1	1	2	6	11	12	16
50-64	155	5.1	19	1	1	3	9	11	13	17
65+	160	5.7	30	1	1	3	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	3.0	7	<1	<1	2	3	8	8	8
50-64	55	4.7	15	1	1	4	7	9	11	21
65+	470	7.6	49	2	2	6	9	15	23	40
B. *Operated*										
0-19 YRS	5	6.8	56	2	2	4	9	20	20	20
20-34	13	4.8	11	<1	1	4	8	9	10	10
35-49	97	7.8	45	1	1	7	10	14	22	34
50-64	679	9.6	114	1	1	8	12	19	33	59
65+	1087	13.2	177	1	2	10	17	30	44	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.3	38	1	1	2	4	9	18	30
B. *Operated*	353	5.3	24	1	1	3	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	533	7.3	47	1	2	5	9	14	23	39
B. *Operated*	1881	11.6	150	1	2	9	15	26	38	66
1. SINGLE DX	376	5.2	25	1	1	3	8	12	15	22
2. MULTIPLE DX	2414	10.6	130	1	2	8	13	24	35	64
A. NOT OPERATED	556	7.2	46	1	2	5	9	14	23	39
B. OPERATED	2234	10.6	135	1	1	8	13	23	35	62
TOTAL 0-19 YRS	7	9.1	118	<1	<1	4	16	27	29	29
20-34	17	4.2	9	<1	1	3	6	9	10	10
35-49	137	6.7	39	1	1	5	9	13	16	33
50-64	895	8.5	95	1	1	7	11	17	27	54
65+	1734	10.9	136	1	2	8	14	25	37	66
GRAND TOTAL	**2790**	**9.9**	**119**	**1**	**1**	**7**	**12**	**22**	**33**	**61**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.5	14	2	2	3	7	10	10	10
65+	24	4.7	20	<1	1	3	6	11	16	18
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	6.2	19	2	2	5	10	12	12	12
50-64	77	8.4	16	1	2	9	10	13	15	19
65+	193	10.0	55	1	2	10	12	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	20	4.8	19	<1	1	3	7	11	15	16
65+	177	6.1	33	1	1	4	8	13	15	32
B. *Operated*										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	4	15.5	137	2	2	16	25	28	28	28
35-49	11	12.9	298	1	3	9	11	33	61	64
50-64	351	12.0	113	1	2	10	13	20	29	67
65+	1029	14.1	109	2	3	12	16	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.5	18	<1	1	3	5	10	15	18
B. *Operated*	277	9.4	44	1	2	10	11	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	201	5.8	31	1	1	4	8	13	15	31
B. *Operated*	1397	13.6	112	2	3	11	16	24	33	60
1. SINGLE DX	307	8.9	44	1	2	9	11	15	19	30
2. MULTIPLE DX	1598	12.6	109	1	2	11	15	22	32	57
A. NOT OPERATED	231	5.7	29	1	1	4	8	12	15	31
B. OPERATED	1674	12.9	103	2	2	11	15	22	31	57
TOTAL 0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	7	11.0	102	2	2	8	19	27	28	28
35-49	21	8.8	177	<1	1	6	10	12	35	64
50-64	452	11.0	95	1	2	10	12	18	25	53
65+	1423	12.4	100	1	2	11	15	22	31	52
GRAND TOTAL	**1905**	**12.0**	**100**	**1**	**2**	**10**	**15**	**22**	**30**	**53**

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	5.3	38	<1	<1	3	9	14	14	14
B. *Operated*										
0-19 YRS	3	5.3	26	1	1	4	9	11	11	11
20-34	10	6.8	16	2	2	6	10	13	15	15
35-49	16	7.3	24	<1	1	7	11	14	15	16
50-64	44	7.1	14	2	2	7	9	12	14	18
65+	51	8.4	39	1	2	9	12	16	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	11.5	221	1	1	11	22	22	22	22
50-64	3	1.3		1	1	1	2	2	2	2
65+	18	5.0	13	1	1	4	8	11	12	12
B. *Operated*										
0-19 YRS	4	5.8	14	2	2	6	9	9	9	9
20-34	15	11.9	225	1	2	9	12	26	52	61
35-49	30	14.6	223	2	2	10	19	37	54	60
50-64	110	9.5	67	1	2	8	13	21	26	40
65+	168	13.0	188	1	2	9	16	27	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.0	26	<1	<1	2	5	13	14	14
B. *Operated*	124	7.6	26	1	2	8	11	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	23	5.1	26	1	1	3	8	11	15	22
B. *Operated*	327	11.9	152	1	2	9	14	25	34	64
1. SINGLE DX	130	7.4	26	1	2	7	11	14	16	25
2. MULTIPLE DX	350	11.4	147	1	2	8	13	24	33	64
A. NOT OPERATED	29	4.9	25	1	1	3	7	12	14	22
B. OPERATED	451	10.7	121	1	2	8	13	21	30	61
TOTAL 0-19 YRS	7	5.6	16	1	1	4	9	11	11	11
20-34	25	9.8	144	1	2	7	11	15	35	61
35-49	49	11.8	161	1	1	8	13	26	42	60
50-64	158	8.6	53	1	2	7	11	18	24	33
65+	241	11.3	148	1	2	9	13	23	31	66
GRAND TOTAL	**480**	**10.3**	**117**	**1**	**2**	**8**	**12**	**21**	**30**	**61**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	6	6.7	7	3	3	7	9	9	9	9
35-49	13	5.3	26	<1	1	4	6	13	18	19
50-64	28	5.4	35	<1	<1	2	8	12	16	27
65+	27	5.7	19	1	1	5	8	12	14	18
B. *Operated*										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	23	5.6	17	1	1	4	9	11	13	14
35-49	99	5.7	20	1	1	5	9	12	13	21
50-64	341	6.4	23	1	1	6	9	12	14	21
65+	339	7.1	28	1	1	7	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	10	6.5	18	<1	1	6	9	13	15	15
35-49	20	4.9	15	<1	<1	3	8	10	12	15
50-64	55	5.6	17	1	1	5	7	11	13	21
65+	140	8.0	33	1	1	8	11	16	19	26
B. *Operated*										
0-19 YRS	8	15.9	281	2	2	10	21	45	51	51
20-34	26	12.4	154	1	2	8	17	30	42	48
35-49	158	10.5	114	1	2	8	13	21	27	66
50-64	767	10.1	110	1	2	9	13	18	28	72
65+	1218	12.8	137	1	2	10	16	26	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.6	24	<1	1	5	8	12	14	25
B. *Operated*	805	6.5	25	1	1	6	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	228	7.0	28	1	1	6	10	14	18	24
B. *Operated*	2177	11.7	128	1	2	9	14	23	32	67
1. SINGLE DX	881	6.5	25	1	1	6	9	12	15	22
2. MULTIPLE DX	2405	11.2	121	1	2	9	14	22	31	65
A. NOT OPERATED	304	6.7	27	1	1	6	9	13	17	25
B. OPERATED	2982	10.3	105	1	2	9	13	20	28	60
TOTAL 0-19 YRS	16	9.8	173	1	1	5	10	29	45	51
20-34	65	8.5	79	1	1	6	10	17	29	47
35-49	290	8.2	77	1	1	7	11	17	22	45
50-64	1191	8.7	83	1	1	8	11	16	22	51
65+	1724	11.2	112	1	2	9	14	21	30	60
GRAND TOTAL	**3286**	**10.0**	**99**	**1**	**1**	**8**	**13**	**19**	**27**	**57**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.3	11	1	2	4	7	9	12	15
20-34	21	4.4	6	1	1	4	6	8	9	9
35-49	26	4.7	15	1	1	3	8	11	12	14
50-64	28	3.3	10	<1	<1	2	5	7	8	15
65+	52	4.3	12	<1	1	3	5	9	12	18
B. *Operated*										
0-19 YRS	12	5.3	37	1	1	3	8	14	20	21
20-34	23	4.4	20	1	1	2	6	10	14	20
35-49	90	5.0	92	1	1	2	5	11	14	61
50-64	207	4.7	27	1	1	2	7	10	13	24
65+	223	4.9	31	1	1	2	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.7	15	1	2	5	7	9	13	19
20-34	49	5.8	46	1	1	3	7	10	22	39
35-49	70	4.5	11	1	1	4	6	9	11	16
50-64	142	5.2	28	1	1	4	6	11	15	30
65+	309	8.2	72	1	2	6	10	18	25	34
B. *Operated*										
0-19 YRS	17	5.4	31	<1	1	3	9	14	17	19
20-34	58	8.5	101	1	1	5	10	22	30	51
35-49	137	7.9	59	1	2	5	11	16	21	52
50-64	487	8.4	103	1	1	5	11	17	25	65
65+	771	11.9	174	1	2	8	15	28	40	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	4.4	11	<1	1	3	6	9	11	15
B. *Operated*	555	4.8	39	1	1	2	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	593	6.8	52	1	1	5	8	14	20	33
B. *Operated*	1470	10.2	138	1	2	7	13	23	34	73
1. SINGLE DX	717	4.7	33	1	1	3	6	10	13	23
2. MULTIPLE DX	2063	9.2	116	1	2	6	12	20	30	61
A. NOT OPERATED	755	6.3	44	1	1	4	8	13	19	32
B. OPERATED	2025	8.7	117	1	1	5	11	19	30	62
TOTAL 0-19 YRS	87	5.4	19	1	1	4	8	10	14	20
20-34	151	6.4	60	1	1	4	8	14	24	39
35-49	323	6.1	56	1	1	4	9	13	16	40
50-64	864	6.8	72	1	1	4	9	15	20	49
65+	1355	9.6	129	1	2	6	12	23	31	68
GRAND TOTAL	**2780**	**8.1**	**98**	**1**	**1**	**5**	**10**	**18**	**26**	**52**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.5	18	1	2	7	8	14	15	17
20-34	229	6.7	16	2	2	6	9	11	13	19
35-49	294	6.9	12	2	3	6	9	11	13	17
50-64	322	7.5	15	2	3	7	9	12	14	19
65+	316	7.7	14	3	3	7	10	12	15	20
B. *Operated*										
0-19 YRS	14	5.6	12	<1	1	5	9	11	11	11
20-34	111	6.2	10	1	2	6	8	10	12	15
35-49	125	6.6	17	1	2	6	9	12	14	17
50-64	127	7.0	18	1	2	7	10	12	15	19
65+	130	7.9	21	2	3	8	10	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.6	23	1	2	5	12	14	14	14
20-34	222	7.6	18	2	3	7	10	13	16	21
35-49	394	8.5	20	3	3	8	11	14	17	24
50-64	715	8.5	27	3	4	8	10	14	16	28
65+	1071	9.6	32	3	4	8	12	16	20	32
B. *Operated*										
0-19 YRS	11	10.2	50	5	5	8	13	21	27	28
20-34	114	9.8	59	2	3	8	12	18	23	44
35-49	189	9.6	47	2	3	9	12	17	21	53
50-64	351	11.2	93	3	4	9	13	20	28	66
65+	467	11.5	59	3	4	10	14	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1186	7.2	14	2	3	7	9	12	14	18
B. *Operated*	507	6.9	17	1	2	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	2420	8.9	28	3	4	8	11	15	18	28
B. *Operated*	1132	10.9	68	2	4	9	13	19	26	49
1. SINGLE DX	1693	7.1	15	2	3	7	9	12	14	18
2. MULTIPLE DX	3552	9.5	41	3	4	8	11	16	20	34
A. NOT OPERATED	3606	8.3	24	3	3	7	10	14	17	26
B. OPERATED	1639	9.7	55	2	3	8	12	17	22	37
TOTAL 0-19 YRS	68	6.9	24	1	2	6	9	14	15	26
20-34	676	7.4	24	2	2	7	9	12	15	26
35-49	1002	8.0	23	2	3	7	10	14	16	24
50-64	1515	8.8	41	2	3	8	10	14	18	33
65+	1984	9.6	36	3	4	8	12	16	21	32
GRAND TOTAL	5245	8.8	34	2	3	8	11	15	18	31

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.8	9	<1	<1	3	7	8	8	8
35-49	17	9.1	68	1	2	7	12	23	26	27
50-64	27	9.3	29	2	2	8	13	15	22	22
65+	51	10.3	58	1	2	8	15	22	25	29
B. *Operated*										
0-19 YRS	21	2.8	2	<1	1	2	4	5	6	6
20-34	505	3.4	7	1	2	3	4	5	6	13
35-49	669	3.7	7	1	2	3	4	6	7	15
50-64	505	4.8	27	1	2	4	5	8	12	29
65+	169	8.1	71	2	2	5	9	18	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	8.6	118	<1	<1	5	11	28	34	35
35-49	35	6.6	29	1	2	5	9	13	17	26
50-64	68	7.5	33	1	2	6	10	16	18	27
65+	290	11.3	70	2	3	9	15	22	28	41
B. *Operated*										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	119	5.4	39	2	2	4	5	8	15	37
35-49	235	5.3	22	1	2	4	6	9	14	27
50-64	284	7.0	69	2	2	4	7	15	23	55
65+	249	17.6	281	3	3	12	25	46	56	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	9.4	50	1	2	7	14	21	24	29
B. *Operated*	1869	4.3	20	1	2	3	4	6	10	26
2. MULTIPLE DX										
A. *Not Operated*	405	10.2	65	2	3	8	14	20	26	35
B. *Operated*	891	9.3	139	2	2	5	9	23	38	59
1. SINGLE DX	1970	4.6	23	1	2	3	5	7	13	26
2. MULTIPLE DX	1296	9.6	116	2	2	5	11	22	31	58
A. NOT OPERATED	506	10.0	62	2	2	8	14	20	25	34
B. OPERATED	2760	5.9	64	1	2	4	5	11	20	49
TOTAL 0-19 YRS	25	2.7	2	<1	1	2	3	4	6	6
20-34	642	3.9	16	1	2	3	4	5	7	26
35-49	956	4.3	14	1	2	3	5	7	10	23
50-64	884	5.8	42	2	2	4	6	11	17	38
65+	759	12.6	152	2	3	8	16	27	40	60
GRAND TOTAL	3266	6.6	66	1	2	4	6	14	22	48

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	38	2.5	4	<1	1	2	3	5	6	11
35-49	32	3.3	6	<1	1	3	4	7	9	11
50-64	38	2.7	4	<1	<1	2	3	5	7	10
65+	24	3.1	7	<1	1	2	4	5	8	13
B. *Operated*										
0-19 YRS	19	3.5	5	<1	1	3	4	5	8	11
20-34	254	4.2	3	2	2	4	5	7	7	9
35-49	380	4.2	3	2	2	4	5	6	7	9
50-64	286	4.4	3	1	2	4	5	7	8	10
65+	112	4.5	4	1	2	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	52	2.5	2	<1	1	2	3	4	6	8
35-49	87	3.5	8	<1	1	3	4	6	8	17
50-64	102	4.3	14	<1	1	3	5	8	12	22
65+	174	4.5	13	1	1	3	6	8	10	20
B. *Operated*										
0-19 YRS	32	3.8	3	1	2	4	5	6	7	8
20-34	820	4.6	4	2	3	4	5	7	8	11
35-49	1400	4.9	5	2	3	4	6	7	9	13
50-64	1196	5.0	7	2	3	4	6	8	9	14
65+	575	6.3	20	2	3	5	7	11	15	22
SUBTOTALS:										
1. SINGLE DX *										
A. *Not Operated*	137	2.8	5	<1	<1	2	4	5	7	11
B. *Operated*	1051	4.3	3	1	2	4	5	7	7	10
2. MULTIPLE DX										
A. *Not Operated*	416	4.0	11	1	1	3	5	7	10	19
B. *Operated*	4023	5.0	8	2	3	4	6	8	9	15
1. SINGLE DX	1188	4.1	4	1	2	4	5	7	7	10
2. MULTIPLE DX	4439	4.9	8	2	3	4	6	8	9	16
A. NOT OPERATED	553	3.7	10	<1	1	3	5	7	9	18
B. OPERATED	5074	4.9	7	2	3	4	6	7	9	14
TOTAL 0-19 YRS	57	3.5	4	1	1	3	4	6	7	11
20-34	1164	4.3	4	1	2	4	5	7	8	11
35-49	1899	4.6	5	2	2	4	6	7	8	13
50-64	1622	4.8	7	2	2	4	6	8	9	13
65+	885	5.6	17	2	2	5	7	10	13	21
GRAND TOTAL	5627	4.8	7	2	2	4	6	7	9	15

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.0	9	1	1	3	7	8	10	11
20-34	77	5.6	15	1	1	5	8	11	13	17
35-49	74	5.2	9	1	1	5	7	9	11	14
50-64	94	5.2	9	1	1	5	7	9	10	12
65+	145	6.3	17	1	1	6	9	11	14	20
B. *Operated*										
0-19 YRS	66	3.0	15	<1	1	2	3	7	12	23
20-34	215	2.8	8	<1	<1	2	3	6	9	15
35-49	78	5.0	23	1	1	4	7	11	13	27
50-64	85	6.7	30	1	2	6	9	13	16	28
65+	93	7.8	91	1	1	5	11	15	21	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.9	15	1	1	2	5	9	15	17
20-34	130	6.0	55	1	1	4	7	12	15	35
35-49	228	6.5	19	1	2	6	9	12	14	24
50-64	461	6.3	23	1	2	5	8	12	15	23
65+	1064	7.4	46	2	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	37	5.5	27	<1	1	5	7	13	17	23
20-34	226	5.0	29	1	1	3	7	11	16	30
35-49	183	9.5	119	1	2	7	12	22	25	66
50-64	283	10.7	90	2	2	9	13	21	26	53
65+	395	12.5	109	2	3	10	15	24	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	5.6	13	1	1	5	8	10	11	17
B. *Operated*	537	4.6	33	<1	1	3	6	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	1918	6.9	38	1	2	5	9	13	17	31
B. *Operated*	1124	9.8	95	1	2	8	13	21	25	54
1. SINGLE DX	946	5.1	25	1	1	3	7	11	13	21
2. MULTIPLE DX	3042	8.0	61	1	2	6	10	16	22	41
A. NOT OPERATED	2327	6.7	34	1	2	5	9	12	16	29
B. OPERATED	1661	8.2	81	1	1	6	11	18	24	49
TOTAL 0-19 YRS	157	3.9	18	1	1	2	5	9	13	23
20-34	648	4.6	27	<1	1	3	6	10	13	24
35-49	563	7.1	54	1	1	6	9	14	19	30
50-64	923	7.6	47	1	2	6	10	15	20	33
65+	1697	8.5	66	2	2	7	10	17	23	46
GRAND TOTAL	3988	7.3	54	1	1	5	9	18	20	34

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2079	2.2	3	<1	1	2	3	4	5	8
20-34	269	2.8	3	1	1	2	4	5	6	9
35-49	106	2.9	3	1	1	3	3	5	6	10
50-64	68	3.4	4	1	1	3	4	6	6	11
65+	67	4.0	8	<1	1	3	5	7	10	15
B. Operated										
0-19 YRS	440	2.0	3	<1	1	2	2	3	4	10
20-34	165	2.2	2	1	1	2	2	4	5	8
35-49	36	2.9	6	<1	1	2	4	6	9	11
50-64	26	1.9	1	<1	1	2	2	3	4	5
65+	7	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2271	2.8	4	1	1	2	3	5	6	10
20-34	450	3.4	4	1	1	3	4	5	7	11
35-49	286	4.0	8	1	1	3	5	7	9	17
50-64	335	4.8	13	1	2	4	6	8	10	20
65+	651	6.4	18	2	2	5	8	12	15	22
B. Operated										
0-19 YRS	213	2.9	17	1	1	2	3	5	8	31
20-34	95	3.8	12	1	1	3	5	7	8	20
35-49	48	5.2	38	1	1	3	6	8	23	28
50-64	51	5.8	46	1	1	4	7	12	21	34
65+	54	12.2	223	1	2	8	14	27	44	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2589	2.4	3	1	1	2	3	4	5	8
B. Operated	674	2.1	3	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	3993	3.7	9	1	1	3	4	7	9	16
B. Operated	461	4.7	53	1	1	2	5	9	16	34
1. SINGLE DX	3263	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	4454	3.8	14	1	1	3	5	7	10	19
A. NOT OPERATED	6582	3.2	7	1	1	2	4	6	8	14
B. OPERATED	1135	3.2	25	1	1	2	3	6	9	27
TOTAL 0-19 YRS	5003	2.5	4	1	1	2	3	4	6	10
20-34	979	3.1	4	1	1	3	4	5	7	11
35-49	476	3.8	10	1	1	3	5	7	9	20
50-64	480	4.5	15	1	1	4	6	8	10	21
65+	779	6.5	34	2	2	5	8	13	16	26
GRAND TOTAL	7717	3.2	10	1	1	2	4	6	8	15

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1600	3.0	5	1	1	3	4	5	7	9
20-34	103	3.7	5	1	1	3	4	6	9	13
35-49	96	4.6	14	2	2	4	6	7	9	25
50-64	153	4.2	6	1	2	4	5	8	10	13
65+	211	5.2	11	2	2	4	7	8	10	17
B. Operated										
0-19 YRS	8	4.8	3	3	3	4	6	7	7	7
20-34	4	4.3	15	2	2	3	6	10	10	10
35-49	8	8.3	24	3	3	8	12	15	15	15
50-64	4	5.8	32	<1	<1	4	9	14	14	14
65+	10	3.7	3	<1	1	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1591	3.9	10	1	2	3	5	7	8	12
20-34	332	4.9	14	2	2	4	6	10	12	19
35-49	398	5.2	11	2	2	4	7	10	12	19
50-64	1276	6.3	21	2	2	5	8	12	15	23
65+	2970	7.6	29	2	3	6	9	14	18	28
B. Operated										
0-19 YRS	28	12.5	284	2	3	8	13	20	40	90
20-34	18	6.4	28	<1	<1	5	10	14	17	19
35-49	33	9.0	79	1	2	7	10	16	23	50
50-64	89	9.5	58	2	2	7	14	22	28	31
65+	146	13.1	159	2	3	9	16	25	35	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2163	3.4	7	1	1	3	4	6	8	11
B. Operated	34	5.3	14	1	2	4	7	11	14	15
2. MULTIPLE DX										
A. Not Operated	6567	6.2	23	2	2	5	8	11	15	25
B. Operated	314	11.2	129	2	2	8	14	22	31	70
1. SINGLE DX	2197	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	6881	6.4	29	2	2	5	8	12	16	27
A. NOT OPERATED	8730	5.5	21	1	2	4	7	10	14	23
B. OPERATED	348	10.6	120	2	2	7	13	21	30	68
TOTAL 0-19 YRS	3227	3.5	11	1	1	3	4	6	8	12
20-34	457	4.7	13	1	2	4	5	9	12	18
35-49	535	5.4	17	2	2	4	7	10	12	21
50-64	1522	6.3	22	2	2	5	8	12	16	24
65+	3337	7.7	35	2	3	6	9	14	18	30
GRAND TOTAL	9078	5.7	25	1	2	4	7	11	14	25

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	9	1.0		<1	<1	1	1	1	1	1
35-49	5	1.2		1	1	1	2	2	2	2
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	383	1.6	1	1	1	1	2	3	3	4
20-34	955	1.7	1	<1	1	1	2	3	3	5
35-49	461	1.7	2	<1	1	2	2	3	3	4
50-64	210	1.9	1	1	1	2	2	3	4	5
65+	66	1.7	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.1		<1	<1	1	1	2	2	2
20-34	23	1.1		<1	<1	1	1	2	2	2
35-49	14	1.6	1	<1	<1	1	2	3	4	4
50-64	15	1.4	1	<1	<1	<1	2	2	4	4
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	570	2.0	1	1	1	2	3	3	3	4
20-34	1516	2.1	3	1	1	2	3	3	4	5
35-49	875	2.1	1	1	1	2	3	3	4	5
50-64	459	2.3	2	1	1	2	3	4	4	9
65+	117	2.8	3	1	1	3	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.1		<1	<1	1	1	1	2	2
B. *Operated*	2075	1.7	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	67	1.3		<1	<1	1	1	2	3	4
B. *Operated*	3537	2.1	2	1	1	2	3	3	4	6
1. SINGLE DX	2094	1.7	1	<1	1	1	2	3	3	5
2. MULTIPLE DX	3604	2.1	2	1	1	2	3	3	4	6
A. NOT OPERATED	86	1.2		<1	<1	1	1	2	2	4
B. OPERATED	5612	2.0	2	1	1	2	3	3	4	5
TOTAL 0-19 YRS	968	1.9	1	1	1	2	2	3	3	4
20-34	2503	1.9	2	<1	1	2	2	3	4	5
35-49	1355	2.0	1	<1	1	2	2	3	4	5
50-64	686	2.2	2	1	1	2	3	4	4	7
65+	186	2.4	3	1	1	2	3	4	4	9
GRAND TOTAL	**5698**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	3	4
20-34	52	1.5	1	<1	<1	1	2	3	3	4
35-49	69	1.7	1	<1	<1	1	2	3	4	6
50-64	76	1.8	1	<1	<1	2	2	3	4	4
65+	49	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	1.8	4	<1	<1	1	1	6	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	4	2.8	8	<1	<1	1	4	7	7	7
B. *Operated*										
0-19 YRS	49	2.0	1	<1	1	2	2	4	4	5
20-34	146	2.3	2	<1	1	2	3	4	5	8
35-49	148	2.4	3	<1	1	2	3	4	5	7
50-64	158	2.7	3	<1	1	2	3	5	6	7
65+	94	3.2	10	1	1	2	3	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		1	1	1	1	1	1	1
B. *Operated*	286	1.7	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	12	2.0	5	<1	<1	1	2	6	7	7
B. *Operated*	595	2.6	4	<1	1	2	3	4	6	12
1. SINGLE DX	289	1.7	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	607	2.5	4	<1	1	2	3	4	6	12
A. NOT OPERATED	15	1.8	4	<1	<1	1	1	6	7	7
B. OPERATED	881	2.3	3	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	89	1.8	1	<1	1	2	2	3	4	5
20-34	200	2.1	2	<1	1	2	3	3	4	8
35-49	223	2.1	2	<1	1	2	3	4	5	7
50-64	237	2.4	3	<1	1	2	3	4	5	7
65+	147	2.7	7	<1	1	2	3	5	7	15
GRAND TOTAL	**896**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.4		<1	<1	1	2	2	3	4
20-34	18	1.8	1	<1	<1	1	2	4	5	5
35-49										
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	11466	1.5		<1	1	1	2	2	2	3
20-34	3126	1.7	1	1	1	2	2	3	3	4
35-49	303	1.9	1	1	1	2	2	3	3	5
50-64	42	2.2	2	<1	<1	2	3	4	5	9
65+	27	2.1	4	<1	<1	1	2	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	1.4	1	<1	<1	1	1	2	4	8
20-34	31	2.0	4	<1	<1	1	2	4	8	8
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4969	1.5	1	<1	<1	1	2	2	3	4
20-34	574	2.1	2	1	1	2	3	3	4	8
35-49	83	2.2	2	1	1	2	2	4	5	8
50-64	30	2.9	5	<1	1	2	3	6	8	9
65+	14	8.9	536	<1	1	2	3	16	73	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	14964	1.6	1	<1	1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	197	1.5	2	<1	<1	1	1	3	4	8
B. *Operated*	5670	1.6	2	<1	<1	1	2	2	3	5
1. SINGLE DX	15053	1.6	1	<1	1	1	2	2	3	3
2. MULTIPLE DX	5867	1.6	2	<1	<1	1	2	2	3	5
A. NOT OPERATED	286	1.5	2	<1	<1	1	1	3	4	8
B. OPERATED	20634	1.6	1	<1	<1	1	2	2	3	4
TOTAL 0-19 YRS	16665	1.5	1	<1	<1	1	2	2	2	3
20-34	3749	1.8	1	1	1	2	2	3	3	5
35-49	389	1.9	1	1	1	2	2	3	3	6
50-64	75	2.4	3	<1	1	2	3	4	7	9
65+	42	4.4	183	<1	<1	2	3	6	9	89
GRAND TOTAL	20920	1.6	1	<1	<1	1	2	2	3	4

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	274	2.6	3	<1	1	2	3	4	5	10
20-34	176	2.9	3	1	1	3	4	5	6	8
35-49	83	2.9	4	<1	1	2	3	5	8	12
50-64	50	2.6	4	<1	<1	2	3	5	6	11
65+	31	2.7	3	<1	1	2	3	5	8	8
B. *Operated*										
0-19 YRS	339	2.0	2	<1	<1	1	3	4	5	7
20-34	629	2.1	2	<1	<1	2	3	4	5	8
35-49	509	1.9	2	<1	<1	1	2	3	4	7
50-64	489	1.9	3	<1	<1	2	2	3	4	7
65+	240	2.1	3	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	3.4	6	1	1	3	4	7	8	12
20-34	143	3.3	9	<1	1	3	4	6	8	14
35-49	113	3.6	7	1	1	3	4	6	8	14
50-64	141	4.6	20	<1	1	4	5	9	12	27
65+	136	4.8	11	1	1	4	7	9	11	16
B. *Operated*										
0-19 YRS	351	2.5	6	<1	<1	2	3	5	7	13
20-34	657	2.4	5	1	1	2	3	4	6	9
35-49	565	2.8	15	1	1	2	3	5	6	17
50-64	603	3.3	21	1	1	2	3	6	10	25
65+	299	4.0	25	1	1	2	4	8	13	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	2.7	3	<1	1	2	3	5	6	10
B. *Operated*	2206	2.0	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	738	3.9	10	1	1	3	5	7	9	16
B. *Operated*	2475	2.9	14	1	1	2	3	5	7	19
1. SINGLE DX	2820	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3213	3.1	13	1	1	2	3	6	8	18
A. NOT OPERATED	1352	3.4	7	<1	1	3	4	6	8	13
B. OPERATED	4681	2.5	9	<1	1	2	3	4	6	14
TOTAL 0-19 YRS	1169	2.5	4	<1	<1	2	3	5	6	11
20-34	1605	2.4	4	<1	1	2	3	4	6	9
35-49	1270	2.5	8	<1	1	2	3	4	6	12
50-64	1283	2.9	14	<1	1	2	3	5	8	20
65+	706	3.4	15	1	1	2	4	7	10	20
GRAND TOTAL	6033	2.7	8	<1	1	2	3	5	7	13

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3316	3.8	6	1	2	3	5	7	8	12
20-34	895	4.4	14	2	2	4	5	7	9	14
35-49	680	4.7	7	2	2	4	6	8	9	15
50-64	753	5.6	10	2	2	5	7	10	12	17
65+	1256	7.1	23	2	3	6	9	12	15	24
B. *Operated*										
0-19 YRS	34	5.3	18	1	1	5	7	12	15	16
20-34	30	6.6	32	<1	1	6	8	11	19	28
35-49	32	10.9	120	1	2	9	14	19	24	60
50-64	55	9.7	74	1	2	8	12	21	25	43
65+	58	10.7	68	1	1	10	15	21	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3618	4.5	12	1	2	4	5	8	11	16
20-34	952	5.6	17	2	2	4	7	10	13	22
35-49	1112	6.3	19	2	3	5	8	11	14	29
50-64	2723	7.9	37	2	3	7	10	14	18	34
65+	8894	9.8	50	3	4	8	12	18	23	38
B. *Operated*										
0-19 YRS	101	12.0	104	2	3	10	15	22	29	56
20-34	111	13.9	193	3	4	10	17	29	52	99+
35-49	155	14.8	156	4	4	11	19	29	39	66
50-64	393	15.1	183	3	4	11	19	32	43	93
65+	1004	17.8	176	4	6	14	23	36	48	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6900	4.7	12	1	2	4	6	8	11	16
B. *Operated*	209	9.0	68	1	1	7	12	18	22	43
2. MULTIPLE DX										
A. *Not Operated*	17299	7.9	41	2	3	6	10	15	20	34
B. *Operated*	1764	16.4	176	3	5	13	21	35	46	80
1. SINGLE DX	7109	4.9	14	1	2	4	6	9	11	18
2. MULTIPLE DX	19063	8.7	59	2	3	7	11	17	23	42
A. NOT OPERATED	24199	7.0	35	2	2	5	9	13	17	31
B. OPERATED	1973	15.6	169	3	4	12	20	33	45	77
TOTAL 0-19 YRS	7069	4.3	12	1	2	3	5	8	10	16
20-34	1988	5.6	30	2	2	4	6	10	13	25
35-49	1979	6.5	34	2	2	5	8	12	16	33
50-64	3924	8.2	53	2	3	6	10	15	20	42
65+	11212	10.2	65	3	4	8	12	19	25	44
GRAND TOTAL	**26172**	**7.7**	**50**	**2**	**2**	**6**	**9**	**15**	**20**	**38**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	2.4	2	1	1	2	3	4	5	8
20-34	165	3.1	8	1	1	3	4	5	7	10
35-49	96	2.9	3	1	1	2	4	5	6	10
50-64	96	3.8	6	1	2	3	5	7	8	14
65+	182	4.5	10	2	2	4	6	7	10	20
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	265	3.1	4	1	1	3	4	6	8	10
20-34	290	3.5	6	1	1	3	4	6	8	13
35-49	219	4.5	11	1	2	4	5	8	10	19
50-64	428	5.5	18	1	2	4	7	11	13	19
65+	1161	7.2	28	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	9	4.8	1	3	3	5	6	6	6	6
20-34	7	4.6	20	1	1	3	7	12	13	13
35-49	14	11.5	96	3	3	8	16	20	36	40
50-64	16	16.7	270	3	3	12	20	27	58	72
65+	38	14.1	100	5	6	12	19	31	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	722	3.4	7	1	1	3	4	6	8	11
B. *Operated*	5	4.6	16	2	2	2	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	2363	5.8	22	1	2	4	7	11	15	24
B. *Operated*	84	12.4	126	3	3	9	16	24	38	90
1. SINGLE DX	727	3.4	7	1	1	3	4	6	8	11
2. MULTIPLE DX	2447	6.0	27	1	2	5	7	12	15	27
A. NOT OPERATED	3085	5.2	19	1	2	4	6	10	14	23
B. OPERATED	89	11.9	123	2	3	9	16	24	38	89
TOTAL 0-19 YRS	459	2.9	4	1	1	2	4	5	7	9
20-34	464	3.4	7	1	1	3	4	6	8	13
35-49	329	4.3	15	1	2	3	5	8	10	19
50-64	541	5.6	27	1	2	4	7	11	14	25
65+	1381	7.1	30	2	2	6	8	14	17	30
GRAND TOTAL	**3174**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	2.6	3	1	1	2	3	5	6	9
20-34	78	3.9	5	1	2	3	5	7	7	14
35-49	80	4.5	9	1	1	4	6	8	10	17
50-64	177	5.3	14	1	2	5	6	9	13	22
65+	294	5.8	13	2	2	5	7	10	13	17
B. *Operated*										
0-19 YRS	10	2.6	6	<1	<1	2	3	6	9	9
20-34	6	3.7	11	<1	<1	2	5	9	10	10
35-49	19	3.8	34	<1	<1	2	4	6	18	27
50-64	36	2.2	5	<1	<1	2	2	3	8	11
65+	26	3.5	10	<1	<1	2	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	347	3.2	6	1	1	3	4	6	7	12
20-34	174	4.4	8	1	2	4	5	8	11	14
35-49	259	5.3	20	1	2	4	7	10	13	22
50-64	819	6.6	23	2	2	5	8	13	16	27
65+	1883	7.7	32	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	8	16.8	1063	1	1	6	9	71	97	97
20-34	15	7.9	72	<1	<1	4	13	15	28	33
35-49	43	7.1	72	<1	1	4	9	14	25	44
50-64	125	8.7	53	1	1	7	11	20	24	32
65+	171	13.1	155	1	2	9	18	29	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	975	4.3	11	1	1	4	6	8	10	16
B. *Operated*	97	3.0	12	<1	<1	2	3	6	10	20
2. MULTIPLE DX										
A. *Not Operated*	3482	6.7	27	2	2	5	8	13	16	27
B. *Operated*	362	10.7	130	1	2	7	13	27	34	55
1. SINGLE DX	1072	4.2	11	1	1	3	5	8	10	16
2. MULTIPLE DX	3844	7.0	38	2	2	5	9	13	18	33
A. NOT OPERATED	4457	6.1	25	1	2	5	8	12	15	26
B. OPERATED	459	9.1	115	<1	1	6	11	23	30	48
TOTAL 0-19 YRS	711	3.1	17	1	1	2	4	5	7	11
20-34	273	4.4	11	1	2	4	5	8	11	15
35-49	401	5.3	25	1	2	4	6	10	13	28
50-64	1157	6.5	26	1	2	5	8	13	16	27
65+	2374	7.8	41	2	3	6	9	14	19	35
GRAND TOTAL	**4916**	**6.4**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	10	7.7	39	3	3	6	7	18	24	24
50-64	68	6.6	26	1	1	6	9	11	15	30
65+	146	7.2	37	1	2	5	9	14	19	29
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	9.2	21	6	6	6	13	16	16	16
35-49	7	7.0	26	2	2	6	8	15	17	17
50-64	6	7.7	18	2	2	7	8	14	15	15
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.4	49	3	3	5	16	18	18	18
20-34	8	4.6	8	1	1	5	7	8	8	8
35-49	34	5.4	10	2	2	5	7	9	11	16
50-64	385	8.5	42	2	2	7	11	17	24	32
65+	935	8.9	52	2	3	7	11	17	22	37
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	16	11.4	66	3	4	10	14	17	31	37
35-49	15	13.7	144	2	4	12	15	22	44	52
50-64	56	14.7	144	3	4	10	20	28	43	58
65+	86	17.9	245	4	6	13	23	44	51	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	7.0	33	1	2	5	8	14	18	30
B. *Operated*	20	8.2	31	1	2	7	10	16	19	22
2. MULTIPLE DX										
A. *Not Operated*	1367	8.7	48	2	3	7	11	17	22	33
B. *Operated*	174	15.9	188	3	5	12	19	33	48	83
1. SINGLE DX	246	7.1	33	1	2	6	8	14	18	29
2. MULTIPLE DX	1541	9.5	69	2	3	7	12	18	25	48
A. NOT OPERATED	1593	8.4	46	2	3	7	11	16	22	32
B. OPERATED	194	15.1	177	2	4	11	17	32	48	81
TOTAL 0-19 YRS	7	8.1	43	1	1	5	14	18	18	18
20-34	31	8.8	48	2	2	8	12	16	17	37
35-49	66	7.8	55	2	2	6	9	15	20	47
50-64	515	8.9	55	2	2	7	11	18	26	34
65+	1168	9.4	70	2	3	7	12	18	25	48
GRAND TOTAL	**1787**	**9.1**	**65**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3796	2.8	3	1	1	3	3	5	6	9
20-34	1135	3.7	6	1	1	3	5	7	8	11
35-49	962	4.4	12	1	2	4	5	8	10	16
50-64	1106	4.9	10	1	2	4	6	9	11	17
65+	799	5.7	16	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	12	6.1	18	<1	1	5	9	12	14	14
35-49	13	6.8	21	1	1	6	9	14	16	16
50-64	13	7.5	32	<1	1	6	10	17	19	20
65+	7	11.0	99	1	2	9	11	28	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2005	3.5	7	1	1	3	4	6	8	12
20-34	980	4.4	11	1	2	4	5	8	10	17
35-49	1144	5.6	20	1	2	4	7	10	14	24
50-64	2045	6.4	26	2	2	5	8	12	15	26
65+	2559	7.4	32	2	3	6	9	13	18	30
B. *Operated*										
0-19 YRS	18	10.2	90	2	3	6	13	19	33	42
20-34	33	7.9	33	1	2	6	11	18	20	21
35-49	57	13.2	193	2	3	9	15	26	39	72
50-64	130	13.3	153	2	3	10	16	29	36	60
65+	124	14.7	118	4	5	12	18	31	33	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7798	3.7	8	1	1	3	5	7	9	14
B. *Operated*	52	6.8	34	<1	1	6	10	14	16	32
2. MULTIPLE DX										
A. *Not Operated*	8733	5.7	23	1	2	4	7	11	14	24
B. *Operated*	362	13.1	136	2	3	10	16	27	34	72
1. SINGLE DX	7850	3.8	8	1	1	3	5	7	9	15
2. MULTIPLE DX	9095	6.0	30	1	2	4	7	11	15	28
A. NOT OPERATED	16531	4.8	17	1	2	4	6	9	12	21
B. OPERATED	414	12.3	127	2	3	10	15	26	33	70
TOTAL 0-19 YRS	5826	3.1	5	1	1	3	4	5	6	11
20-34	2160	4.1	9	1	1	3	5	7	9	16
35-49	2176	5.3	23	1	2	4	6	10	13	25
50-64	3294	6.2	29	2	2	5	7	11	15	27
65+	3489	7.3	34	2	2	6	9	14	18	31
GRAND TOTAL	16945	5.0	21	1	2	4	6	9	13	23

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	23	2	2	3	5	10	17	21
20-34	9	2.8	1	2	2	2	3	5	5	5
35-49	72	5.8	20	1	2	4	7	10	14	24
50-64	479	6.4	33	2	2	5	8	12	15	23
65+	852	6.8	32	2	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	14	6.2	24	<1	1	5	10	14	16	17
50-64	25	6.4	47	<1	1	4	9	13	24	30
65+	23	8.4	57	1	2	7	12	18	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.3	15	1	1	4	6	12	14	14
20-34	46	6.5	19	1	2	6	7	12	14	25
35-49	262	7.5	41	2	2	6	9	15	22	36
50-64	2335	8.0	47	2	3	6	10	16	21	35
65+	5457	8.5	47	2	3	7	10	16	21	35
B. *Operated*										
0-19 YRS	5	10.0	145	1	1	7	31	93	99+	99+
20-34	16	7.5	39	<1	<1	6	11	15	21	24
35-49	48	11.4	134	3	3	9	13	25	33	70
50-64	239	13.3	213	2	2	9	17	28	43	94
65+	490	15.0	142	2	4	12	20	30	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1429	6.6	31	2	2	5	8	12	16	26
B. *Operated*	66	6.8	44	1	1	5	9	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	8128	8.3	46	2	3	6	10	16	21	35
B. *Operated*	798	14.1	162	2	3	11	18	29	41	73
1. SINGLE DX	1495	6.6	32	2	2	5	8	12	16	27
2. MULTIPLE DX	8926	8.8	59	2	3	7	11	17	23	40
A. NOT OPERATED	9557	8.1	45	2	3	6	10	15	21	34
B. OPERATED	864	13.5	157	2	3	10	18	28	40	73
TOTAL 0-19 YRS	51	5.4	30	1	1	4	6	13	20	99
20-34	74	6.1	22	1	2	5	7	11	15	25
35-49	396	7.6	50	2	2	5	9	15	22	36
50-64	3078	8.2	60	2	2	6	10	16	22	40
65+	6822	8.8	55	2	3	7	11	17	22	38
GRAND TOTAL	10421	8.5	56	2	3	6	10	17	22	38

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.4	12	1	1	3	4	6	7	21
20-34	102	3.7	8	1	1	3	5	7	9	16
35-49	42	3.9	7	1	1	3	5	8	9	10
50-64	18	5.7	24	1	1	4	6	14	17	18
65+	10	5.9	9	3	3	5	8	10	11	11
B. *Operated*										
0-19 YRS	81	5.6	10	2	2	5	7	9	13	17
20-34	355	6.2	19	2	2	5	8	12	15	21
35-49	118	6.0	11	2	3	5	8	10	13	18
50-64	57	7.0	21	2	3	5	10	13	17	22
65+	31	6.7	24	2	3	5	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	2	1	1	1	2	4	5	5
20-34	28	5.1	15	1	1	4	7	10	14	15
35-49	13	4.0	5	1	1	4	5	7	8	8
50-64	20	5.4	12	1	2	4	6	11	13	14
65+	51	9.2	68	2	3	7	10	18	29	45
B. *Operated*										
0-19 YRS	38	9.2	49	3	3	7	11	16	22	38
20-34	125	8.9	31	3	4	7	11	16	20	30
35-49	64	8.1	51	2	3	6	11	14	20	45
50-64	123	10.3	60	3	4	8	13	21	27	38
65+	187	13.0	91	3	4	10	17	27	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.0	10	1	1	3	5	8	10	19
B. *Operated*	642	6.2	17	2	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	121	6.5	40	1	1	5	8	12	17	36
B. *Operated*	537	10.6	65	3	4	8	13	21	27	41
1. SINGLE DX	850	5.6	16	1	2	4	7	11	14	20
2. MULTIPLE DX	658	9.8	63	2	3	7	12	20	27	41
A. NOT OPERATED	329	4.9	23	1	1	4	6	9	12	26
B. OPERATED	1179	8.2	44	2	3	6	10	16	21	34
TOTAL 0-19 YRS	164	5.7	24	1	2	5	7	11	15	25
20-34	610	6.3	22	2	2	5	8	12	16	22
35-49	237	6.1	23	2	2	5	8	11	14	22
50-64	218	8.6	46	2	3	6	11	17	23	32
65+	279	11.4	82	3	3	8	15	24	31	45
GRAND TOTAL	1508	7.5	41	2	2	6	9	15	20	33

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.7	4	<1	1	2	3	5	7	9
20-34	143	3.5	10	1	1	2	4	7	10	13
35-49	130	4.0	9	1	1	3	5	8	10	14
50-64	161	4.3	12	1	1	3	5	9	12	15
65+	225	5.7	24	1	1	4	7	12	14	25
B. *Operated*										
0-19 YRS	49	5.9	43	<1	<1	4	8	16	21	28
20-34	85	5.5	23	1	1	4	8	11	14	25
35-49	122	6.6	42	<1	1	5	8	16	18	31
50-64	221	5.7	27	1	1	4	8	11	15	29
65+	200	5.6	32	<1	1	3	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	5.0	31	1	1	3	6	10	15	42
20-34	255	4.8	22	1	1	3	6	10	15	21
35-49	375	5.5	19	1	2	4	7	11	14	23
50-64	851	6.5	32	1	2	5	8	13	16	29
65+	2149	8.6	58	2	2	6	11	17	23	38
B. *Operated*										
0-19 YRS	83	11.5	338	1	1	6	10	31	45	91
20-34	145	11.0	177	<1	1	7	14	28	40	79
35-49	233	11.6	168	1	2	8	14	26	35	93
50-64	583	11.2	143	1	2	7	15	26	35	68
65+	851	11.9	126	1	2	9	15	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	4.2	14	1	1	3	5	8	12	19
B. *Operated*	677	5.8	32	<1	1	4	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	3901	7.3	46	1	2	5	9	15	20	35
B. *Operated*	1895	11.5	149	1	2	8	15	26	35	68
1. SINGLE DX	1475	5.0	23	1	1	3	7	11	14	25
2. MULTIPLE DX	5796	8.7	84	1	2	6	11	18	26	49
A. NOT OPERATED	4699	6.8	42	1	2	5	9	14	19	33
B. OPERATED	2572	10.0	125	1	1	7	13	22	32	58
TOTAL 0-19 YRS	542	5.5	79	1	1	3	6	11	18	53
20-34	628	6.0	62	1	1	4	7	13	21	48
35-49	860	7.1	69	1	1	5	8	15	21	45
50-64	1816	7.7	71	1	1	5	9	16	22	47
65+	3425	9.0	75	1	2	7	12	18	25	45
GRAND TOTAL	7271	7.9	74	1	2	5	10	17	24	47

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	2	<1	<1	2	3	5	5	5
20-34	25	3.0	4	<1	1	3	4	5	6	9
35-49	14	3.9	12	<1	1	3	5	8	13	14
50-64	10	3.9	4	1	1	4	5	6	7	7
65+	6	2.7	3	<1	<1	2	3	6	6	6
B. *Operated*										
0-19 YRS	919	1.9	2	<1	<1	1	3	4	4	6
20-34	765	2.7	2	<1	1	3	4	4	5	7
35-49	324	2.8	4	<1	1	2	3	4	6	11
50-64	194	2.9	4	1	1	2	4	5	5	11
65+	94	2.7	4	1	1	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.5	2	<1	<1	2	3	5	6	7
20-34	54	4.4	22	<1	<1	3	5	9	14	26
35-49	31	2.5	3	<1	<1	2	3	6	6	7
50-64	37	4.8	16	<1	1	4	6	11	13	18
65+	55	4.7	29	1	1	3	5	10	16	31
B. *Operated*										
0-19 YRS	485	2.7	5	<1	<1	2	4	5	6	11
20-34	504	3.2	6	<1	1	3	4	5	7	13
35-49	326	3.5	13	1	1	2	4	7	10	20
50-64	327	3.4	17	1	1	2	3	6	9	23
65+	269	3.9	18	1	1	2	4	8	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.2	5	<1	1	3	4	5	7	13
B. *Operated*	2296	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	237	3.8	16	<1	1	3	4	7	12	20
B. *Operated*	1911	3.3	10	<1	1	2	4	6	8	18
1. SINGLE DX	2365	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2148	3.3	11	<1	1	2	4	6	8	18
A. NOT OPERATED	306	3.7	14	<1	1	3	4	7	10	19
B. OPERATED	4207	2.8	6	<1	<1	2	4	5	6	14
TOTAL 0-19 YRS	1478	2.2	3	<1	<1	2	3	4	5	7
20-34	1348	3.0	5	<1	1	3	4	5	6	12
35-49	695	3.2	8	1	1	2	4	5	8	17
50-64	568	3.3	12	1	1	2	4	6	8	18
65+	424	3.7	16	1	1	2	4	7	13	22
GRAND TOTAL	4513	2.9	7	<1	<1	2	4	5	7	15

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.3	3	1	1	3	4	6	7	7
20-34	35	2.9	1	1	1	3	3	4	5	6
35-49	23	3.5	3	1	2	3	5	6	7	7
50-64	23	3.7	3	1	1	3	5	7	7	7
65+	16	9.3	112	1	1	5	10	33	35	35
B. *Operated*										
0-19 YRS	110	2.1	2	<1	<1	2	3	4	5	7
20-34	150	2.9	9	<1	<1	2	3	6	8	15
35-49	102	2.5	3	<1	1	2	3	4	5	10
50-64	136	2.9	6	<1	1	2	3	5	7	14
65+	105	2.9	5	<1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.7	5	<1	1	3	5	7	8	10
20-34	39	4.4	10	1	2	3	4	8	14	15
35-49	25	5.3	23	1	2	4	5	9	18	23
50-64	46	6.6	22	1	1	5	10	15	16	17
65+	95	7.4	28	1	2	6	10	15	19	24
B. *Operated*										
0-19 YRS	53	3.6	21	<1	1	2	4	6	12	28
20-34	71	4.6	22	1	1	3	5	10	13	29
35-49	102	4.4	24	1	1	3	4	8	15	28
50-64	116	3.9	22	1	1	3	5	7	9	28
65+	127	5.1	21	1	2	4	6	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.9	17	1	1	3	4	6	7	35
B. *Operated*	603	2.7	5	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	282	5.7	20	1	2	4	7	11	16	23
B. *Operated*	469	4.4	22	1	1	3	5	9	13	27
1. SINGLE DX	754	2.9	8	<1	<1	2	3	5	7	13
2. MULTIPLE DX	751	4.9	22	1	1	3	6	10	15	23
A. NOT OPERATED	433	5.1	20	1	2	4	6	10	15	23
B. OPERATED	1072	3.5	14	<1	1	2	4	6	9	21
TOTAL 0-19 YRS	294	3.0	7	<1	<1	2	4	6	7	12
20-34	295	3.5	12	<1	1	3	4	8	10	17
35-49	252	3.6	14	1	1	3	4	8	10	23
50-64	321	3.8	15	1	1	3	4	8	10	18
65+	343	5.3	26	1	1	4	7	11	15	24
GRAND TOTAL	1505	3.9	16	<1	1	3	4	7	11	21

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.0	4	<1	1	3	4	6	8	9
20-34	87	2.5	3	<1	1	2	3	4	5	10
35-49	112	2.9	5	<1	1	3	4	5	7	12
50-64	137	3.0	6	<1	1	2	4	5	8	12
65+	111	3.5	10	<1	1	3	4	7	9	17
B. *Operated*										
0-19 YRS	30	3.3	15	<1	<1	1	5	7	13	17
20-34	82	5.3	12	<1	1	6	8	9	10	17
35-49	71	4.7	13	<1	<1	4	8	10	12	12
50-64	118	4.8	19	<1	1	3	7	10	12	21
65+	128	5.2	23	1	1	4	7	10	11	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	4.5	16	1	1	3	5	10	13	20
20-34	255	3.8	8	1	1	3	5	8	10	14
35-49	372	4.3	12	1	1	3	5	8	11	20
50-64	553	4.2	12	1	1	3	5	8	10	19
65+	865	5.5	21	1	2	4	7	11	14	23
B. *Operated*										
0-19 YRS	46	6.7	40	<1	1	6	8	18	21	27
20-34	130	8.3	87	1	2	6	9	16	24	65
35-49	238	8.1	82	1	1	6	10	15	21	64
50-64	400	8.7	101	1	1	6	10	17	26	64
65+	672	9.8	114	1	2	7	12	22	29	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	3.0	6	<1	1	2	4	6	8	11
B. *Operated*	429	4.9	18	<1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	2179	4.7	16	1	1	4	6	9	12	20
B. *Operated*	1486	9.0	101	1	1	6	11	20	26	64
1. SINGLE DX	973	3.8	12	<1	1	3	5	8	10	16
2. MULTIPLE DX	3665	6.5	55	1	1	4	8	13	19	37
A. NOT OPERATED	2723	4.4	14	1	1	3	5	9	11	19
B. OPERATED	1915	8.1	85	1	1	6	10	17	24	55
TOTAL 0-19 YRS	307	4.2	17	<1	1	3	5	8	13	21
20-34	554	4.9	30	<1	1	3	6	9	12	24
35-49	793	5.3	36	1	1	4	7	10	14	27
50-64	1208	5.6	46	1	1	4	7	11	15	34
65+	1776	7.0	61	1	1	5	9	15	21	40
GRAND TOTAL	4638	5.9	47	1	1	4	7	12	17	33

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	6	1	1	3	5	8	8	8
20-34	44	3.9	4	1	2	3	5	6	9	10
35-49	85	3.8	6	<1	1	3	5	7	10	12
50-64	71	4.2	8	1	2	4	5	8	11	13
65+	74	4.3	5	<1	1	4	6	8	8	10
B. *Operated*										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	23	6.4	10	2	3	6	8	10	13	16
35-49	69	7.7	41	<1	2	7	9	11	14	43
50-64	69	6.8	13	<1	1	7	9	11	13	17
65+	65	7.1	20	1	2	7	9	11	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	5	2	2	4	5	6	9	10
20-34	73	4.8	13	1	2	4	6	8	11	22
35-49	130	5.0	12	1	2	4	6	9	12	19
50-64	226	5.8	19	1	2	5	7	10	15	23
65+	408	6.9	24	2	3	6	8	12	16	27
B. *Operated*										
0-19 YRS	6	5.3	12	<1	<1	4	9	10	10	10
20-34	29	9.5	28	3	4	9	13	16	18	24
35-49	122	9.4	58	1	2	8	12	16	20	43
50-64	220	8.9	32	1	3	8	11	16	22	27
65+	280	10.1	78	2	3	8	12	21	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	4.1	6	1	1	3	5	7	9	12
B. *Operated*	229	7.1	23	<1	2	7	9	11	13	24
2. MULTIPLE DX										
A. *Not Operated*	853	6.1	20	1	2	5	8	11	15	25
B. *Operated*	657	9.5	56	2	3	8	12	17	25	40
1. SINGLE DX	512	5.4	16	1	2	5	7	10	11	19
2. MULTIPLE DX	1510	7.6	39	2	2	6	9	14	20	31
A. NOT OPERATED	1136	5.6	17	1	2	5	7	10	13	24
B. OPERATED	886	8.9	49	1	3	8	11	16	23	36
TOTAL 0-19 YRS	34	4.4	7	1	2	4	6	9	10	11
20-34	169	5.6	16	1	2	4	7	10	14	23
35-49	406	6.5	34	1	2	5	8	12	15	28
50-64	586	6.9	25	1	2	6	9	13	16	26
65+	827	7.8	44	2	2	6	9	14	21	35
GRAND TOTAL	2022	7.0	34	1	2	6	9	13	17	30

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4		2	2	2	3	3	3	3
20-34	30	4.9	4	2	2	5	7	8	8	9
35-49	61	4.2	6	1	2	4	5	7	9	15
50-64	107	4.6	5	2	2	4	6	8	9	13
65+	108	5.9	10	2	2	5	8	10	11	17
B. *Operated*										
0-19 YRS	6	4.8	3	3	3	4	7	7	7	7
20-34	19	7.0	11	3	3	6	9	10	13	16
35-49	49	7.4	11	2	3	7	9	12	13	17
50-64	87	8.4	31	2	3	8	11	14	18	32
65+	88	9.0	24	3	4	8	12	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	96	1	2	4	5	10	33	40
20-34	39	5.6	14	1	2	5	7	9	13	21
35-49	104	5.0	8	2	2	4	6	9	10	15
50-64	261	5.8	14	2	3	5	7	10	13	21
65+	491	7.7	28	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	4	5.3	2	3	3	6	6	6	6	6
20-34	28	9.7	259	2	2	7	9	13	22	90
35-49	94	12.8	110	3	4	10	16	27	35	54
50-64	223	11.2	73	3	4	9	13	21	29	51
65+	436	13.4	131	3	4	10	18	25	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	5.0	7	2	2	4	6	8	10	13
B. *Operated*	249	8.2	23	3	3	8	11	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	909	6.7	23	2	3	6	8	12	16	26
B. *Operated*	785	12.5	117	3	4	10	15	24	34	68
1. SINGLE DX	562	6.4	17	2	2	5	8	11	13	22
2. MULTIPLE DX	1694	9.4	75	2	3	7	11	19	25	46
A. NOT OPERATED	1222	6.3	20	2	2	5	8	11	14	24
B. OPERATED	1034	11.5	98	3	4	9	14	21	30	62
TOTAL 0-19 YRS	31	5.1	45	2	2	4	6	7	7	40
20-34	116	6.6	72	2	3	5	8	10	13	44
35-49	308	7.6	52	2	3	5	9	15	19	40
50-64	678	7.7	41	2	3	6	10	14	19	40
65+	1123	9.8	74	2	3	7	12	19	24	50
GRAND TOTAL	2256	8.7	62	2	3	6	11	17	22	42

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.2	3	1	1	3	4	5	6	11
20-34	251	3.3	5	1	1	3	4	6	7	13
35-49	226	3.5	4	1	1	3	5	6	7	10
50-64	152	4.0	6	<1	1	4	5	7	10	11
65+	117	4.3	6	1	2	4	5	7	10	13
B. *Operated*										
0-19 YRS	3	6.0	3	4	4	7	7	7	7	7
20-34	53	8.3	17	2	4	8	9	13	15	24
35-49	98	8.1	12	2	5	8	9	12	16	19
50-64	47	8.9	14	2	4	9	10	14	18	21
65+	22	8.9	39	2	3	7	13	17	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.7	8	1	1	3	5	8	10	12
20-34	324	4.3	9	1	2	3	5	8	11	14
35-49	380	4.8	14	1	2	4	6	8	11	18
50-64	485	4.8	9	1	2	4	6	8	10	16
65+	634	6.4	24	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	6	8.5	55	2	2	5	14	20	21	21
20-34	67	10.3	117	2	3	8	11	16	23	64
35-49	135	10.2	65	3	5	8	10	16	22	46
50-64	153	10.5	49	3	4	9	13	17	23	34
65+	167	12.4	140	2	4	9	15	26	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	810	3.6	5	1	1	3	5	6	8	12
B. *Operated*	223	8.4	16	2	4	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1878	5.2	15	1	2	4	6	10	12	21
B. *Operated*	528	11.0	91	3	4	8	13	19	28	55
1. SINGLE DX	1033	4.6	11	1	1	4	6	9	11	16
2. MULTIPLE DX	2406	6.5	38	1	2	5	8	12	16	31
A. NOT OPERATED	2688	4.7	13	1	2	4	6	9	11	19
B. OPERATED	751	10.2	70	3	4	8	12	17	24	50
TOTAL 0-19 YRS	128	3.7	9	1	1	3	5	7	9	16
20-34	695	4.8	23	1	1	4	6	9	12	18
35-49	839	5.7	25	1	2	5	7	10	13	23
50-64	837	5.9	22	1	2	5	8	11	14	21
65+	940	7.2	49	2	2	5	8	14	19	33
GRAND TOTAL	3439	5.9	30	1	2	4	7	11	15	27

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.9	5	1	1	3	5	7	9	10
20-34	185	3.5	3	1	2	3	5	6	6	9
35-49	227	3.9	4	1	2	4	5	6	7	9
50-64	259	4.5	5	2	2	4	5	8	9	11
65+	224	5.4	10	2	2	5	7	10	11	18
B. *Operated*										
0-19 YRS	7	6.9	2	4	4	7	8	8	8	8
20-34	65	8.2	17	3	4	8	10	13	18	24
35-49	104	8.4	11	4	5	8	10	13	15	19
50-64	99	9.1	13	4	5	8	11	14	16	22
65+	85	10.5	29	4	4	10	13	17	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.0	5	1	1	4	5	8	8	8
20-34	165	4.4	10	1	2	4	5	8	12	18
35-49	265	5.3	11	2	2	4	6	9	12	17
50-64	471	5.8	20	2	3	5	7	10	12	21
65+	803	7.3	27	2	3	6	9	13	16	29
B. *Operated*										
0-19 YRS	8	7.8	43	2	3	6	8	19	23	23
20-34	71	10.5	52	3	3	8	12	18	29	35
35-49	126	12.4	139	3	4	10	13	21	28	71
50-64	225	12.0	83	4	5	10	14	20	25	62
65+	422	16.4	161	5	6	13	19	32	42	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	927	4.3	6	2	2	4	5	7	9	12
B. *Operated*	360	9.0	17	4	5	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	1729	6.3	22	2	3	5	8	11	14	26
B. *Operated*	852	14.1	132	4	5	11	16	26	35	72
1. SINGLE DX	1287	5.6	13	2	2	5	7	10	13	19
2. MULTIPLE DX	2581	8.8	72	2	3	7	11	16	23	48
A. NOT OPERATED	2656	5.6	17	2	2	5	7	10	13	21
B. OPERATED	1212	12.6	103	4	5	10	14	22	30	64
TOTAL 0-19 YRS	72	4.7	10	1	2	4	7	8	9	20
20-34	486	5.5	21	1	2	4	7	11	13	27
35-49	722	6.5	40	2	2	5	8	11	15	26
50-64	1054	7.1	37	2	3	5	9	13	16	27
65+	1534	9.7	79	2	3	7	12	18	26	51
GRAND TOTAL	3868	7.8	55	2	3	6	9	14	19	39

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	3.5	2	1	1	3	4	6	6	6
35-49	12	4.3	6	1	1	4	6	8	8	8
50-64	14	5.1	9	1	2	5	7	10	12	12
65+	20	5.0	8	<1	2	4	7	10	10	10
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	8.5	10	4	5	9	10	12	15	16
35-49	29	12.3	29	4	6	11	16	20	23	24
50-64	33	11.8	24	4	6	10	14	19	21	24
65+	31	15.5	102	4	6	13	18	35	38	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.5	10	3	3	5	7	11	12	12
35-49	13	4.3	3	2	2	4	6	7	8	8
50-64	29	6.6	16	2	2	5	8	12	13	19
65+	72	8.9	24	3	3	9	11	14	17	30
B. *Operated*										
0-19 YRS	2	13.5	61	8	8	13	19	19	19	19
20-34	11	16.4	154	2	5	11	22	34	46	47
35-49	50	18.0	257	5	6	14	22	35	47	91
50-64	86	19.3	288	4	6	13	22	41	56	87
65+	146	19.1	202	6	8	14	22	35	52	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	4.6	7	1	1	4	6	8	10	12
B. *Operated*	107	12.6	50	4	6	11	15	21	25	39
2. MULTIPLE DX										
A. *Not Operated*	122	7.7	22	3	3	7	10	13	15	26
B. *Operated*	295	18.8	232	6	7	14	22	39	50	76
1. SINGLE DX	162	9.9	50	2	3	9	13	18	23	38
2. MULTIPLE DX	417	15.6	196	3	4	12	18	29	47	74
A. NOT OPERATED	177	6.7	19	2	3	6	9	12	13	22
B. OPERATED	402	17.2	191	5	7	13	20	33	47	74
TOTAL 0-19 YRS	4	9.3	55	<1	<1	8	14	19	19	19
20-34	40	9.1	69	2	3	7	10	18	24	47
35-49	104	13.1	162	2	3	10	16	24	32	76
50-64	162	14.3	193	3	3	10	17	28	42	74
65+	269	14.9	154	3	4	12	17	29	39	64
GRAND TOTAL	579	14.0	162	3	3	10	16	27	39	70

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	2.4	3	1	1	2	3	4	6	9
20-34	444	2.7	3	1	1	2	3	5	6	10
35-49	304	3.1	4	1	1	3	4	6	7	10
50-64	208	3.2	4	1	1	3	4	6	7	11
65+	131	3.5	5	1	1	3	4	6	8	15
B. *Operated*										
0-19 YRS	5	4.0	10	<1	<1	4	5	9	9	9
20-34	37	3.8	8	<1	<1	3	6	8	9	12
35-49	37	4.5	10	<1	<1	4	7	9	11	12
50-64	51	5.3	33	<1	<1	4	7	11	15	35
65+	32	6.9	58	<1	<1	4	9	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	3.0	5	1	1	2	4	5	7	10
20-34	924	3.6	8	1	1	3	4	7	8	14
35-49	1091	4.4	12	1	2	4	5	8	11	19
50-64	1190	4.6	10	1	2	4	6	8	10	16
65+	1463	5.9	20	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	13	6.0	27	2	3	4	6	12	20	22
20-34	131	6.0	21	1	2	5	8	12	18	22
35-49	203	6.9	25	<1	1	6	9	13	16	27
50-64	309	8.1	58	<1	2	6	10	16	20	35
65+	391	9.5	71	2	3	7	12	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1290	2.9	4	1	1	2	4	5	6	10
B. *Operated*	162	5.0	27	<1	<1	4	7	10	14	32
2. MULTIPLE DX										
A. *Not Operated*	4973	4.7	14	1	2	4	6	9	11	19
B. *Operated*	1047	8.1	53	1	2	6	10	16	20	33
1. SINGLE DX	1452	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	6020	5.3	22	1	2	4	6	10	13	23
A. NOT OPERATED	6263	4.3	12	1	1	3	5	8	10	17
B. OPERATED	1209	7.7	51	<1	2	6	10	15	20	33
TOTAL 0-19 YRS	526	2.9	5	1	1	2	3	5	7	10
20-34	1536	3.6	8	1	1	3	4	7	8	15
35-49	1635	4.5	13	1	1	4	5	9	11	19
50-64	1758	5.1	21	1	2	4	6	10	13	22
65+	2017	6.4	32	1	2	5	8	12	16	28
GRAND TOTAL	**7472**	**4.8**	**20**	**1**	**1**	**4**	**6**	**9**	**13**	**22**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.3	2	1	1	2	3	5	5	7
20-34	116	3.0	5	1	1	2	4	6	7	12
35-49	102	3.4	7	<1	1	3	4	7	9	13
50-64	89	4.1	10	1	1	3	5	9	11	16
65+	68	3.9	13	1	1	3	5	8	16	64
B. *Operated*										
0-19 YRS	46	4.5	15	1	2	3	5	8	12	23
20-34	20	9.9	41	<1	2	9	13	18	23	27
35-49	18	12.5	84	2	3	10	14	29	32	34
50-64	24	8.3	17	1	2	8	10	14	17	17
65+	14	8.8	33	<1	1	9	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.9	26	1	1	3	4	6	12	33
20-34	158	4.6	38	1	1	3	5	9	11	48
35-49	188	5.1	30	1	1	4	6	9	15	26
50-64	258	5.0	17	1	2	4	6	10	13	23
65+	346	5.7	26	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	11	7.4	52	2	2	6	8	18	26	27
20-34	40	12.9	87	2	3	11	15	24	32	46
35-49	77	12.1	151	1	3	9	15	22	26	79
50-64	116	15.3	183	2	3	12	19	27	46	69
65+	167	17.1	202	3	5	13	22	34	42	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	3.4	7	1	1	3	4	7	9	16
B. *Operated*	122	7.8	39	1	2	7	11	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	1020	5.1	26	1	2	4	6	10	13	23
B. *Operated*	411	15.0	176	2	3	12	18	28	40	74
1. SINGLE DX	551	4.4	18	1	1	3	5	9	13	23
2. MULTIPLE DX	1431	7.9	89	1	2	5	10	17	24	50
A. NOT OPERATED	1449	4.6	21	1	1	3	6	9	11	22
B. OPERATED	533	13.3	152	2	2	10	16	27	37	61
TOTAL 0-19 YRS	181	3.8	19	1	1	3	4	7	11	26
20-34	334	5.4	42	1	1	3	7	11	15	38
35-49	385	6.4	61	1	1	4	7	14	19	37
50-64	487	7.4	75	1	2	5	9	16	22	49
65+	595	8.8	101	1	2	6	11	18	27	58
GRAND TOTAL	**1982**	**6.9**	**72**	**1**	**1**	**4**	**8**	**15**	**22**	**47**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	1	<1	1	2	2	4	5	5
20-34	28	2.5	4	1	1	2	3	5	6	10
35-49	9	2.2	3	<1	<1	1	3	5	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	3846	3.3	2	2	2	3	4	5	6	8
20-34	3049	3.5	5	2	2	3	4	5	6	8
35-49	839	3.9	2	2	2	4	5	6	7	9
50-64	306	4.5	6	2	2	4	5	7	8	16
65+	101	5.1	5	2	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	1	1	2	3	3	3	3
20-34	14	2.8	3	1	1	2	4	5	5	5
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	6	6.5	14	1	1	7	8	12	12	12
B. *Operated*										
0-19 YRS	592	4.5	8	2	2	4	5	7	10	16
20-34	643	4.6	7	2	3	4	5	8	9	14
35-49	222	6.2	21	2	3	5	7	10	15	25
50-64	155	6.4	22	3	3	5	7	10	13	24
65+	88	8.8	35	3	4	7	10	19	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.3	3	1	1	2	3	5	6	10
B. *Operated*	8141	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	35	3.1	7	1	1	2	5	6	8	12
B. *Operated*	1700	5.2	13	2	3	4	6	9	12	20
1. SINGLE DX	8196	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	1735	5.1	13	2	3	4	6	9	12	20
A. NOT OPERATED	90	2.6	5	1	1	2	4	6	6	11
B. OPERATED	9841	3.8	6	2	2	3	4	6	7	12
TOTAL 0-19 YRS	4464	3.5	3	2	2	3	4	5	6	10
20-34	3734	3.7	6	2	2	3	4	5	6	10
35-49	1074	4.4	7	2	2	4	5	7	9	15
50-64	464	5.2	12	2	3	4	6	8	10	20
65+	195	6.8	22	3	3	5	8	12	18	27
GRAND TOTAL	9931	3.8	6	2	2	3	4	6	7	12

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	13	<1	1	5	8	11	13	13
20-34	6	4.7	7	<1	<1	4	6	9	9	9
35-49	4	8.3	2	6	6	9	9	9	9	9
50-64	6	5.8	4	4	4	7	7	10	10	10
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	813	6.6	9	3	3	6	8	10	12	16
20-34	511	6.2	8	3	3	6	8	10	11	15
35-49	265	7.0	10	3	4	7	8	11	13	17
50-64	186	8.1	15	3	4	8	10	12	14	22
65+	99	9.6	34	5	5	8	11	15	21	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	3	12.0	39	7	7	10	17	19	19	19
50-64	6	4.5	10	<1	<1	4	8	8	8	8
65+	8	10.8	44	3	4	9	14	22	24	24
B. *Operated*										
0-19 YRS	370	9.5	35	3	4	8	12	16	20	28
20-34	294	9.6	41	4	4	8	11	15	21	40
35-49	184	11.3	70	4	5	9	13	18	28	49
50-64	228	11.7	51	4	6	10	13	20	24	42
65+	192	14.5	97	5	6	12	17	28	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	6.0	9	<1	1	6	8	10	11	13
B. *Operated*	1874	6.9	11	3	3	6	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	21	8.6	32	<1	2	8	10	17	21	24
B. *Operated*	1268	10.9	57	4	5	9	13	19	24	43
1. SINGLE DX	1905	6.8	11	3	3	6	8	11	13	19
2. MULTIPLE DX	1289	10.9	56	4	5	9	13	19	24	43
A. NOT OPERATED	52	7.0	20	<1	1	6	9	12	16	24
B. OPERATED	3142	8.5	34	3	4	7	10	14	18	31
TOTAL 0-19 YRS	1198	7.5	19	3	3	7	9	12	15	21
20-34	813	7.4	22	3	3	7	9	12	15	26
35-49	456	8.8	38	3	4	7	10	14	18	33
50-64	426	9.9	38	4	4	9	12	15	21	33
65+	301	12.7	80	5	6	10	15	22	28	48
GRAND TOTAL	3194	8.5	33	3	4	7	10	14	18	31

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.9	2	<1	1	1	2	4	5	6
20-34	41	2.3	2	1	1	2	3	5	6	6
35-49	18	2.4	2	1	1	2	3	4	5	6
50-64	6	2.5	1	1	1	2	3	4	4	4
65+	4	4.0	1	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	284	3.7	3	2	2	3	4	5	7	10
20-34	246	4.2	37	2	2	4	4	6	7	11
35-49	80	4.2	3	2	2	4	5	7	7	10
50-64	33	5.0	5	2	2	5	6	8	9	10
65+	8	6.0	3	3	3	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	3.0	4	1	1	3	4	6	7	8
20-34	18	2.2	1	<1	1	2	3	4	4	4
35-49	7	3.7	9	<1	<1	3	5	9	10	10
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	5	5.4	5	3	3	6	7	8	8	8
B. Operated										
0-19 YRS	159	4.6	10	2	2	4	5	7	9	22
20-34	159	5.1	14	2	2	4	6	8	11	16
35-49	53	7.7	110	2	3	5	7	12	15	72
50-64	38	8.7	29	4	4	7	11	13	20	30
65+	20	10.4	159	3	4	7	10	15	39	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.3	2	1	1	2	3	4	5	6
B. Operated	621	4.0	17	2	2	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	50	3.2	5	1	1	3	4	7	8	10
B. Operated	429	5.8	35	2	3	4	6	10	12	31
1. SINGLE DX	727	3.8	15	1	2	3	4	6	7	10
2. MULTIPLE DX	479	5.5	32	2	2	4	6	9	11	30
A. NOT OPERATED	156	2.6	3	1	1	2	3	5	6	10
B. OPERATED	1050	4.7	25	2	2	4	5	7	10	16
TOTAL 0-19 YRS	498	3.8	6	1	2	3	4	6	8	12
20-34	464	4.3	25	1	2	4	5	6	8	14
35-49	128	5.4	51	1	2	4	6	9	11	45
50-64	79	6.6	20	2	2	6	9	11	13	28
65+	37	8.1	92	3	3	6	8	11	15	62
GRAND TOTAL	1206	4.5	23	1	2	4	5	7	9	19

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.8	185	<1	<1	1	1	11	43	90
20-34	12	2.0	2	<1	<1	1	3	4	5	5
35-49	9	1.7	2	<1	<1	1	2	4	5	5
50-64	8	1.9	1	<1	<1	2	3	4	4	4
65+	11	2.5	2	<1	<1	2	3	5	5	5
B. Operated										
0-19 YRS	2266	1.8	1	<1	<1	1	2	3	4	5
20-34	2663	2.9	2	1	1	3	4	4	5	6
35-49	2265	3.1	2	1	1	3	4	5	5	7
50-64	3501	3.3	2	1	2	3	4	5	6	8
65+	2786	3.7	3	1	2	4	4	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	1.4	1	<1	<1	<1	1	2	[illegible]	7
20-34	21	1.7	3	<1	<1	1	2	3	[illegible]	8
35-49	23	2.3	8	<1	<1	1	2	3	[illegible]	17
50-64	40	2.3	3	<1	<1	1	3	5	[illegible]	8
65+	91	3.2	9	<1	1	2	4	7	[illegible]	16
B. Operated										
0-19 YRS	1084	1.8	1	<1	<1	2	2	3	4	6
20-34	809	3.3	3	1	2	3	4	5	6	9
35-49	1018	3.7	4	1	2	3	4	6	7	11
50-64	2223	4.1	6	2	2	4	5	7	8	14
65+	2904	5.3	17	2	2	4	6	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.7	45	<1	<1	1	2	4	5	49
B. Operated	13481	3.0	2	<1	1	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	237	2.4	6	<1	<1	1	3	5	7	12
B. Operated	8038	4.1	10	1	1	4	5	7	9	15
1. SINGLE DX	13534	3.0	3	<1	1	3	4	5	5	8
2. MULTIPLE DX	8275	4.0	10	1	1	3	5	7	9	15
A. NOT OPERATED	290	2.4	13	<1	<1	1	3	5	7	13
B. OPERATED	21519	3.4	5	1	1	3	4	5	7	12
TOTAL 0-19 YRS	3425	1.8	2	<1	<1	1	2	3	4	5
20-34	3505	3.0	2	1	1	3	4	4	5	7
35-49	3315	3.3	3	1	2	3	4	5	6	9
50-64	5772	3.6	4	1	2	3	4	5	7	11
65+	5792	4.5	11	2	2	4	5	7	9	16
GRAND TOTAL	21809	3.4	6	1	1	3	4	5	7	12

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4	1	<1	<1	1	1	3	5	5
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	9	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*										
0-19 YRS	182	1.7	2	<1	<1	1	2	3	5	6
20-34	90	3.2	3	1	1	3	4	5	7	11
35-49	60	3.5	2	1	2	3	5	6	6	7
50-64	100	4.1	6	2	2	3	5	7	10	13
65+	198	5.2	14	2	2	4	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	7.0	28	3	3	5	11	13	13	13
50-64	5	9.2	278	1	1	2	12	39	39	39
65+	14	5.4	33	<1	1	3	7	15	19	20
B. *Operated*										
0-19 YRS	128	2.2	3	<1	1	2	3	4	6	10
20-34	40	3.7	3	1	1	4	5	6	7	10
35-49	21	3.8	4	<1	1	4	4	6	8	10
50-64	98	7.0	54	2	2	5	7	13	20	46
65+	296	8.4	71	2	3	6	10	15	22	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.0	4	<1	<1	1	2	5	6	9
B. *Operated*	630	3.6	8	<1	1	3	5	7	8	17
2. MULTIPLE DX										
A. *Not Operated*	29	5.5	63	1	1	3	5	14	21	39
B. *Operated*	583	6.3	52	1	1	4	7	12	18	38
1. SINGLE DX	657	3.5	8	<1	1	3	5	7	8	17
2. MULTIPLE DX	612	6.3	53	1	1	4	7	12	18	39
A. NOT OPERATED	56	3.8	37	<1	1	2	4	9	14	38
B. OPERATED	1213	4.9	31	1	1	4	6	9	13	28
TOTAL 0-19 YRS	327	1.9	2	<1	<1	1	2	4	5	8
20-34	134	3.4	3	1	1	3	4	5	7	10
35-49	86	3.7	4	1	2	3	5	6	6	12
50-64	205	5.6	36	2	2	4	6	10	14	42
65+	517	7.0	49	2	2	5	8	13	18	37
GRAND TOTAL	1269	4.9	32	1	1	3	6	9	13	28

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	315	1.5	1	<1	<1	1	2	2	3	4
20-34	160	2.6	2	<1	1	2	3	4	5	7
35-49	219	2.7	2	1	1	2	3	4	5	7
50-64	145	2.8	2	1	1	3	4	5	5	6
65+	55	3.7	6	1	2	3	5	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.4	5	<1	<1	1	3	6	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	7	2.3	1	<1	<1	2	3	4	4	4
50-64	11	2.8	5	<1	<1	2	4	7	8	8
65+	11	5.3	6	2	2	5	7	9	10	10
B. *Operated*										
0-19 YRS	62	2.0	7	<1	<1	1	2	3	5	19
20-34	98	3.4	4	1	1	3	4	6	7	11
35-49	137	3.8	4	1	2	3	5	7	8	11
50-64	170	4.4	28	1	2	3	5	8	9	20
65+	117	6.7	35	2	2	5	7	12	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	894	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	42	3.2	6	<1	<1	2	4	7	8	10
B. *Operated*	584	4.3	19	1	1	3	5	7	9	23
1. SINGLE DX	902	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	626	4.2	19	1	1	3	5	7	9	22
A. NOT OPERATED	50	3.0	5	<1	<1	2	4	7	8	10
B. OPERATED	1478	3.1	10	<1	1	2	4	5	7	15
TOTAL 0-19 YRS	391	1.6	2	<1	<1	1	2	3	3	5
20-34	260	2.9	3	<1	1	2	4	5	6	9
35-49	364	3.1	3	1	1	3	4	5	7	10
50-64	328	3.6	16	1	1	3	4	6	8	12
65+	185	5.7	26	2	2	5	6	9	17	31
GRAND TOTAL	1528	3.1	10	<1	<1	2	4	6	7	15

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	5	3.8	2	2	2	4	5	6	6	6
50-64	6	3.0	2	2	2	3	4	5	5	5
65+	3	4.0	4	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	74	2.3	3	<1	<1	2	3	4	5	8
20-34	299	3.3	4	1	1	3	4	6	6	9
35-49	400	4.3	7	1	2	4	5	7	8	14
50-64	511	4.5	6	2	2	4	6	8	8	12
65+	375	5.3	7	2	3	5	7	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	4	1	1	2	4	6	6	6
35-49	15	4.1	13	<1	<1	3	7	10	11	11
50-64	36	4.3	15	<1	<1	3	6	11	12	15
65+	50	4.5	23	<1	1	3	5	11	15	23
B. *Operated*										
0-19 YRS	25	3.0	5	<1	<1	2	4	6	8	9
20-34	160	5.6	18	1	2	5	7	9	13	30
35-49	339	6.1	15	2	3	5	7	10	14	22
50-64	546	6.6	19	2	3	6	8	11	14	22
65+	522	7.8	23	3	3	7	10	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	2	1	2	3	5	6	6	6
B. *Operated*	1659	4.3	6	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	107	4.3	18	<1	<1	3	6	11	14	21
B. *Operated*	1592	6.7	20	2	3	6	8	11	15	25
1. SINGLE DX	1675	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX	1699	6.6	20	2	2	6	8	11	15	24
A. NOT OPERATED	123	4.2	16	<1	1	3	5	9	13	21
B. OPERATED	3251	5.5	14	1	2	5	7	9	12	22
TOTAL 0-19 YRS	99	2.5	3	<1	<1	2	4	5	6	9
20-34	467	4.0	10	1	1	3	5	7	8	20
35-49	759	5.1	12	1	2	4	6	8	11	20
50-64	1099	5.6	14	2	2	5	7	9	11	18
65+	950	6.6	18	2	3	6	8	11	14	24
GRAND TOTAL	**3374**	**5.5**	**14**	**1**	**2**	**5**	**7**	**9**	**12**	**22**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	9	3.4	9	1	1	3	4	8	11	11
35-49	49	2.7	3	<1	1	2	4	5	7	8
50-64	58	2.9	3	1	1	3	4	5	7	8
65+	58	3.4	14	<1	1	3	4	6	7	25
B. *Operated*										
0-19 YRS	4	4.5	7	1	1	5	6	7	7	7
20-34	26	6.1	7	2	2	6	8	9	10	12
35-49	39	6.8	11	2	4	6	8	11	14	18
50-64	53	7.8	9	3	4	7	9	12	13	15
65+	22	9.7	28	2	3	9	13	18	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	3	1	1	4	5	5	5	5
20-34	61	4.4	8	1	2	4	5	8	10	15
35-49	219	3.9	6	1	2	3	5	7	8	14
50-64	403	4.1	7	1	2	3	5	8	9	14
65+	764	5.4	22	2	2	4	7	10	13	21
B. *Operated*										
0-19 YRS	6	13.3	56	7	7	13	23	85	99+	99+
20-34	71	7.6	22	2	3	7	9	12	14	32
35-49	205	9.0	45	3	4	8	10	13	15	44
50-64	301	8.7	26	2	3	8	10	15	19	28
65+	265	10.7	85	2	3	9	13	18	26	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	3.1	7	1	1	3	4	5	7	13
B. *Operated*	144	7.4	13	2	3	7	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*	1453	4.8	15	1	2	4	6	8	11	19
B. *Operated*	848	9.3	50	2	3	8	11	16	20	41
1. SINGLE DX	321	5.0	14	1	1	4	7	9	12	18
2. MULTIPLE DX	2301	6.5	33	2	2	5	8	12	15	28
A. NOT OPERATED	1630	4.6	15	1	2	4	6	8	10	19
B. OPERATED	992	9.1	45	2	3	8	10	15	19	35
TOTAL 0-19 YRS	19	6.8	39	1	1	5	8	22	62	99+
20-34	167	6.0	16	1	2	6	8	10	12	18
35-49	512	6.1	29	1	2	5	8	10	13	22
50-64	815	6.0	19	1	2	5	8	11	14	22
65+	1109	6.6	43	2	2	5	8	13	17	31
GRAND TOTAL	**2622**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**15**	**26**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	5.5	7	3	3	5	7	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-19 YRS	17	2.2	1	<1	1	2	3	4	4	4
20-34	71	3.2	2	1	1	3	4	5	6	7
35-49	89	3.6	4	1	2	3	4	6	8	10
50-64	87	4.0	14	1	1	3	4	7	9	25
65+	109	4.0	5	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	10	3.7	8	1	1	3	4	8	10	10
50-64	3	3.0	12	1	1	1	6	7	7	7
65+	16	4.2	14	1	2	3	5	8	14	16
B. *Operated*										
0-19 YRS	9	3.3	7	1	1	2	6	7	7	7
20-34	39	4.4	14	2	2	4	5	7	11	24
35-49	41	5.2	7	2	2	5	6	8	10	14
50-64	72	4.8	9	2	2	4	5	9	11	17
65+	109	6.6	25	2	2	5	7	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.8	7	1	1	3	6	8	9	9
B. *Operated*	373	3.7	6	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	33	3.9	10	1	1	3	5	8	10	16
B. *Operated*	270	5.5	17	1	2	4	7	10	13	23
1. SINGLE DX	383	3.7	6	1	1	3	4	6	8	11
2. MULTIPLE DX	303	5.3	16	1	2	4	7	9	12	22
A. NOT OPERATED	43	3.9	9	1	1	3	5	8	9	16
B. OPERATED	643	4.4	11	1	2	4	5	8	10	18
TOTAL 0-19 YRS	27	2.8	4	<1	1	2	4	6	7	8
20-34	115	3.6	6	1	2	3	4	5	6	16
35-49	144	4.1	6	1	2	4	5	8	9	11
50-64	163	4.3	12	1	2	4	5	8	10	17
65+	237	5.2	16	1	2	4	6	9	13	22
GRAND TOTAL	**686**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	9	2.7	3	<1	<1	2	4	6	6	6
65+	11	4.2	8	1	1	4	5	9	9	9
B. *Operated*										
0-19 YRS	24	1.9	1	<1	<1	2	2	4	4	5
20-34	80	3.2	5	1	1	3	4	5	7	15
35-49	122	4.3	12	1	2	4	5	7	9	19
50-64	154	4.6	8	1	2	4	6	9	10	14
65+	201	6.5	17	2	2	6	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	8.9	139	<1	<1	4	11	30	34	34
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	13	3.6	4	1	1	3	6	6	7	7
65+	56	6.0	26	1	2	4	8	12	15	27
B. *Operated*										
0-19 YRS	6	9.3	122	1	1	5	10	29	31	31
20-34	49	5.2	12	2	2	4	6	10	12	20
35-49	106	7.1	74	2	3	5	7	11	16	60
50-64	191	7.9	33	2	3	6	9	14	18	31
65+	357	11.9	102	3	4	9	14	23	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.4	6	<1	<1	3	5	7	9	9
B. *Operated*	581	4.9	13	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	81	5.6	32	1	1	4	7	11	14	32
B. *Operated*	709	9.6	79	2	3	7	12	19	25	51
1. SINGLE DX	602	4.8	13	1	2	4	6	9	12	17
2. MULTIPLE DX	790	9.2	75	2	3	7	11	18	25	49
A. NOT OPERATED	102	5.2	27	1	1	4	6	10	13	30
B. OPERATED	1290	7.5	55	2	2	5	9	14	21	40
TOTAL 0-19 YRS	31	3.3	30	<1	<1	2	3	6	10	31
20-34	136	4.2	16	1	2	3	5	8	11	22
35-49	233	5.5	42	1	2	4	6	9	12	39
50-64	367	6.2	24	2	2	5	8	12	14	25
65+	625	9.5	74	2	3	7	12	18	25	48
GRAND TOTAL	**1392**	**7.3**	**53**	**1**	**2**	**5**	**9**	**14**	**20**	**38**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.5	5	<1	1	2	3	6	7	12
20-34	199	3.7	6	1	1	3	5	7	9	11
35-49	262	4.1	10	1	1	3	5	7	10	16
50-64	419	4.1	6	1	1	4	5	7	8	13
65+	447	4.6	10	1	2	4	6	8	10	16
B. *Operated*										
0-19 YRS	121	6.2	12	2	3	6	7	9	11	20
20-34	158	9.7	33	4	5	8	11	17	23	30
35-49	182	9.5	25	4	5	8	11	15	18	32
50-64	216	10.8	23	5	6	10	13	17	19	33
65+	244	12.6	50	6	7	11	14	20	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.1	12	1	1	3	5	8	11	19
20-34	166	5.1	21	1	1	4	6	9	11	28
35-49	283	5.5	26	1	2	4	7	10	13	22
50-64	607	5.9	25	1	2	5	7	11	14	27
65+	1363	7.3	41	2	2	6	9	14	18	35
B. *Operated*										
0-19 YRS	115	9.2	57	3	3	7	11	16	27	68
20-34	212	11.4	63	4	5	9	13	19	29	48
35-49	261	11.9	50	5	5	10	14	21	29	36
50-64	507	16.6	177	6	7	12	19	32	49	90
65+	1034	17.9	145	7	8	14	21	33	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1435	4.1	8	1	1	3	5	7	9	15
B. *Operated*	921	10.2	34	4	5	9	12	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	2495	6.5	34	1	2	5	8	12	16	31
B. *Operated*	2129	15.7	136	5	6	12	19	30	40	66
1. SINGLE DX	2356	6.5	28	1	2	5	8	13	16	26
2. MULTIPLE DX	4624	10.8	102	2	3	8	13	22	31	56
A. NOT OPERATED	3930	5.6	26	1	2	4	7	11	14	27
B. OPERATED	3050	14.1	112	5	6	11	16	26	36	59
TOTAL 0-19 YRS	420	5.7	29	1	1	5	7	11	14	35
20-34	735	7.5	42	1	2	6	9	14	19	33
35-49	988	7.6	38	1	2	6	10	14	19	32
50-64	1749	9.2	91	2	2	7	11	18	26	58
65+	3088	10.9	100	2	3	8	14	22	30	54
GRAND TOTAL	**6980**	**9.3**	**81**	**1**	**2**	**7**	**11**	**19**	**26**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2495	2.6	4	1	1	2	3	5	6	9
20-34	1348	2.4	3	<1	1	2	3	4	5	8
35-49	573	2.8	5	1	1	2	3	5	7	10
50-64	444	2.9	4	1	1	2	4	5	7	10
65+	479	3.8	11	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	62	4.6	28	1	2	3	4	7	13	35
20-34	102	4.7	10	1	2	4	6	8	10	18
35-49	40	5.4	16	<1	1	5	7	10	13	21
50-64	39	5.2	13	<1	<1	4	7	11	13	14
65+	21	7.7	9	3	4	8	9	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3492	3.7	14	1	1	3	4	6	8	20
20-34	1479	3.0	6	1	1	2	4	5	7	13
35-49	957	3.9	11	1	1	3	5	7	9	16
50-64	1305	4.4	12	1	2	4	5	8	10	17
65+	2766	5.6	24	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	101	11.0	194	2	2	5	9	36	40	65
20-34	131	6.7	65	1	2	4	8	10	17	46
35-49	101	8.8	73	2	3	7	9	14	26	46
50-64	145	10.6	110	2	3	7	13	22	31	56
65+	281	13.4	158	3	4	9	16	28	45	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5339	2.7	5	1	1	2	3	5	6	10
B. *Operated*	264	5.1	16	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	9999	4.2	16	1	1	3	5	8	10	20
B. *Operated*	759	10.8	132	2	3	7	12	24	38	60
1. SINGLE DX	5603	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	10758	4.7	27	1	1	3	5	9	12	29
A. NOT OPERATED	15338	3.7	12	1	1	3	4	7	9	18
B. OPERATED	1023	9.3	108	2	2	6	10	19	32	56
TOTAL 0-19 YRS	6150	3.4	15	1	1	3	4	6	7	20
20-34	3060	3.0	8	1	1	2	4	5	7	14
35-49	1671	3.9	14	1	1	3	5	7	9	17
50-64	1933	4.5	21	1	1	3	5	8	11	24
65+	3547	6.0	38	1	2	4	7	11	16	34
GRAND TOTAL	**16361**	**4.1**	**20**	**1**	**1**	**3**	**5**	**7**	**10**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	43	4.2	6	1	2	4	5	8	9	10
35-49	217	4.6	7	1	2	4	6	8	10	14
50-64	421	4.5	5	1	2	4	6	8	9	11
65+	556	4.8	10	1	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	39	7.7	16	3	4	7	8	12	17	23
35-49	89	9.5	12	5	6	9	11	13	15	23
50-64	206	11.0	29	5	6	10	13	17	20	34
65+	142	11.6	24	4	6	11	14	17	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	19	4.9	9	1	2	5	7	9	11	12
35-49	225	5.1	10	2	2	4	6	8	10	17
50-64	750	5.4	17	2	2	5	7	9	11	18
65+	2402	6.3	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	5	10.6	14	6	6	10	13	16	16	16
20-34	44	11.8	72	5	5	10	14	17	21	59
35-49	183	11.8	46	5	7	10	13	18	22	45
50-64	581	13.4	71	4	7	11	16	22	29	57
65+	795	15.3	100	4	6	13	19	27	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1239	4.6	8	1	2	4	6	8	9	15
B. *Operated*	479	10.6	24	4	6	10	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	3399	6.0	18	2	2	5	7	11	13	22
B. *Operated*	1608	14.1	84	4	6	12	17	25	31	58
1. SINGLE DX	1718	6.3	20	1	2	5	8	12	15	22
2. MULTIPLE DX	5007	8.6	53	2	3	7	11	17	21	39
A. NOT OPERATED	4638	5.6	15	1	2	5	7	10	12	20
B. OPERATED	2087	13.3	73	4	6	11	16	22	29	52
TOTAL 0-19 YRS	13	6.6	18	<1	2	6	9	13	15	16
20-34	145	7.5	38	2	2	7	9	13	17	25
35-49	714	7.2	28	2	2	6	10	13	16	26
50-64	1958	8.2	47	2	2	7	10	15	19	36
65+	3895	8.1	49	2	2	6	10	16	21	35
GRAND TOTAL	**6725**	**8.0**	**46**	**2**	**2**	**6**	**10**	**15**	**20**	**34**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	31	2.7	4	<1	<1	2	3	5	6	11
35-49	23	3.3	6	<1	1	3	5	6	8	11
50-64	19	3.9	22	<1	<1	3	4	7	15	22
65+	5	6.8	17	3	3	7	9	13	13	13
B. *Operated*										
0-19 YRS	109	2.8	5	<1	<1	2	4	5	8	10
20-34	791	2.9	4	1	1	3	3	5	6	9
35-49	661	3.0	3	1	1	3	4	5	6	9
50-64	391	3.3	5	1	1	3	4	5	6	15
65+	129	4.0	18	1	1	3	4	7	9	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	2	<1	1	3	4	5	6	6
20-34	24	4.6	18	1	2	3	6	7	12	22
35-49	38	4.1	7	<1	1	3	6	8	10	11
50-64	35	5.1	32	1	1	4	6	9	15	31
65+	46	6.2	35	1	1	4	8	11	20	28
B. *Operated*										
0-19 YRS	52	3.7	16	1	1	3	5	7	7	28
20-34	579	3.9	20	1	1	3	4	6	8	17
35-49	619	4.1	21	1	1	3	5	7	9	17
50-64	547	4.6	25	1	2	4	5	8	10	26
65+	293	6.5	37	2	2	4	8	14	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	3.4	10	<1	1	3	4	6	9	19
B. *Operated*	2081	3.1	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	154	4.9	23	1	1	4	6	9	11	28
B. *Operated*	2090	4.5	24	1	2	3	5	8	10	23
1. SINGLE DX	2162	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX	2244	4.5	24	1	2	3	5	8	11	23
A. NOT OPERATED	235	4.4	19	<1	1	3	5	8	11	23
B. OPERATED	4171	3.8	15	1	1	3	4	6	9	19
TOTAL 0-19 YRS	175	3.1	8	<1	1	2	4	6	8	11
20-34	1425	3.3	11	1	1	3	4	5	7	13
35-49	1341	3.6	12	1	1	3	4	6	8	13
50-64	992	4.1	18	1	2	3	4	7	9	22
65+	473	5.8	32	1	2	4	7	12	19	31
GRAND TOTAL	**4406**	**3.8**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	3.3	20	<1	1	2	4	6	8	12
20-34	634	4.4	15	1	1	3	5	8	11	22
35-49	436	4.3	13	1	1	3	5	8	11	19
50-64	352	4.4	24	1	1	3	5	9	12	24
65+	421	3.6	12	<1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	108	5.6	35	<1	1	4	8	12	14	33
20-34	383	6.9	51	1	1	5	9	12	17	35
35-49	272	7.4	70	1	2	6	9	14	19	48
50-64	277	6.9	34	1	2	6	9	14	18	31
65+	254	7.9	52	1	2	6	10	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	4.0	25	1	1	3	4	7	9	29
20-34	788	5.3	21	1	2	4	6	10	13	27
35-49	771	5.2	20	1	2	4	7	9	13	22
50-64	999	5.3	21	1	2	4	7	9	13	23
65+	2346	6.1	31	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	162	9.0	70	1	2	6	12	21	26	42
20-34	739	9.7	97	1	2	7	11	21	33	57
35-49	665	10.4	120	2	3	7	12	20	30	65
50-64	794	11.1	104	2	3	8	14	23	32	59
65+	1144	13.6	155	2	3	10	17	28	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2090	4.1	16	1	1	3	5	8	10	20
B. *Operated*	1294	7.1	50	1	1	5	9	13	19	35
2. MULTIPLE DX										
A. *Not Operated*	5138	5.6	26	1	2	4	7	11	15	26
B. *Operated*	3504	11.4	123	2	3	8	14	24	34	63
1. SINGLE DX	3384	5.2	31	1	1	4	7	11	14	27
2. MULTIPLE DX	8642	7.9	73	1	2	5	9	16	24	49
A. NOT OPERATED	7228	5.2	24	1	1	4	6	10	13	24
B. OPERATED	4798	10.2	107	1	2	7	12	21	30	58
TOTAL 0-19 YRS	751	5.1	39	1	1	3	6	11	15	31
20-34	2544	6.6	50	1	2	5	8	13	18	39
35-49	2144	6.9	62	1	2	5	8	13	19	42
50-64	2422	7.2	58	1	2	5	9	15	21	39
65+	4165	8.0	77	1	2	5	10	17	24	50
GRAND TOTAL	**12026**	**7.2**	**63**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	26	5.0	12	2	2	4	6	10	14	15
35-49	50	5.9	27	2	2	4	7	13	18	24
50-64	51	8.5	58	2	2	5	11	22	26	30
65+	16	7.4	32	2	2	6	9	17	20	21
B. *Operated*										
0-19 YRS										
20-34	5	4.6	23	1	1	2	8	12	12	12
35-49	14	5.1	20	1	1	4	9	11	14	15
50-64	32	5.6	45	1	1	3	8	14	20	29
65+	12	5.1	25	<1	<1	3	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	23.0	181	3	5	23	28	35	51	55
20-34	178	12.6	96	2	3	9	23	28	30	34
35-49	487	11.8	98	2	3	8	18	26	29	43
50-64	740	11.0	74	2	3	8	15	23	28	42
65+	357	11.9	98	3	4	9	16	21	28	42
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	41	15.5	148	2	2	13	27	33	38	41
35-49	125	13.5	172	1	2	10	20	30	41	99+
50-64	181	15.2	174	1	2	12	19	33	37	69
65+	80	16.4	184	2	3	13	22	31	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	7.0	42	2	2	5	9	16	23	30
B. *Operated*	63	5.3	33	1	1	3	8	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	1775	11.6	90	2	3	8	17	25	29	42
B. *Operated*	428	14.9	172	1	2	12	21	32	40	88
1. SINGLE DX	207	6.5	39	1	1	4	9	15	21	30
2. MULTIPLE DX	2203	12.3	107	2	3	9	18	26	31	48
A. NOT OPERATED	1919	11.3	88	2	3	8	16	25	28	41
B. OPERATED	491	13.7	165	1	2	10	19	30	37	83
TOTAL 0-19 YRS	15	22.5	182	3	5	23	29	32	49	55
20-34	250	12.1	102	2	2	8	21	28	31	36
35-49	676	11.5	108	2	2	8	17	26	30	52
50-64	1004	11.4	95	2	3	8	16	24	30	45
65+	465	12.4	114	3	3	9	17	24	30	50
GRAND TOTAL	**2410**	**11.8**	**104**	**2**	**3**	**8**	**17**	**26**	**30**	**47**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	14	3.6	8	<1	1	3	6	8	10	10
35-49	16	6.3	33	1	1	5	9	14	19	21
50-64	25	4.2	8	1	2	3	5	6	12	13
65+	16	5.8	42	1	1	3	6	15	22	25
B. *Operated*										
0-19 YRS	15	2.6	9	<1	<1	1	3	6	10	12
20-34	106	1.6	2	<1	<1	1	2	3	4	9
35-49	91	2.8	18	1	1	1	2	5	9	22
50-64	88	3.8	96	<1	1	2	3	8	10	63
65+	40	4.1	34	<1	1	1	4	13	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.7	6	<1	<1	2	3	7	8	8
20-34	36	5.4	17	1	2	4	7	9	10	24
35-49	106	6.8	26	2	2	6	9	12	15	30
50-64	226	8.3	44	2	2	7	11	18	21	35
65+	225	9.8	43	2	3	8	13	20	23	32
B. *Operated*										
0-19 YRS	11	5.9	19	2	2	5	10	12	14	14
20-34	78	6.4	130	<1	1	3	8	15	20	73
35-49	117	6.7	66	<1	1	3	9	16	20	45
50-64	200	7.4	84	1	1	4	10	17	25	51
65+	156	10.5	109	1	1	8	14	19	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.8	21	1	1	3	6	11	14	24
B. *Operated*	340	2.8	35	<1	1	1	2	6	9	22
2. MULTIPLE DX										
A. *Not Operated*	604	8.3	41	2	2	7	10	16	21	32
B. *Operated*	562	7.9	95	1	1	4	11	18	24	50
1. SINGLE DX	414	3.2	33	<1	1	2	3	7	11	22
2. MULTIPLE DX	1166	8.1	67	1	1	6	11	17	22	41
A. NOT OPERATED	678	7.9	40	1	2	6	10	16	21	32
B. OPERATED	902	6.0	78	<1	1	2	8	15	20	45
TOTAL 0-19 YRS	40	3.5	12	<1	1	2	4	9	11	14
20-34	234	3.9	52	<1	1	2	4	9	13	24
35-49	330	5.7	41	1	1	4	7	13	17	36
50-64	539	7.0	68	1	1	4	9	16	22	38
65+	437	9.4	69	1	1	7	13	19	24	36
GRAND TOTAL	**1580**	**6.8**	**63**	**1**	**1**	**4**	**9**	**16**	**20**	**35**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	8	1	2	3	5	7	11	14
20-34	105	4.5	8	1	1	4	6	8	10	14
35-49	46	5.7	19	1	2	5	7	10	13	26
50-64	44	5.3	9	1	2	4	7	9	11	13
65+	33	7.4	16	3	3	6	8	14	14	20
B. *Operated*										
0-19 YRS	6	3.5	27	1	1	2	2	13	14	14
20-34	32	6.2	107	1	1	2	7	14	19	56
35-49	29	5.3	36	<1	<1	2	7	17	19	20
50-64	27	5.0	35	1	1	2	6	15	20	21
65+	24	7.1	53	1	1	4	11	17	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.7	25	1	1	3	6	7	20	22
20-34	118	6.2	42	2	2	5	7	11	17	38
35-49	153	8.4	72	1	2	6	10	16	19	59
50-64	292	8.7	49	2	3	7	11	18	24	39
65+	262	9.7	69	2	3	7	12	19	26	39
B. *Operated*										
0-19 YRS	9	11.2	109	2	2	8	17	28	34	34
20-34	46	10.7	60	1	2	10	15	20	25	35
35-49	60	10.7	107	1	1	8	16	23	27	50
50-64	113	12.7	115	1	1	11	19	28	35	45
65+	106	13.8	139	1	2	12	19	30	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	5.1	12	1	2	4	7	9	12	17
B. *Operated*	118	5.7	57	1	1	2	7	14	20	38
2. MULTIPLE DX										
A. *Not Operated*	853	8.5	59	2	2	6	10	17	23	39
B. *Operated*	334	12.4	114	1	1	10	18	26	34	48
1. SINGLE DX	376	5.3	26	1	1	4	7	12	14	21
2. MULTIPLE DX	1187	9.6	77	1	2	7	12	21	27	43
A. NOT OPERATED	1111	7.7	50	2	2	6	9	15	21	37
B. OPERATED	452	10.7	108	1	1	8	15	23	31	47
TOTAL 0-19 YRS	73	5.1	32	1	1	3	5	12	19	31
20-34	301	6.3	43	1	1	4	7	13	18	34
35-49	288	8.1	70	1	1	6	10	18	22	49
50-64	476	9.1	65	1	2	7	12	21	27	40
65+	425	10.4	86	2	2	8	13	21	29	43
GRAND TOTAL	**1563**	**8.6**	**68**	**1**	**2**	**6**	**11**	**19**	**24**	**40**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.7	3	<1	1	3	4	5	6	7
20-34	191	2.4	2	<1	1	2	3	4	5	8
35-49	185	2.7	3	<1	1	2	3	5	6	10
50-64	184	3.1	5	1	1	3	4	6	7	11
65+	170	3.9	7	1	1	3	5	7	8	16
B. *Operated*										
0-19 YRS	181	6.0	3	4	4	6	7	8	10	13
20-34	2145	6.1	4	4	4	6	7	8	9	12
35-49	1927	6.4	4	4	4	6	7	9	10	14
50-64	1823	7.0	6	4	5	6	8	9	11	16
65+	1044	8.3	12	5	5	8	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.6	3	1	1	3	5	6	7	8
20-34	153	3.4	20	<1	1	3	4	6	8	11
35-49	196	3.7	8	1	1	3	5	7	9	15
50-64	361	4.4	9	1	1	4	6	8	10	15
65+	837	6.1	24	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	99	7.9	20	4	5	7	9	13	15	30
20-34	1468	7.5	14	4	5	7	8	11	13	20
35-49	1808	8.0	18	4	5	7	9	12	14	23
50-64	2682	8.9	26	5	5	8	10	14	17	28
65+	2852	12.3	60	5	6	10	14	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.0	4	1	1	3	4	6	7	10
B. *Operated*	7120	6.7	6	4	5	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1572	5.1	19	1	1	4	6	10	13	20
B. *Operated*	8909	9.6	37	5	5	8	11	16	20	34
1. SINGLE DX	7881	6.4	7	3	4	6	7	9	11	15
2. MULTIPLE DX	10481	8.9	37	3	4	7	10	15	19	33
A. NOT OPERATED	2333	4.4	15	1	1	3	6	9	11	18
B. OPERATED	16029	8.3	25	4	5	7	9	13	17	29
TOTAL 0-19 YRS	336	6.1	11	2	3	6	7	9	11	18
20-34	3957	6.3	10	2	4	6	7	9	11	16
35-49	4116	6.8	12	3	4	6	8	10	12	19
50-64	5050	7.7	19	3	4	7	9	12	15	24
65+	4903	10.1	49	3	4	8	12	17	22	38
GRAND TOTAL	**18362**	**7.8**	**26**	**3**	**4**	**7**	**9**	**13**	**16**	**28**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.8	2	1	1	3	3	5	6	7
20-34	141	2.9	3	1	1	3	4	5	6	10
35-49	121	3.0	4	<1	1	2	4	6	7	9
50-64	123	3.4	5	<1	1	3	4	7	8	12
65+	108	4.1	7	1	1	3	6	8	9	13
B. *Operated*										
0-19 YRS	25	6.0	4	1	3	7	7	7	8	9
20-34	219	7.0	11	4	4	6	8	11	13	17
35-49	197	7.1	12	4	5	6	8	11	12	20
50-64	176	7.7	11	4	5	7	9	11	13	20
65+	123	9.6	20	4	5	8	12	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	<1	1	3	4	5	6	6
20-34	136	3.2	4	1	1	3	4	6	8	10
35-49	135	4.3	11	1	2	3	5	8	10	16
50-64	194	4.8	12	1	2	4	6	9	12	18
65+	386	6.6	24	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	14	7.4	14	3	4	6	8	12	16	17
20-34	287	8.1	17	4	5	7	9	13	15	26
35-49	367	8.4	13	4	5	7	10	13	16	20
50-64	389	10.2	44	5	5	8	11	17	21	37
65+	451	13.6	74	6	7	11	16	22	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	3.3	5	1	1	3	4	6	8	11
B. *Operated*	740	7.6	13	4	5	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	863	5.3	17	1	2	4	7	10	13	23
B. *Operated*	1508	10.4	45	5	5	8	12	17	22	39
1. SINGLE DX	1252	5.8	14	1	2	6	7	10	12	18
2. MULTIPLE DX	2371	8.5	41	2	3	7	11	15	20	33
A. NOT OPERATED	1375	4.5	14	1	1	4	6	8	11	20
B. OPERATED	2248	9.5	36	4	5	8	11	15	20	35
TOTAL 0-19 YRS	70	4.8	9	1	1	5	7	8	9	16
20-34	783	6.0	16	1	2	6	7	10	13	19
35-49	820	6.6	15	1	2	6	8	12	14	19
50-64	882	7.6	32	2	2	7	9	13	17	30
65+	1068	9.7	56	2	3	8	12	18	23	40
GRAND TOTAL	**3623**	**7.6**	**33**	**2**	**2**	**6**	**9**	**14**	**17**	**30**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	18	2.9	4	1	1	3	4	5	7	8
35-49	35	3.0	4	1	1	3	4	5	7	10
50-64	28	4.0	10	1	1	2	6	9	10	12
65+	35	3.8	6	1	1	4	5	7	9	11
B. *Operated*										
0-19 YRS	7	7.7	9	5	5	6	10	12	12	12
20-34	111	8.1	11	4	5	7	10	12	14	20
35-49	108	7.5	16	2	4	7	8	12	15	23
50-64	97	9.0	19	3	5	8	11	16	17	21
65+	120	10.9	33	2	4	10	13	18	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	15	4.7	14	<1	<1	3	7	9	13	14
35-49	32	3.7	7	1	1	3	5	7	8	14
50-64	51	4.2	10	1	1	4	5	8	10	15
65+	104	6.6	27	1	2	6	8	12	15	31
B. *Operated*										
0-19 YRS	4	7.8	8	6	6	7	9	12	12	12
20-34	85	9.0	27	4	5	8	10	16	18	33
35-49	125	10.8	85	5	6	8	11	18	23	56
50-64	169	11.5	66	4	5	9	14	19	28	44
65+	396	15.4	77	6	7	13	19	27	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.5	6	1	1	3	5	7	9	11
B. *Operated*	443	8.9	21	3	5	8	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	208	5.3	19	1	1	4	7	10	14	22
B. *Operated*	779	13.1	76	4	6	11	16	23	29	46
1. SINGLE DX	561	7.8	23	1	2	7	10	14	17	23
2. MULTIPLE DX	987	11.4	74	2	3	9	14	21	27	43
A. NOT OPERATED	326	4.7	15	1	1	4	6	9	11	17
B. OPERATED	1222	11.6	60	4	5	9	14	20	26	40
TOTAL 0-19 YRS	19	6.1	11	1	2	6	8	11	12	12
20-34	229	7.8	20	1	3	7	9	13	16	23
35-49	300	8.0	50	1	2	7	9	14	18	37
50-64	345	9.1	48	2	2	8	11	16	20	38
65+	655	12.5	72	2	4	11	16	22	29	39
GRAND TOTAL	**1548**	**10.1**	**59**	**2**	**3**	**8**	**13**	**19**	**24**	**39**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	39	<1	<1	10	12	13	13	13
20-34	8	4.6	6	1	2	4	6	8	9	9
35-49	26	2.9	4	<1	1	2	4	6	7	7
50-64	28	4.6	11	1	2	3	5	10	12	14
65+	46	5.2	10	1	1	5	7	10	12	14
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	15	7.0	16	1	1	8	10	11	13	13
35-49	12	8.5	24	1	2	8	13	15	16	16
50-64	22	9.6	68	1	2	8	11	16	29	40
65+	22	12.3	89	1	4	9	19	25	31	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.4	32	1	1	12	14	15	15	15
20-34	32	5.3	19	1	1	4	7	11	12	20
35-49	33	6.0	16	2	2	5	7	14	15	16
50-64	79	6.7	29	1	2	6	9	11	16	32
65+	187	7.3	29	2	3	6	9	13	17	32
B. *Operated*										
0-19 YRS	7	11.9	24	5	5	12	15	18	19	19
20-34	29	12.2	131	2	3	10	13	23	28	63
35-49	42	14.3	248	2	2	11	15	31	63	99+
50-64	95	12.6	92	2	2	10	16	26	31	48
65+	182	17.5	124	3	6	16	22	31	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.5	10	1	1	4	6	9	12	14
B. *Operated*	72	9.8	58	1	1	8	12	20	25	40
2. MULTIPLE DX										
A. *Not Operated*	338	6.9	27	2	2	6	9	12	16	29
B. *Operated*	355	15.3	133	2	3	13	20	29	36	63
1. SINGLE DX	183	6.6	35	1	1	5	9	13	17	34
2. MULTIPLE DX	693	11.2	99	2	2	9	15	23	30	54
A. NOT OPERATED	449	6.3	24	1	2	5	8	12	15	25
B. OPERATED	427	14.4	124	2	3	12	19	27	35	63
TOTAL 0-19 YRS	18	10.6	30	<1	1	12	15	17	19	19
20-34	84	7.9	65	1	1	7	10	13	21	50
35-49	113	8.6	120	1	2	6	12	16	28	97
50-64	224	9.2	66	1	2	8	12	19	26	38
65+	437	11.6	96	2	3	9	16	24	31	49
GRAND TOTAL	**876**	**10.2**	**89**	**1**	**2**	**8**	**13**	**21**	**28**	**47**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	5.5	13	1	1	5	7	11	13	17
20-34	400	5.1	14	1	2	4	6	9	11	17
35-49	388	5.7	15	1	2	5	7	10	12	21
50-64	298	5.5	13	1	2	5	7	10	13	17
65+	167	5.8	9	2	3	5	8	10	12	15
B. *Operated*										
0-19 YRS	4	13.5	102	1	1	14	21	25	25	25
20-34	31	12.5	168	2	3	8	14	31	47	53
35-49	46	12.0	280	1	1	7	12	27	39	89
50-64	42	12.7	151	1	2	10	16	28	33	68
65+	18	10.9	59	1	2	9	14	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	6.7	48	2	2	4	8	15	18	41
20-34	604	6.4	18	2	2	6	8	12	14	23
35-49	964	6.9	22	2	3	6	9	12	16	24
50-64	756	7.3	33	2	2	6	9	13	16	26
65+	659	8.0	36	2	3	6	10	14	19	33
B. *Operated*										
0-19 YRS	16	22.8	489	5	9	15	30	43	77	92
20-34	92	18.5	201	2	5	15	23	42	52	58
35-49	163	18.4	261	2	3	14	25	40	58	89
50-64	215	16.9	204	3	6	13	20	32	47	83
65+	164	19.0	246	3	6	14	22	40	56	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	5.5	13	1	2	5	7	10	12	17
B. *Operated*	141	12.2	180	1	2	9	14	26	33	74
2. MULTIPLE DX										
A. *Not Operated*	3032	7.1	27	2	3	6	9	13	16	26
B. *Operated*	650	18.2	235	2	5	14	22	39	52	90
1. SINGLE DX	1458	6.1	33	1	2	5	7	11	14	29
2. MULTIPLE DX	3682	9.1	82	2	3	7	11	17	24	52
A. NOT OPERATED	4349	6.6	24	2	2	5	8	12	15	25
B. OPERATED	791	17.1	230	2	4	13	21	37	51	89
TOTAL 0-19 YRS	133	8.3	113	1	2	5	9	17	23	51
20-34	1127	7.1	49	2	2	5	8	13	18	43
35-49	1561	7.9	66	2	2	6	9	15	21	43
50-64	1311	8.7	75	2	2	6	10	16	22	51
65+	1008	9.5	84	2	3	7	11	18	25	55
GRAND TOTAL	**5140**	**8.2**	**70**	**2**	**2**	**6**	**10**	**15**	**22**	**48**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.6	13	1	1	2	3	4	5	26
20-34	125	3.0	4	1	1	3	4	6	7	9
35-49	130	3.5	10	1	1	3	4	6	8	18
50-64	190	4.2	14	1	1	4	5	7	9	18
65+	312	4.7	14	1	1	4	6	8	9	22
B. *Operated*										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	12	2.8	2	1	1	3	4	5	5	5
35-49	17	5.5	20	<1	1	5	7	13	16	17
50-64	29	7.1	33	1	1	5	10	15	22	23
65+	34	7.3	47	1	3	5	7	14	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.4	6	1	1	3	5	7	8	13
20-34	321	3.8	10	1	1	3	5	7	10	16
35-49	510	5.1	17	1	2	4	6	9	12	20
50-64	918	5.5	17	1	2	5	7	10	13	22
65+	2439	6.7	29	2	2	5	8	13	17	27
B. *Operated*										
0-19 YRS	12	11.6	70	1	3	9	18	24	25	25
20-34	46	7.5	36	1	2	6	10	14	20	32
35-49	104	9.2	82	2	3	7	11	16	30	81
50-64	244	9.9	67	2	3	8	13	18	23	44
65+	582	11.4	98	3	3	9	15	23	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	4.0	12	1	1	3	5	7	9	18
B. *Operated*	95	6.3	33	1	2	5	7	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	4289	5.9	24	1	2	5	7	11	15	25
B. *Operated*	988	10.6	86	2	3	8	13	21	29	56
1. SINGLE DX	919	4.2	15	1	1	3	5	8	10	22
2. MULTIPLE DX	5277	6.8	39	1	2	5	8	13	18	34
A. NOT OPERATED	5113	5.6	23	1	2	4	7	10	14	25
B. OPERATED	1083	10.2	83	2	3	8	13	20	28	55
TOTAL 0-19 YRS	183	3.7	17	1	1	3	4	7	9	25
20-34	504	3.9	12	1	1	3	5	8	10	18
35-49	761	5.4	27	1	2	4	7	10	14	28
50-64	1381	6.1	29	1	2	5	7	12	16	28
65+	3367	7.3	44	2	2	6	9	14	19	36
GRAND TOTAL	**6196**	**6.4**	**36**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	4	1	1	2	4	7	8	8
20-34	6	3.7	3	2	2	3	5	6	6	6
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	7	6.0	27	2	2	4	9	15	16	16
65+	9	5.8	28	<1	<1	3	10	14	16	16
B. *Operated*										
0-19 YRS	7	3.0	7	1	1	2	4	7	8	8
20-34	4	10.0	1	9	9	10	11	11	11	11
35-49	6	12.8	255	2	2	7	14	41	44	44
50-64	1	5.0		5	5	5	5	5	5	5
65+	5	9.4	77	1	1	5	17	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.2	35	1	2	4	8	15	21	26
20-34	22	6.3	14	2	3	6	7	11	14	18
35-49	25	6.7	32	1	2	6	8	10	20	28
50-64	48	10.6	110	1	3	7	13	25	31	58
65+	59	8.4	43	3	3	6	11	16	19	35
B. *Operated*										
0-19 YRS	6	20.8	1485	<1	<1	6	11	90	99	99+
20-34	12	9.6	33	3	4	9	13	19	20	20
35-49	12	9.9	72	2	2	9	10	18	33	35
50-64	31	13.6	86	2	3	12	18	29	32	32
65+	33	17.5	200	3	5	13	23	34	55	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.7	11	1	1	3	4	8	11	16
B. *Operated*	23	8.3	90	1	1	5	10	16	30	44
2. MULTIPLE DX										
A. *Not Operated*	181	8.2	56	1	2	6	10	17	24	35
B. *Operated*	94	14.4	201	2	3	10	18	29	34	81
1. SINGLE DX	81	5.0	37	1	1	3	6	11	15	37
2. MULTIPLE DX	275	10.3	114	2	2	7	12	23	30	57
A. NOT OPERATED	239	7.1	49	1	2	5	9	15	20	34
B. OPERATED	117	13.2	184	2	2	10	17	28	34	72
TOTAL 0-19 YRS	73	5.6	142	1	1	3	5	9	16	82
20-34	44	7.2	20	2	3	6	10	13	18	20
35-49	46	8.1	70	1	2	6	10	14	29	44
50-64	87	11.2	97	2	2	8	14	25	31	49
65+	106	11.0	110	2	3	8	15	23	31	57
GRAND TOTAL	**356**	**9.1**	**101**	**1**	**2**	**6**	**11**	**19**	**28**	**55**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	5.4	14	1	1	5	7	11	14	15
20-34	12	4.0	9	1	1	3	5	9	11	11
35-49	12	4.6	40	<1	<1	3	5	11	22	24
50-64	7	4.1	16	<1	<1	1	8	9	9	9
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	34	3.4	10	2	2	2	3	6	10	17
20-34	41	2.8	4	1	1	2	3	5	8	8
35-49	33	3.0	7	<1	1	2	4	5	9	14
50-64	34	2.9	4	1	1	2	3	7	8	8
65+	13	3.1	3	1	1	3	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	6.0	27	2	2	4	7	13	17	27
20-34	42	5.7	50	1	1	5	6	9	16	44
35-49	49	6.9	29	1	2	6	8	13	18	27
50-64	45	6.9	20	2	3	5	9	14	16	22
65+	58	7.8	39	1	2	6	10	17	21	30
B. *Operated*										
0-19 YRS	43	7.5	127	1	1	3	8	17	43	46
20-34	92	7.1	44	1	2	4	10	16	22	31
35-49	85	7.4	40	1	2	6	10	16	20	28
50-64	81	10.0	84	1	2	6	15	25	29	37
65+	81	12.8	146	1	2	11	15	29	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.9	17	<1	1	4	7	10	14	20
B. *Operated*	155	3.0	6	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	245	6.7	33	1	2	5	8	14	18	27
B. *Operated*	382	9.0	87	1	2	6	12	21	28	45
1. SINGLE DX	246	3.7	10	1	1	3	5	8	10	15
2. MULTIPLE DX	627	8.1	67	1	2	5	11	18	24	42
A. NOT OPERATED	336	6.2	29	1	1	5	8	13	17	27
B. OPERATED	537	7.3	71	1	1	4	9	18	24	42
TOTAL 0-19 YRS	185	5.7	44	1	2	3	6	12	16	44
20-34	187	5.7	37	1	1	3	8	12	18	32
35-49	179	6.2	33	1	1	5	8	14	19	27
50-64	167	7.5	55	1	1	5	9	18	25	35
65+	155	9.9	102	1	2	7	14	22	31	49
GRAND TOTAL	**873**	**6.9**	**55**	**1**	**1**	**4**	**8**	**15**	**22**	**36**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	5.2	12	2	2	4	7	11	12	15
20-34	5	3.2		3	3	3	4	4	4	4
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	1	8.0		8	8	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	4	6.8	51	1	1	4	11	17	17	17
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	9.4	46	5	5	6	13	21	21	21
50-64										
65+	3	10.3	64	2	2	11	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.2	13	2	2	6	8	11	14	17
20-34	8	5.9	18	2	2	4	9	12	13	13
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	12	10.3	112	1	2	5	16	23	36	38
B. *Operated*										
0-19 YRS	6	13.8	48	6	6	12	17	25	26	26
20-34	15	8.1	101	<1	<1	6	11	13	34	41
35-49	6	5.8	35	2	2	3	10	15	16	16
50-64	11	11.1	128	3	3	7	14	27	41	42
65+	12	16.3	118	3	6	12	26	32	37	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.0	11	2	2	4	6	11	12	15
B. *Operated*	13	8.5	42	1	2	6	12	19	21	21
2. MULTIPLE DX										
A. *Not Operated*	55	7.0	37	2	2	5	9	14	17	37
B. *Operated*	50	11.1	104	<1	2	10	13	27	38	42
1. SINGLE DX	58	5.8	19	2	2	5	7	12	16	21
2. MULTIPLE DX	105	9.0	72	1	2	6	11	17	27	41
A. NOT OPERATED	100	6.1	26	2	2	5	8	12	15	28
B. OPERATED	63	10.6	91	1	2	8	13	26	32	42
TOTAL 0-19 YRS	76	6.4	21	2	2	5	8	12	16	24
20-34	29	6.5	58	<1	1	4	8	12	15	41
35-49	17	6.2	29	2	2	5	8	15	19	21
50-64	14	10.5	105	3	3	7	14	19	37	42
65+	27	13.0	112	2	2	11	17	29	38	38
GRAND TOTAL	**163**	**7.8**	**56**	**1**	**2**	**5**	**11**	**16**	**23**	**41**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	4	1.3		1	1	1	2	2	2	2
35-49	8	4.4	19	<1	<1	3	6	12	13	13
50-64	12	5.7	21	<1	1	5	7	12	17	18
65+	18	5.1	18	1	1	4	6	13	16	16
B. *Operated*										
0-19 YRS	18	6.9	42	1	1	5	9	18	21	23
20-34	48	7.8	54	1	1	3	14	20	22	25
35-49	60	6.2	47	1	1	3	8	18	21	27
50-64	78	4.6	28	1	1	3	5	11	18	28
65+	80	5.1	35	1	1	3	6	12	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	6	<1	<1	2	5	6	8	8
20-34	46	3.8	10	<1	<1	4	5	6	9	17
35-49	39	4.3	20	<1	1	3	5	8	15	22
50-64	106	7.5	52	1	1	5	10	18	22	33
65+	235	8.8	72	2	2	7	11	17	23	49
B. *Operated*										
0-19 YRS	26	8.9	71	1	1	6	12	25	26	27
20-34	184	10.3	150	1	1	6	14	22	30	65
35-49	219	10.6	107	1	2	7	16	24	31	58
50-64	306	11.8	159	1	2	8	16	26	39	81
65+	328	12.3	170	1	2	8	17	28	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.5	17	<1	1	3	6	9	15	18
B. *Operated*	284	5.8	40	1	1	3	7	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	441	7.4	58	1	1	5	10	16	21	42
B. *Operated*	1063	11.4	148	1	2	7	16	26	36	74
1. SINGLE DX	330	5.6	37	1	1	3	6	16	19	26
2. MULTIPLE DX	1504	10.2	125	1	1	6	14	23	31	71
A. NOT OPERATED	487	7.1	55	1	1	5	9	16	21	41
B. OPERATED	1347	10.2	131	1	1	6	14	24	31	71
TOTAL 0-19 YRS	63	6.4	48	<1	1	4	8	17	25	27
20-34	282	8.7	115	1	1	5	12	20	26	61
35-49	326	8.9	90	1	1	5	13	22	28	48
50-64	502	9.6	121	1	1	6	13	22	29	65
65+	661	10.0	121	1	2	7	13	23	32	77
GRAND TOTAL	**1834**	**9.4**	**112**	**1**	**1**	**6**	**13**	**22**	**29**	**63**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	9.8	96	2	2	4	20	21	21	21
20-34	4	3.3	4	2	2	3	4	6	6	6
35-49	3	8.7	52	4	4	5	14	17	17	17
50-64	7	4.3	18	<1	<1	2	7	11	12	12
65+	21	8.5	48	1	2	7	10	19	26	28
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	8.5	58	2	2	6	14	19	19	19
35-49	6	6.5	51	1	1	5	7	19	20	20
50-64	7	3.9	4	2	2	3	6	7	7	7
65+	13	5.2	27	<1	1	3	7	13	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	19	<1	<1	4	7	12	13	13
20-34	14	4.6	12	<1	1	4	5	9	13	14
35-49	14	6.6	7	2	3	7	8	10	11	11
50-64	60	8.2	36	1	2	7	10	15	24	27
65+	288	11.5	129	2	3	8	14	23	32	51
B. *Operated*										
0-19 YRS	9	15.7	216	3	3	9	26	39	46	46
20-34	33	13.4	245	1	2	9	16	36	74	99+
35-49	41	14.3	194	2	3	10	22	37	53	99+
50-64	81	16.5	199	3	4	13	21	34	46	67
65+	142	19.2	225	3	5	15	25	36	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	7.4	45	1	1	6	9	18	23	28
B. *Operated*	31	5.7	29	1	1	4	7	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	384	10.4	107	1	2	8	13	22	30	50
B. *Operated*	306	17.1	218	2	4	13	23	36	49	81
1. SINGLE DX	71	6.7	38	1	1	5	9	18	20	27
2. MULTIPLE DX	690	13.4	167	2	3	9	17	29	38	76
A. NOT OPERATED	424	10.2	102	1	2	7	13	21	28	49
B. OPERATED	337	16.0	211	2	3	12	21	35	48	81
TOTAL 0-19 YRS	23	10.4	124	<1	1	6	13	26	35	46
20-34	55	10.1	170	1	2	6	13	23	39	99
35-49	64	11.6	143	2	2	8	16	26	40	96
50-64	155	12.1	140	1	2	8	15	27	35	63
65+	464	13.6	166	2	3	10	18	29	37	69
GRAND TOTAL	**761**	**12.8**	**159**	**2**	**2**	**9**	**16**	**28**	**37**	**71**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	3.5	2	2	2	3	4	5	6	7
20-34	295	3.9	8	2	2	3	5	6	7	16
35-49	67	4.0	6	2	2	3	5	6	7	17
50-64	56	4.6	4	2	2	5	6	7	8	10
65+	39	6.1	27	2	3	6	7	9	10	35
B. *Operated*										
0-19 YRS	10	5.2	3	3	3	5	6	8	9	9
20-34	12	4.7	2	3	3	4	5	7	8	8
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	3	10.3	10	8	8	9	13	14	14	14
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	4.1	4	2	2	4	5	6	7	11
20-34	411	4.5	6	2	2	4	5	7	9	15
35-49	156	5.5	14	2	2	5	7	9	11	18
50-64	200	6.5	14	2	3	6	8	11	14	20
65+	362	8.4	35	2	3	7	10	15	19	35
B. *Operated*										
0-19 YRS	25	6.3	17	2	2	6	8	11	17	19
20-34	49	9.5	101	2	4	7	11	16	21	61
35-49	27	8.0	17	3	4	7	9	15	16	17
50-64	36	12.7	109	4	4	11	15	18	38	54
65+	53	19.3	320	4	5	13	27	47	66	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	4.0	7	2	2	4	5	6	7	13
B. *Operated*	30	5.3	6	3	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1347	5.9	18	2	2	5	7	11	14	22
B. *Operated*	190	12.2	161	2	4	8	14	26	38	67
1. SINGLE DX	685	4.0	7	2	2	4	5	6	7	13
2. MULTIPLE DX	1537	6.7	40	2	2	5	8	12	16	34
A. NOT OPERATED	2002	5.3	15	2	2	4	6	9	12	20
B. OPERATED	220	11.3	146	3	4	8	12	20	35	66
TOTAL 0-19 YRS	451	4.0	4	2	2	4	5	6	7	13
20-34	767	4.6	14	2	2	4	5	7	9	16
35-49	253	5.3	13	2	2	5	6	9	12	18
50-64	295	6.9	29	2	3	6	8	12	16	32
65+	456	9.5	80	3	3	7	11	17	26	63
GRAND TOTAL	**2222**	**5.9**	**32**	**2**	**2**	**4**	**7**	**11**	**14**	**30**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.3	3	1	2	3	4	5	6	9
20-34	283	3.6	3	1	2	3	5	6	7	9
35-49	76	4.2	5	1	2	4	6	7	8	12
50-64	45	5.7	28	2	3	4	6	10	15	32
65+	52	5.0	6	1	2	4	7	9	9	10
B. *Operated*										
0-19 YRS	13	5.6	11	<1	1	5	8	11	11	11
20-34	20	5.9	11	1	2	5	7	9	13	16
35-49	12	5.1	32	<1	<1	4	5	11	20	22
50-64	14	6.7	56	1	1	4	7	18	26	28
65+	9	10.0	38	3	3	8	16	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.2	7	1	2	4	5	7	10	13
20-34	373	4.3	6	2	2	4	5	7	9	12
35-49	137	5.5	10	2	3	5	7	9	13	16
50-64	171	6.9	33	2	3	6	8	12	16	29
65+	313	8.2	43	3	3	6	10	15	20	43
B. *Operated*										
0-19 YRS	61	6.5	24	<1	<1	6	9	13	17	20
20-34	79	9.3	79	2	3	7	11	17	25	55
35-49	51	10.3	57	2	2	9	14	18	28	40
50-64	79	11.8	142	2	3	9	13	24	31	73
65+	110	14.4	149	3	4	11	18	28	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	3.8	6	1	2	3	5	6	8	10
B. *Operated*	68	6.4	28	<1	1	5	8	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	1196	5.8	23	2	2	5	7	10	14	26
B. *Operated*	380	11.0	107	2	2	8	14	23	29	77
1. SINGLE DX	717	4.1	8	1	2	3	5	7	9	16
2. MULTIPLE DX	1576	7.1	48	2	2	5	8	14	19	40
A. NOT OPERATED	1845	5.1	18	2	2	4	6	9	12	24
B. OPERATED	448	10.3	98	1	2	8	13	20	28	74
TOTAL 0-19 YRS	469	4.1	8	1	2	3	5	8	10	16
20-34	755	4.6	15	2	2	4	5	8	10	19
35-49	276	6.0	22	2	2	5	7	12	15	26
50-64	309	8.0	66	2	3	6	9	15	24	45
65+	484	9.3	72	2	3	7	11	18	25	67
GRAND TOTAL	**2293**	**6.1**	**37**	**2**	**2**	**4**	**7**	**12**	**16**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.9	1	<1	1	2	2	4	4	4
20-34	225	1.8	1	<1	1	1	2	3	4	6
35-49	300	1.9	2	<1	<1	1	2	4	5	7
50-64	189	1.8	1	<1	1	1	2	3	5	6
65+	76	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	13	7.5	5	4	5	7	9	11	11	11
20-34	124	7.2	9	2	4	7	9	10	12	17
35-49	183	7.3	9	1	3	7	9	11	12	16
50-64	153	7.7	9	2	3	8	9	12	12	13
65+	68	8.7	21	2	2	8	10	15	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	7	1	1	3	5	7	9	10
20-34	149	2.7	3	1	1	2	4	5	6	8
35-49	211	3.0	11	1	1	2	4	6	8	11
50-64	230	3.3	7	1	1	3	4	6	9	13
65+	149	4.7	18	1	1	3	6	10	15	23
B. *Operated*										
0-19 YRS	20	15.5	158	1	5	10	19	39	42	44
20-34	136	9.2	44	2	3	8	10	16	22	38
35-49	187	9.5	55	2	2	8	11	15	22	49
50-64	232	9.6	47	2	3	8	11	15	21	37
65+	238	11.3	75	2	3	9	14	21	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	816	1.9	2	<1	1	1	2	3	4	6
B. *Operated*	541	7.6	11	2	3	8	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	759	3.4	10	1	1	2	4	7	9	16
B. *Operated*	813	10.2	60	2	3	8	12	17	24	41
1. SINGLE DX	1357	4.1	13	<1	1	2	7	9	11	15
2. MULTIPLE DX	1572	6.9	47	1	1	5	9	14	18	38
A. NOT OPERATED	1575	2.6	6	<1	1	2	3	5	7	12
B. OPERATED	1354	9.1	42	2	3	8	10	15	19	38
TOTAL 0-19 YRS	79	6.7	71	1	1	4	9	11	25	43
20-34	634	4.6	22	1	1	3	7	9	12	24
35-49	881	4.9	26	<1	1	3	8	10	12	23
50-64	804	5.6	28	1	1	4	8	11	13	25
65+	531	7.8	54	1	1	7	10	15	21	38
GRAND TOTAL	**2929**	**5.6**	**33**	**1**	**1**	**4**	**8**	**11**	**15**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.0	1	<1	1	2	2	4	4	6
20-34	980	1.8	2	<1	1	1	2	3	4	5
35-49	1172	1.8	1	<1	1	1	2	3	4	6
50-64	806	2.1	2	<1	1	2	3	4	5	8
65+	249	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	47	4.4	5	2	2	4	6	8	9	10
20-34	573	5.1	10	1	2	5	7	9	11	14
35-49	641	5.3	11	1	2	5	7	9	11	15
50-64	544	5.9	12	1	2	5	8	10	12	17
65+	217	6.0	16	1	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	2	<1	1	2	3	5	5	6
20-34	303	2.3	3	<1	1	2	3	5	6	8
35-49	410	2.2	2	1	1	2	3	4	5	7
50-64	421	2.6	4	1	1	2	3	5	6	9
65+	284	3.3	8	1	1	3	4	6	7	15
B. *Operated*										
0-19 YRS	29	5.8	9	2	2	5	8	11	12	12
20-34	271	6.5	23	1	2	6	8	11	14	19
35-49	303	7.2	22	2	2	6	9	14	17	23
50-64	475	7.5	32	2	2	7	9	13	16	23
65+	397	9.2	41	2	3	8	11	17	24	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3285	1.9	2	<1	1	2	2	3	4	6
B. *Operated*	2022	5.5	11	1	2	5	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	1439	2.6	4	1	1	2	3	5	6	10
B. *Operated*	1475	7.7	31	2	2	7	10	14	17	27
1. SINGLE DX	5307	3.3	9	1	1	2	4	7	9	13
2. MULTIPLE DX	2914	5.2	24	1	1	4	7	11	14	24
A. NOT OPERATED	4724	2.1	3	<1	1	2	3	4	5	7
B. OPERATED	3497	6.4	21	1	2	6	8	11	14	23
TOTAL 0-19 YRS	175	3.3	6	1	1	2	4	7	8	12
20-34	2127	3.4	10	1	1	2	4	7	9	14
35-49	2526	3.4	10	1	1	2	4	8	10	15
50-64	2246	4.2	16	1	1	3	6	9	11	18
65+	1147	5.6	28	1	1	4	8	12	15	26
GRAND TOTAL	**8221**	**3.9**	**15**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.2	5	<1	1	3	4	7	8	8
20-34	33	2.2	4	<1	1	2	3	4	5	11
35-49	31	1.9	1	1	1	2	2	3	3	5
50-64	31	2.2	3	1	1	1	3	5	6	6
65+	36	5.4	26	1	1	4	7	11	14	28
B. *Operated*										
0-19 YRS	222	6.1	16	<1	<1	6	8	11	13	18
20-34	133	5.8	17	1	1	6	8	11	13	18
35-49	81	5.4	16	<1	1	5	7	11	13	18
50-64	106	4.5	17	<1	1	3	7	8	11	20
65+	88	5.8	35	1	1	4	8	13	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.7	19	<1	1	3	4	6	9	29
20-34	71	4.1	14	1	1	3	5	9	12	19
35-49	63	4.2	24	1	1	3	5	9	12	31
50-64	96	5.3	20	1	1	4	7	11	14	23
65+	205	8.3	79	1	2	6	10	18	22	52
B. *Operated*										
0-19 YRS	275	6.3	26	<1	<1	6	9	11	14	29
20-34	229	7.8	29	1	2	8	10	14	17	26
35-49	211	9.1	55	1	2	8	12	17	23	40
50-64	308	8.5	63	1	2	7	11	16	21	49
65+	366	10.5	123	1	2	8	14	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.0	10	1	1	2	3	6	8	14
B. *Operated*	630	5.6	19	<1	1	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	497	6.0	47	1	1	4	7	13	18	32
B. *Operated*	1389	8.6	66	1	1	7	11	16	22	42
1. SINGLE DX	780	5.1	19	<1	1	4	8	10	13	20
2. MULTIPLE DX	1886	7.9	63	1	1	6	10	16	22	40
A. NOT OPERATED	647	5.3	40	1	1	3	6	11	16	31
B. OPERATED	2019	7.7	54	1	1	7	10	15	20	35
TOTAL 0-19 YRS	578	5.9	22	<1	<1	6	8	11	13	19
20-34	466	6.3	24	1	1	5	9	12	16	22
35-49	386	7.0	44	1	1	5	9	15	18	35
50-64	541	6.8	47	1	1	5	9	14	19	32
65+	695	9.0	97	1	2	6	11	20	26	46
GRAND TOTAL	**2666**	**7.1**	**51**	**1**	**1**	**6**	**9**	**14**	**19**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	2	<1	<1	2	3	4	4	4
20-34	81	1.9	2	<1	<1	2	2	4	5	7
35-49	70	2.0	3	<1	1	2	2	3	5	11
50-64	42	2.1	2	1	1	2	3	4	5	5
65+	29	3.0	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	5	2.8	2	1	1	3	4	4	4	4
20-34	21	4.4	10	<1	1	4	6	9	10	12
35-49	42	5.1	9	<1	1	5	8	9	10	12
50-64	60	4.1	13	<1	1	2	6	8	11	19
65+	56	4.3	9	1	1	3	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	29	2.7	3	<1	1	2	3	5	7	8
35-49	36	2.5	4	<1	1	2	3	6	7	10
50-64	41	4.1	25	1	1	2	5	9	14	28
65+	41	5.8	55	1	1	4	6	9	25	36
B. *Operated*										
0-19 YRS	5	3.0	2	1	1	3	4	4	4	4
20-34	36	7.4	86	1	2	5	7	16	32	44
35-49	33	6.6	34	1	1	5	8	14	19	27
50-64	92	6.6	34	1	2	5	8	13	20	31
65+	166	8.0	45	2	2	6	10	16	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	184	4.4	10	1	1	3	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	150	3.9	25	1	1	2	4	7	10	34
B. *Operated*	332	7.3	45	1	2	5	9	15	20	37
1. SINGLE DX	416	3.1	7	<1	1	2	4	7	8	12
2. MULTIPLE DX	482	6.2	41	1	1	4	8	13	19	35
A. NOT OPERATED	382	2.8	12	<1	1	2	3	5	7	17
B. OPERATED	516	6.3	34	1	2	5	8	12	17	33
TOTAL 0-19 YRS	23	2.4	1	<1	1	2	4	4	4	4
20-34	167	3.5	25	<1	1	2	4	7	9	35
35-49	181	3.7	13	<1	1	2	5	8	11	18
50-64	235	4.7	24	1	1	3	6	10	14	26
65+	292	6.4	39	1	2	5	8	13	18	35
GRAND TOTAL	**898**	**4.8**	**28**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.6	3	<1	1	2	3	5	6	8
20-34	34	2.2	2	<1	1	2	3	4	5	6
35-49	24	2.2	2	1	1	2	2	4	6	7
50-64	30	2.4	1	1	1	2	3	4	5	6
65+	36	4.7	12	1	1	3	7	9	12	14
B. *Operated*										
0-19 YRS	49	2.0	2	<1	<1	1	2	4	5	7
20-34	57	2.3	3	<1	<1	2	3	5	6	8
35-49	76	2.7	6	<1	<1	2	3	6	7	15
50-64	123	2.5	5	<1	<1	2	3	4	6	12
65+	191	3.5	10	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	14	1	1	3	4	5	6	26
20-34	81	3.8	17	1	1	3	4	8	12	25
35-49	68	4.7	11	1	1	4	6	10	11	15
50-64	83	4.3	6	1	2	4	6	9	9	11
65+	298	6.6	20	2	2	5	8	13	15	28
B. *Operated*										
0-19 YRS	115	2.4	6	<1	<1	2	3	5	6	14
20-34	170	3.5	8	<1	1	2	5	7	10	14
35-49	182	4.0	18	1	1	2	5	8	12	19
50-64	263	4.4	48	<1	1	3	5	9	11	25
65+	503	6.3	38	1	2	4	8	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.9	5	1	1	2	3	6	8	13
B. *Operated*	496	2.8	7	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	576	5.4	18	1	2	4	7	10	14	26
B. *Operated*	1233	4.8	32	<1	1	3	6	10	15	27
1. SINGLE DX	645	2.9	6	<1	1	2	3	5	8	15
2. MULTIPLE DX	1809	5.0	27	1	1	3	6	10	14	27
A. NOT OPERATED	725	4.9	16	1	1	4	6	10	13	21
B. OPERATED	1729	4.2	25	<1	1	3	5	9	13	23
TOTAL 0-19 YRS	235	2.5	6	<1	<1	2	3	5	6	11
20-34	342	3.3	9	<1	1	2	4	7	8	15
35-49	350	3.7	13	<1	1	2	4	8	11	17
50-64	499	3.8	28	<1	1	3	4	7	10	20
65+	1028	5.8	28	1	2	4	7	12	16	28
GRAND TOTAL	**2454**	**4.4**	**23**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	5	<1	<1	2	4	6	6	6
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	9	3.2	3	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	349	1.5	5	<1	<1	1	1	2	3	10
20-34	231	2.2	3	<1	<1	2	3	4	5	10
35-49	151	2.1	7	<1	<1	2	2	4	5	8
50-64	159	2.8	6	<1	<1	2	4	5	7	14
65+	181	3.1	6	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	3	3
20-34	12	2.3	3	<1	<1	2	3	5	6	6
35-49	5	2.8	12	<1	<1	1	4	9	9	9
50-64	9	4.9	25	1	1	3	7	13	17	17
65+	36	4.7	10	1	2	4	6	11	12	13
B. *Operated*										
0-19 YRS	334	1.7	5	<1	<1	1	2	3	5	9
20-34	302	2.9	13	<1	1	2	3	6	8	20
35-49	244	3.0	9	<1	1	2	3	6	8	17
50-64	314	3.4	9	<1	1	2	4	7	9	16
65+	518	5.4	33	1	1	4	7	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.5	3	<1	1	2	3	5	6	6
B. *Operated*	1071	2.2	6	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	71	3.7	11	<1	<1	3	4	8	11	16
B. *Operated*	1712	3.5	18	<1	<1	2	4	8	10	21
1. SINGLE DX	1093	2.2	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX	1783	3.5	18	<1	<1	2	4	8	10	21
A. NOT OPERATED	93	3.5	9	<1	1	3	4	7	10	15
B. OPERATED	2783	3.0	14	<1	<1	2	3	6	9	17
TOTAL 0-19 YRS	696	1.6	5	<1	<1	1	1	2	4	10
20-34	551	2.6	8	<1	<1	2	3	5	7	12
35-49	401	2.7	8	<1	<1	2	3	5	7	14
50-64	484	3.2	9	<1	<1	2	4	7	9	15
65+	744	4.8	26	1	1	3	6	10	13	21
GRAND TOTAL	**2876**	**3.0**	**13**	**<1**	**<1**	**2**	**4**	**6**	**9**	**17**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	237	2.7	3	1	1	2	3	4	6	9
20-34	131	2.8	4	1	1	2	4	5	6	10
35-49	73	2.8	3	<1	1	2	4	5	6	8
50-64	98	3.1	4	1	1	3	4	5	7	11
65+	208	4.3	11	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	218	2.2	10	<1	<1	1	2	5	8	11
20-34	245	2.9	8	<1	<1	2	4	6	8	15
35-49	229	2.4	6	<1	<1	2	3	5	6	13
50-64	288	2.9	7	<1	1	2	4	6	8	14
65+	364	3.7	17	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	474	3.7	7	1	1	3	5	7	9	14
20-34	531	4.1	14	1	1	3	5	8	11	24
35-49	381	5.0	17	1	2	4	6	9	12	22
50-64	671	5.9	26	1	2	5	7	11	15	25
65+	2720	7.7	44	2	3	6	9	14	19	35
B. *Operated*										
0-19 YRS	351	2.5	6	<1	<1	1	3	7	9	12
20-34	379	4.4	41	<1	<1	2	5	11	13	24
35-49	414	4.6	24	<1	<1	3	6	10	12	27
50-64	796	6.1	63	1	1	4	8	12	18	40
65+	1589	7.8	57	1	2	5	10	16	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	3.2	6	1	1	3	4	6	7	12
B. *Operated*	1344	2.9	10	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	4777	6.5	35	1	2	5	8	12	16	32
B. *Operated*	3529	6.2	51	<1	1	4	8	13	19	35
1. SINGLE DX	2091	3.0	9	<1	<1	2	4	6	8	13
2. MULTIPLE DX	8306	6.3	42	1	1	5	8	13	17	33
A. NOT OPERATED	5524	6.0	32	1	2	5	7	12	16	29
B. OPERATED	4873	5.3	42	<1	1	3	6	11	16	32
TOTAL 0-19 YRS	1280	2.9	7	<1	<1	2	4	6	8	12
20-34	1286	3.8	20	<1	1	3	5	7	11	21
35-49	1097	4.1	17	<1	1	3	5	8	11	21
50-64	1853	5.4	39	1	1	4	7	11	15	31
65+	4881	7.3	47	1	2	5	9	14	20	35
GRAND TOTAL	**10397**	**5.7**	**37**	**<1**	**1**	**4**	**7**	**12**	**16**	**31**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	3.7	6	1	1	3	5	7	9	9
65+	30	2.9	4	<1	1	3	4	6	6	8
B. *Operated*										
0-19 YRS	7	5.3	6	<1	1	6	6	8	9	9
20-34	6	4.0	10	<1	<1	3	6	9	9	9
35-49	83	3.0	4	<1	<1	2	5	5	6	8
50-64	1497	4.7	5	1	2	5	6	7	9	11
65+	2564	5.4	8	2	2	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.4	3	1	1	3	5	5	5	5
50-64	72	3.9	21	<1	1	2	5	8	12	28
65+	277	5.8	70	<1	1	4	7	12	15	49
B. *Operated*										
0-19 YRS	7	6.1	35	<1	1	5	6	16	19	19
20-34	8	5.1	43	<1	1	3	4	16	21	21
35-49	117	4.8	13	1	1	4	6	7	10	21
50-64	2067	6.1	16	2	2	5	7	10	13	22
65+	5725	7.7	29	2	4	6	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.1	4	<1	1	3	4	6	7	9
B. *Operated*	4157	5.1	7	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	354	5.4	60	<1	1	3	6	11	15	41
B. *Operated*	7924	7.2	26	2	3	6	8	13	16	26
1. SINGLE DX	4201	5.1	7	1	2	5	6	8	10	14
2. MULTIPLE DX	8278	7.2	27	2	3	6	8	13	16	26
A. NOT OPERATED	398	5.1	54	<1	1	3	6	11	14	39
B. OPERATED	12081	6.5	20	2	3	5	8	11	15	23
TOTAL 0-19 YRS	14	5.7	19	<1	<1	5	6	10	17	19
20-34	15	4.4	26	<1	<1	3	5	9	18	21
35-49	206	4.0	9	<1	1	4	5	7	9	20
50-64	3648	5.5	12	1	2	5	6	9	11	19
65+	8596	6.9	25	2	3	6	8	12	15	26
GRAND TOTAL	**12479**	**6.5**	**22**	**2**	**2**	**5**	**8**	**11**	**15**	**23**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.0	23	<1	<1	2	4	13	15	15
20-34	21	2.4	2	<1	1	2	3	4	5	6
35-49	34	3.6	5	1	1	3	4	7	8	11
50-64	39	3.5	5	1	1	3	4	6	7	13
65+	26	3.5	5	1	1	3	4	7	8	10
B. *Operated*										
0-19 YRS	5	1.4		<1	<1	<1	2	2	2	2
20-34	24	2.6	5	<1	<1	2	3	6	8	9
35-49	30	2.1	4	<1	<1	1	2	4	7	9
50-64	48	2.5	7	<1	<1	2	2	6	8	14
65+	40	3.3	7	1	1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	2	2	2	3	4	4	4
20-34	37	3.9	7	1	1	3	6	8	9	11
35-49	42	3.5	2	1	2	3	4	5	6	7
50-64	96	4.2	6	1	2	4	5	7	9	15
65+	115	5.3	17	2	2	5	6	9	12	27
B. *Operated*										
0-19 YRS	11	5.4	46	<1	<1	2	7	17	22	22
20-34	47	2.7	11	<1	<1	1	3	6	9	21
35-49	67	3.7	9	<1	1	3	5	8	10	13
50-64	151	4.8	30	1	1	4	6	8	13	35
65+	181	6.5	25	1	2	5	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.4	5	1	1	3	4	6	8	13
B. *Operated*	147	2.6	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	295	4.5	10	1	2	4	5	7	9	17
B. *Operated*	457	5.1	25	<1	1	4	6	10	14	22
1. SINGLE DX	276	3.0	6	<1	<1	2	4	6	8	13
2. MULTIPLE DX	752	4.9	19	1	1	4	6	9	12	21
A. NOT OPERATED	424	4.1	9	1	2	4	5	7	9	14
B. OPERATED	604	4.5	21	<1	1	3	6	9	13	21
TOTAL 0-19 YRS	30	3.8	25	<1	<1	2	2	11	15	22
20-34	129	3.0	7	<1	<1	2	4	7	8	13
35-49	173	3.3	6	<1	1	3	4	7	8	12
50-64	334	4.2	18	<1	1	3	5	7	10	21
65+	362	5.5	20	1	2	5	7	10	14	21
GRAND TOTAL	**1028**	**4.4**	**16**	**<1**	**1**	**3**	**5**	**8**	**10**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	<1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	240	1.6	1	<1	<1	1	2	3	3	4
20-34	97	2.3	1	<1	1	2	3	4	4	5
35-49	88	2.3	1	<1	1	2	3	4	4	7
50-64	200	2.5	2	1	1	2	3	4	5	7
65+	108	2.9	3	1	1	3	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	6.6	8	3	3	6	9	10	10	10
B. *Operated*										
0-19 YRS	215	1.8	1	<1	<1	1	2	3	4	6
20-34	55	3.3	6	1	1	3	4	7	8	13
35-49	52	3.3	4	1	1	3	4	6	8	10
50-64	141	3.9	18	1	2	3	4	6	8	18
65+	139	4.5	14	1	2	3	5	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.6		<1	<1	2	2	2	2	2
B. *Operated*	733	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	18	3.0	8	<1	<1	2	4	8	10	10
B. *Operated*	602	3.2	10	<1	<1	2	4	6	8	15
1. SINGLE DX	742	2.2	2	<1	1	2	3	4	4	7
2. MULTIPLE DX	620	3.2	10	<1	<1	2	4	6	8	15
A. NOT OPERATED	27	2.5	6	<1	<1	2	3	6	9	10
B. OPERATED	1335	2.6	6	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	470	1.7	1	<1	<1	1	2	3	3	5
20-34	154	2.6	3	1	1	2	3	4	5	12
35-49	141	2.6	3	<1	1	2	3	4	6	9
50-64	344	3.0	9	1	1	3	3	5	6	13
65+	253	3.8	10	1	1	3	4	7	10	17
GRAND TOTAL	**1362**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.4	5	1	1	3	5	7	8	10
20-34	100	4.0	7	1	1	3	5	7	8	15
35-49	61	4.1	5	1	2	4	5	8	9	11
50-64	37	4.8	11	1	2	4	5	8	12	19
65+	28	5.5	7	2	2	5	7	9	10	11
B. *Operated*										
0-19 YRS	29	1.9	2	1	1	2	2	3	4	9
20-34	74	3.3	5	1	1	2	4	6	9	12
35-49	47	2.7	2	1	1	3	3	5	6	7
50-64	34	3.3	4	1	1	3	4	6	7	9
65+	31	4.3	5	2	2	4	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	6	<1	1	4	5	8	9	9
20-34	56	4.9	11	1	1	4	6	10	12	16
35-49	38	5.0	14	1	2	4	6	7	12	22
50-64	54	6.0	34	2	2	5	7	9	10	43
65+	108	6.2	10	2	3	6	8	10	12	18
B. *Operated*										
0-19 YRS	32	3.1	8	1	1	2	4	7	11	12
20-34	40	4.2	7	1	1	4	6	8	9	13
35-49	42	4.6	11	1	2	3	5	10	12	14
50-64	60	6.3	34	1	1	5	8	11	17	32
65+	62	9.3	87	1	2	6	12	19	24	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	4.2	7	1	1	4	5	8	9	14
B. *Operated*	215	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	272	5.6	16	1	2	5	7	9	12	19
B. *Operated*	236	6.0	40	1	1	4	7	12	18	34
1. SINGLE DX	489	3.7	6	1	1	3	5	7	9	12
2. MULTIPLE DX	508	5.8	27	1	2	5	7	10	14	27
A. NOT OPERATED	546	4.9	12	1	2	4	6	9	10	16
B. OPERATED	451	4.6	25	1	1	3	5	9	12	26
TOTAL 0-19 YRS	125	3.1	6	1	1	2	4	7	8	12
20-34	270	4.0	7	1	1	3	5	7	9	14
35-49	188	4.0	8	1	1	3	5	8	9	14
50-64	185	5.4	25	1	2	4	6	9	12	31
65+	229	6.7	32	2	2	5	8	11	18	31
GRAND TOTAL	**997**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.1		<1	<1	1	1	1	2	3
20-34	10	1.5	1	<1	<1	1	1	3	4	4
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	7	1.3		<1	<1	1	2	2	2	2
65+	4	1.8	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	416	1.2		<1	<1	<1	1	2	2	3
20-34	103	1.4		<1	<1	1	2	2	2	4
35-49	60	1.5		<1	<1	1	2	2	3	4
50-64	44	1.6		<1	<1	2	2	2	3	4
65+	22	1.9	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.4	1	<1	<1	1	1	2	3	5
20-34	5	3.8	9	1	1	2	7	7	7	7
35-49	4	2.5	6	<1	<1	1	4	6	6	6
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	10	2.6	3	1	1	2	5	5	5	5
B. *Operated*										
0-19 YRS	83	1.5		<1	<1	1	2	2	2	4
20-34	51	1.7	1	<1	<1	2	2	3	4	6
35-49	58	1.9	2	<1	<1	1	2	4	5	10
50-64	55	2.3	4	<1	1	2	3	5	7	9
65+	67	3.4	14	<1	1	2	3	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	1.3		<1	<1	1	1	2	3	4
B. *Operated*	645	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	46	2.0	3	<1	<1	1	2	5	6	7
B. *Operated*	314	2.1	5	<1	<1	2	2	4	5	11
1. SINGLE DX	694	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX	360	2.1	5	<1	<1	2	2	4	5	10
A. NOT OPERATED	95	1.6	2	<1	<1	1	2	3	5	7
B. OPERATED	959	1.6	2	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	543	1.3		<1	<1	1	1	2	2	3
20-34	169	1.6	1	<1	<1	1	2	2	3	7
35-49	128	1.7	1	<1	<1	1	2	3	4	7
50-64	111	1.9	2	<1	<1	2	2	3	5	9
65+	103	2.9	10	<1	<1	2	3	5	8	19
GRAND TOTAL	**1054**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.7	1	<1	<1	1	2	3	4	5
20-34	23	2.7	4	<1	<1	2	4	5	6	8
35-49	21	2.2	2	1	1	2	3	4	5	6
50-64	14	3.6	28	<1	<1	2	3	8	18	21
65+	4	3.5	10	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	393	1.9	3	<1	1	1	2	3	4	9
20-34	358	2.0	2	<1	1	2	2	3	4	9
35-49	207	2.4	3	<1	<1	2	3	4	5	10
50-64	216	2.8	5	1	1	2	3	5	6	8
65+	114	3.1	4	1	1	3	3	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.7	4	1	1	2	4	6	7	7
20-34	21	4.2	25	<1	<1	2	5	12	17	20
35-49	17	4.9	12	1	1	4	7	10	11	12
50-64	21	5.3	17	1	1	4	7	9	15	19
65+	27	6.1	43	1	1	4	8	13	17	32
B. *Operated*										
0-19 YRS	146	2.1	3	<1	<1	2	2	3	5	12
20-34	205	2.9	29	<1	1	2	3	5	7	12
35-49	188	3.7	22	<1	1	2	4	7	10	32
50-64	313	3.9	17	1	1	3	4	6	9	27
65+	198	4.9	22	1	2	3	5	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.5	7	<1	<1	2	3	5	6	17
B. *Operated*	1288	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	107	4.7	22	1	1	3	6	10	13	25
B. *Operated*	1050	3.6	20	<1	1	3	4	7	10	25
1. SINGLE DX	1370	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1157	3.7	20	<1	1	3	4	7	10	25
A. NOT OPERATED	189	3.8	17	<1	1	2	5	8	12	21
B. OPERATED	2338	2.9	11	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	580	2.0	3	<1	1	1	2	3	5	10
20-34	607	2.4	12	<1	1	2	3	4	5	11
35-49	433	3.0	12	<1	1	2	3	6	9	17
50-64	564	3.5	13	1	1	3	4	6	8	21
65+	343	4.4	18	1	1	3	5	9	12	28
GRAND TOTAL	**2527**	**2.9**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	1.8	1	<1	<1	2	2	3	3	3
35-49	10	1.9	2	<1	<1	1	3	4	5	5
50-64										
65+	4	1.5		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	54	1.7	1	<1	<1	1	2	3	3	6
20-34	615	1.8	2	<1	<1	1	2	3	5	7
35-49	1335	2.1	2	<1	<1	2	2	3	5	7
50-64	722	2.0	1	<1	<1	2	2	3	4	6
65+	271	2.1	1	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	3	2	2	3	5	6	6	6
35-49	15	1.4		<1	<1	1	2	2	2	2
50-64	6	2.8	5	<1	<1	2	3	7	7	7
65+	7	2.7	9	<1	<1	1	3	8	9	9
B. *Operated*										
0-19 YRS	19	1.7	1	<1	<1	2	2	3	4	4
20-34	253	2.8	6	<1	<1	2	4	6	7	14
35-49	732	2.9	4	<1	<1	2	4	6	7	11
50-64	492	3.0	4	<1	1	2	4	6	7	12
65+	246	3.3	10	1	1	2	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.8	1	<1	<1	1	2	4	4	5
B. *Operated*	2997	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	32	2.2	4	<1	<1	2	2	5	7	9
B. *Operated*	1742	3.0	5	<1	1	2	4	6	7	12
1. SINGLE DX	3017	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	1774	3.0	5	<1	1	2	4	6	7	12
A. NOT OPERATED	52	2.0	3	<1	<1	1	2	4	6	9
B. OPERATED	4739	2.3	3	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	74	1.7	1	<1	<1	1	2	3	3	6
20-34	877	2.1	3	<1	<1	2	2	4	6	9
35-49	2092	2.4	3	<1	<1	2	3	5	6	9
50-64	1220	2.4	3	<1	<1	2	3	4	6	8
65+	528	2.7	6	<1	1	2	3	4	6	11
GRAND TOTAL	**4791**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.0	2	<1	1	3	4	5	6	6
20-34	38	3.3	5	1	1	3	4	5	6	15
35-49	20	5.0	26	1	1	3	5	13	18	20
50-64	7	5.0	13	1	1	5	7	10	11	11
65+	4	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	220	2.5	2	<1	1	2	3	4	5	7
20-34	513	2.7	4	<1	<1	2	4	4	5	9
35-49	300	2.4	2	<1	<1	2	3	5	5	7
50-64	327	2.7	3	<1	1	2	3	5	5	8
65+	132	2.4	3	<1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	24	2.7	7	<1	<1	2	3	6	8	12
35-49	21	2.8	6	<1	<1	1	4	7	8	9
50-64	26	3.9	13	<1	<1	2	6	11	11	12
65+	26	4.1	25	<1	<1	2	5	9	16	21
B. *Operated*										
0-19 YRS	58	3.0	2	<1	1	3	4	5	6	8
20-34	279	3.2	3	<1	1	3	4	5	6	11
35-49	291	3.4	5	<1	1	3	4	6	7	10
50-64	261	3.8	13	<1	1	3	5	6	8	12
65+	154	3.9	13	1	1	3	4	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.7	11	1	1	3	4	6	10	19
B. *Operated*	1492	2.6	3	<1	<1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	103	3.3	13	<1	<1	2	4	8	11	18
B. *Operated*	1043	3.5	8	<1	1	3	4	6	8	12
1. SINGLE DX	1574	2.6	3	<1	<1	2	3	5	5	9
2. MULTIPLE DX	1146	3.5	8	<1	1	3	4	6	8	12
A. NOT OPERATED	185	3.5	12	<1	1	2	4	8	11	19
B. OPERATED	2535	3.0	5	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	297	2.6	2	<1	1	2	3	4	5	7
20-34	854	2.9	4	<1	1	3	4	5	5	11
35-49	632	3.0	5	<1	1	2	4	5	6	10
50-64	621	3.2	8	<1	1	3	4	6	7	11
65+	316	3.3	10	<1	1	2	4	6	9	17
GRAND TOTAL	**2720**	**3.0**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**11**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.1	3	<1	1	2	3	4	4	9
20-34	370	2.0	1	1	1	2	2	4	4	6
35-49	66	2.2	3	1	1	2	2	4	7	9
50-64	6	2.0	2	<1	<1	2	3	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	312	3.8	4	1	1	4	5	6	7	10
20-34	1177	4.0	5	1	1	4	5	6	7	11
35-49	264	5.1	4	1	2	5	6	7	8	11
50-64	48	6.1	7	2	3	6	7	8	9	20
65+	15	6.7	9	3	5	6	7	9	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.5	2	<1	1	2	3	4	5	7
20-34	236	2.5	3	<1	1	2	3	5	6	10
35-49	60	3.4	8	1	1	3	4	7	9	14
50-64	4	3.5	2	2	2	3	4	5	5	5
65+	4	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
0-19 YRS	310	4.5	4	1	2	4	6	7	8	10
20-34	1898	4.9	6	1	2	5	6	8	9	13
35-49	711	6.4	15	3	4	6	7	9	11	16
50-64	117	6.9	9	4	5	6	8	10	12	20
65+	66	9.9	26	5	6	8	11	17	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	583	2.0	2	1	1	2	2	4	4	8
B. *Operated*	1816	4.2	5	1	1	4	5	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	372	2.7	4	1	1	2	3	5	6	11
B. *Operated*	3102	5.4	9	1	2	5	6	8	10	15
1. SINGLE DX	2399	3.6	5	1	1	4	5	6	7	11
2. MULTIPLE DX	3474	5.1	9	1	2	5	6	8	9	15
A. NOT OPERATED	955	2.3	3	1	1	2	3	4	5	9
B. OPERATED	4918	4.9	8	1	2	5	6	8	9	14
TOTAL 0-19 YRS	830	3.6	4	1	1	3	5	6	7	10
20-34	3681	4.2	6	1	1	4	5	7	8	12
35-49	1101	5.7	13	1	2	6	7	8	10	15
50-64	175	6.4	9	2	4	6	7	9	11	20
65+	86	9.0	24	5	5	8	10	15	19	27
GRAND TOTAL	**5873**	**4.5**	**8**	**1**	**1**	**5**	**6**	**7**	**9**	**14**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	534	4.0	4	1	2	4	5	7	8	10
20-34	1252	4.1	5	1	2	4	5	7	9	11
35-49	154	4.5	5	1	2	4	6	7	9	11
50-64	14	4.5	2	3	3	4	6	6	8	8
65+	3	6.0	13	3	3	5	9	10	10	10
B. *Operated*										
0-19 YRS	183	4.8	12	<1	1	4	6	8	10	15
20-34	949	4.4	9	<1	<1	4	6	8	10	14
35-49	221	5.5	11	<1	1	5	7	9	11	16
50-64	38	6.7	13	1	2	6	9	10	12	21
65+	9	7.6	69	1	2	5	8	22	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	292	4.5	7	2	2	4	6	8	9	15
20-34	885	4.6	8	1	2	4	6	8	10	14
35-49	120	5.1	7	1	2	5	7	9	10	12
50-64	15	8.9	34	3	4	7	11	18	22	23
65+	12	7.9	37	2	2	7	11	19	20	20
B. *Operated*										
0-19 YRS	308	5.7	13	1	2	5	7	10	11	15
20-34	2632	5.5	12	<1	1	5	7	9	11	18
35-49	770	6.7	14	1	3	6	8	11	13	23
50-64	104	8.3	27	2	5	7	9	15	23	61
65+	47	14.7	152	2	5	10	20	35	43	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1957	4.1	5	1	2	4	5	7	8	11
B. *Operated*	1400	4.7	11	<1	1	5	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	1324	4.7	8	1	2	4	6	8	10	15
B. *Operated*	3861	5.9	16	1	1	6	7	10	12	21
1. SINGLE DX	3357	4.4	7	1	1	4	6	8	9	13
2. MULTIPLE DX	5185	5.6	14	1	2	5	7	9	11	20
A. NOT OPERATED	3281	4.4	6	1	2	4	6	7	9	13
B. OPERATED	5261	5.6	15	<1	1	5	7	9	11	20
TOTAL 0-19 YRS	1317	4.6	8	1	2	4	6	8	10	14
20-34	5718	4.9	10	1	1	5	6	8	10	16
35-49	1265	6.1	12	1	2	6	7	10	12	18
50-64	171	7.7	24	2	3	6	9	15	18	28
65+	71	12.3	126	2	3	8	17	28	42	50
GRAND TOTAL	**8542**	**5.1**	**12**	**1**	**1**	**5**	**6**	**9**	**11**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	43	3.1	4	<1	1	3	3	7	8	9
35-49	11	3.2	5	1	1	3	5	6	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	26	2.6	5	<1	<1	1	5	6	6	7
20-34	730	4.1	5	<1	<1	5	6	7	8	10
35-49	373	5.2	5	<1	1	6	6	7	8	11
50-64	28	5.1	8	<1	1	5	6	8	11	12
65+	6	2.2	4	<1	<1	1	2	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	10	3	3	8	9	9	9	9
20-34	52	3.4	5	<1	1	3	5	6	7	10
35-49	20	6.0	74	<1	1	4	6	9	25	41
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	40	4.4	7	<1	1	4	6	7	8	15
20-34	2354	5.3	6	1	1	5	6	8	9	12
35-49	2451	6.3	6	3	4	6	7	8	10	15
50-64	283	6.6	5	4	5	6	7	9	10	15
65+	40	6.9	11	2	3	6	9	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.1	4	1	1	3	4	6	8	9
B. *Operated*	1163	4.4	6	<1	<1	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	77	4.1	24	<1	1	3	6	7	9	33
B. *Operated*	5168	5.8	6	1	3	6	7	8	9	14
1. SINGLE DX	1223	4.3	6	<1	<1	5	6	7	8	10
2. MULTIPLE DX	5245	5.8	7	1	3	6	7	8	9	14
A. NOT OPERATED	137	3.7	15	<1	1	3	4	7	8	14
B. OPERATED	6331	5.6	7	1	2	6	7	8	9	13
TOTAL 0-19 YRS	73	3.8	7	<1	<1	3	5	7	8	14
20-34	3179	5.0	6	<1	1	5	6	7	8	12
35-49	2855	6.1	7	2	4	6	7	8	9	15
50-64	314	6.4	5	2	4	6	7	9	11	15
65+	47	6.2	13	<1	2	6	8	10	13	18
GRAND TOTAL	**6468**	**5.5**	**7**	**1**	**2**	**6**	**7**	**8**	**9**	**13**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	100	2.6	4	<1	<1	2	4	6	6	8
35-49	59	2.8	5	<1	<1	2	5	6	7	7
50-64	26	1.7	3	<1	<1	1	2	2	7	7
65+	18	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	7	2.1	2	1	1	2	2	4	5	5
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.6	4	<1	<1	2	5	6	6	6
20-34	372	4.8	9	<1	1	5	6	8	9	15
35-49	401	5.3	8	<1	1	6	7	8	9	14
50-64	115	3.9	9	<1	<1	3	6	8	9	11
65+	34	4.7	9	1	1	5	7	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	3	1	1	3	4	5	5	5
B. *Operated*	204	2.5	4	<1	<1	1	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	11	3.0	3	1	1	2	4	5	6	6
B. *Operated*	933	4.9	8	<1	1	5	7	8	9	14
1. SINGLE DX	209	2.5	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX	944	4.8	8	<1	1	5	6	8	9	14
A. NOT OPERATED	16	3.0	3	1	1	3	4	5	6	6
B. OPERATED	1137	4.4	8	<1	1	5	6	8	8	13
TOTAL 0-19 YRS	15	2.7	3	<1	<1	2	4	5	6	6
20-34	483	4.3	8	<1	1	5	6	7	8	15
35-49	462	5.0	8	<1	1	5	7	8	9	13
50-64	141	3.5	8	<1	<1	2	6	7	9	11
65+	52	3.6	8	<1	1	2	6	8	9	12
GRAND TOTAL	**1153**	**4.4**	**8**	**<1**	**1**	**5**	**6**	**7**	**8**	**13**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.3	4	<1	1	3	4	6	7	9
20-34	96	3.5	3	1	2	3	4	6	7	9
35-49	18	3.7	4	1	2	3	4	6	8	10
50-64	4	4.3	5	2	2	4	6	7	7	7
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	45	1.7	1	<1	<1	1	2	3	3	4
20-34	401	1.7	1	<1	<1	1	2	3	4	7
35-49	146	1.7	1	<1	<1	1	2	3	4	6
50-64	54	1.7	1	<1	<1	1	2	3	4	7
65+	17	2.5	5	<1	<1	2	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	6	1	1	3	5	8	9	10
20-34	120	4.3	8	1	2	4	5	7	9	16
35-49	28	4.0	4	<1	1	4	5	7	8	9
50-64	7	8.7	29	3	3	8	11	18	19	19
65+	23	8.2	32	1	2	7	10	20	21	21
B. *Operated*										
0-19 YRS	36	3.4	10	<1	<1	2	4	8	11	14
20-34	301	3.8	11	<1	<1	3	6	8	9	13
35-49	161	3.8	14	<1	1	3	6	8	10	15
50-64	60	5.9	154	<1	1	3	7	11	15	87
65+	35	5.7	30	1	1	4	8	12	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.5	3	1	1	3	4	6	7	10
B. *Operated*	663	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	217	4.7	12	1	2	4	6	9	11	20
B. *Operated*	593	4.1	28	<1	1	3	6	8	10	18
1. SINGLE DX	811	2.0	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX	810	4.3	24	<1	1	3	6	8	10	20
A. NOT OPERATED	365	4.2	9	1	2	4	5	7	9	20
B. OPERATED	1256	2.8	15	<1	<1	2	3	6	8	15
TOTAL 0-19 YRS	148	2.9	6	<1	1	2	4	7	8	12
20-34	918	2.9	7	<1	<1	2	4	6	8	11
35-49	353	3.0	8	<1	<1	2	4	6	8	14
50-64	125	4.2	81	<1	<1	2	4	8	12	39
65+	77	5.6	28	<1	1	4	8	12	19	23
GRAND TOTAL	**1621**	**3.2**	**14**	**<1**	**<1**	**2**	**4**	**7**	**8**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	9	3.6	6	<1	<1	3	6	7	7	7
20-34	251	5.4	3	2	3	5	6	8	8	10
35-49	441	5.7	5	2	3	6	7	8	9	12
50-64	584	6.3	5	3	4	6	7	9	10	14
65+	525	6.9	7	4	4	6	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	1.3		<1	<1	1	1	2	3	3
35-49	21	2.1	3	<1	<1	1	3	5	6	6
50-64	35	3.0	7	<1	<1	2	5	6	8	13
65+	53	3.5	9	<1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS	6	6.0	8	2	2	6	8	10	10	10
20-34	1061	6.1	8	3	4	6	7	8	9	12
35-49	1983	6.5	5	4	4	6	7	9	10	14
50-64	1599	7.2	8	4	5	7	8	10	12	18
65+	1241	8.0	14	4	5	7	9	12	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	1810	6.2	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	121	2.9	7	<1	<1	2	4	6	8	12
B. *Operated*	5890	6.9	9	4	4	6	8	10	12	17
1. SINGLE DX	1819	6.2	6	3	4	6	7	9	10	14
2. MULTIPLE DX	6011	6.8	9	4	4	6	8	10	12	17
A. NOT OPERATED	130	2.8	7	<1	<1	1	4	6	8	12
B. OPERATED	7700	6.8	8	4	4	6	8	10	11	17
TOTAL 0-19 YRS	16	4.6	7	<1	1	5	6	8	9	10
20-34	1325	5.9	7	3	4	6	7	8	9	11
35-49	2448	6.3	5	3	4	6	7	9	10	13
50-64	2219	6.9	8	4	4	6	8	10	12	17
65+	1822	7.6	12	3	4	7	9	11	13	21
GRAND TOTAL	**7830**	**6.7**	**8**	**3**	**4**	**6**	**8**	**10**	**11**	**17**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	1.3	1	<1	<1	1	1	3	3	3
20-34	86	1.3	1	<1	<1	1	1	2	2	7
35-49	130	1.6	2	<1	<1	1	1	4	5	7
50-64	13	1.8	2	<1	<1	1	2	4	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	2.7	7	1	1	2	4	7	8	8
35-49	6	5.8	57	1	1	3	5	19	21	21
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	133	3.3	8	<1	<1	2	6	7	8	14
35-49	173	3.7	8	<1	<1	3	6	7	8	13
50-64	21	4.4	9	<1	<1	5	7	8	9	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	3	1	1	2	3	5	5	5
B. *Operated*	236	1.5	2	<1	<1	1	1	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	3.9	26	1	1	2	4	8	18	21
B. *Operated*	333	3.5	8	<1	<1	2	6	7	8	13
1. SINGLE DX	241	1.5	2	<1	<1	1	1	3	4	7
2. MULTIPLE DX	348	3.6	9	<1	<1	2	6	7	8	14
A. NOT OPERATED	20	3.6	20	1	1	2	4	7	14	21
B. OPERATED	569	2.7	7	<1	<1	1	4	6	7	11
TOTAL 0-19 YRS	14	1.5	1	<1	<1	1	2	3	3	3
20-34	229	2.5	6	<1	<1	1	4	6	7	12
35-49	310	2.8	8	<1	<1	1	5	6	7	12
50-64	36	3.4	8	<1	<1	2	6	7	8	11
65+										
GRAND TOTAL	**589**	**2.7**	**7**	**<1**	**<1**	**1**	**4**	**6**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	1.5	1	<1	<1	1	2	3	3	4
20-34	88	1.5	1	<1	<1	1	2	2	3	6
35-49	39	1.5	1	<1	<1	1	2	2	3	6
50-64	5	2.0	3	<1	<1	1	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	142	1.4	1	<1	<1	1	1	2	3	4
20-34	1570	1.7	3	<1	<1	1	2	4	5	7
35-49	1730	1.9	4	<1	<1	1	2	5	6	8
50-64	215	1.6	2	<1	<1	1	2	2	5	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.2	4	<1	1	2	2	4	5	15
20-34	115	2.2	3	<1	<1	2	3	5	6	9
35-49	101	2.2	5	<1	<1	1	3	5	6	12
50-64	15	1.7	1	<1	1	1	2	3	4	4
65+										
B. *Operated*										
0-19 YRS	133	2.2	3	<1	<1	2	3	5	6	8
20-34	2506	3.7	8	<1	<1	3	6	7	8	11
35-49	3722	4.2	9	<1	<1	5	6	7	8	12
50-64	447	3.6	7	<1	<1	2	6	7	8	12
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	3657	1.8	3	<1	<1	1	2	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	284	2.2	4	<1	<1	1	3	4	6	11
B. *Operated*	6808	3.9	8	<1	<1	4	6	7	8	12
1. SINGLE DX	3821	1.8	3	<1	<1	1	2	4	6	7
2. MULTIPLE DX	7092	3.9	8	<1	<1	4	6	7	8	12
A. NOT OPERATED	448	1.9	3	<1	<1	1	2	4	5	9
B. OPERATED	10465	3.2	8	<1	<1	2	5	7	8	11
TOTAL 0-19 YRS	360	1.8	2	<1	<1	1	2	3	5	7
20-34	4279	2.9	7	<1	<1	2	5	6	7	10
35-49	5592	3.4	8	<1	<1	2	6	7	8	11
50-64	682	2.9	6	<1	<1	2	5	7	8	10
65+										
GRAND TOTAL	**10913**	**3.1**	**7**	**<1**	**<1**	**2**	**5**	**7**	**8**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	1.3	1	<1	<1	1	1	3	3	3
50-64	7	2.6	7	<1	<1	1	5	7	7	7
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	184	1.3	1	<1	<1	1	1	2	3	6
50-64	655	1.3	1	<1	<1	1	1	2	2	6
65+	219	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.4	9	2	2	3	7	9	9	9
35-49	14	3.6	8	<1	<1	3	4	8	10	11
50-64	21	2.7	4	<1	<1	2	3	6	7	8
65+	23	4.3	57	<1	1	2	4	7	20	37
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	6	5.3	6	1	1	6	7	8	8	8
35-49	179	2.7	8	<1	<1	2	3	7	8	13
50-64	746	2.7	7	<1	<1	1	3	7	8	13
65+	379	2.8	7	<1	<1	2	3	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.8	3	<1	<1	1	2	5	7	7
B. *Operated*	1059	1.4	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	63	3.6	24	<1	<1	2	4	7	10	34
B. *Operated*	1312	2.7	7	<1	<1	2	3	7	8	13
1. SINGLE DX	1076	1.4	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX	1375	2.8	8	<1	<1	2	3	7	8	13
A. NOT OPERATED	80	3.2	20	<1	<1	2	4	7	9	29
B. OPERATED	2371	2.1	5	<1	<1	1	2	5	7	10
TOTAL 0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	12	4.6	8	1	1	5	7	8	9	9
35-49	384	2.0	5	<1	<1	1	2	5	7	10
50-64	1429	2.0	5	<1	<1	1	2	5	7	10
65+	624	2.4	7	<1	<1	2	2	5	7	11
GRAND TOTAL	**2451**	**2.2**	**5**	**<1**	**<1**	**1**	**2**	**5**	**7**	**10**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	2	<1	<1	1	2	4	5	5
20-34	59	2.5	3	<1	<1	2	3	4	6	11
35-49	21	2.8	10	<1	1	2	3	6	11	15
50-64	8	3.5	7	<1	<1	3	4	8	9	9
65+	8	2.4	5	<1	<1	1	4	6	6	6
B. *Operated*										
0-19 YRS	107	2.1	2	<1	<1	1	3	4	5	7
20-34	1237	2.6	6	<1	<1	2	4	6	7	10
35-49	853	2.6	7	<1	<1	1	3	6	7	14
50-64	515	2.5	5	<1	<1	2	3	6	7	10
65+	175	2.8	13	<1	<1	2	3	6	9	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.9	4	<1	<1	2	4	5	7	9
20-34	76	2.2	3	<1	<1	2	3	4	6	8
35-49	52	3.0	14	<1	1	2	4	5	7	26
50-64	23	4.8	17	<1	1	4	8	11	13	14
65+	35	4.9	15	<1	1	4	7	11	14	15
B. *Operated*										
0-19 YRS	105	3.6	6	<1	<1	3	5	7	7	10
20-34	1667	4.0	8	<1	<1	4	6	7	8	12
35-49	1806	4.4	10	<1	<1	5	6	8	9	14
50-64	1162	4.7	16	<1	<1	5	7	8	10	21
65+	376	6.3	71	<1	1	4	8	13	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.5	5	<1	<1	2	3	5	6	12
B. *Operated*	2887	2.6	6	<1	<1	1	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	210	3.2	10	<1	1	2	4	7	10	15
B. *Operated*	5116	4.4	15	<1	<1	4	6	8	9	17
1. SINGLE DX	3005	2.6	6	<1	<1	2	3	6	7	12
2. MULTIPLE DX	5326	4.4	15	<1	<1	4	6	8	9	17
A. NOT OPERATED	328	3.0	8	<1	<1	2	4	6	9	14
B. OPERATED	8003	3.8	13	<1	<1	2	6	7	9	15
TOTAL 0-19 YRS	258	2.7	4	<1	<1	2	4	6	7	9
20-34	3039	3.3	7	<1	<1	2	5	6	8	11
35-49	2732	3.8	10	<1	<1	3	6	7	8	14
50-64	1708	4.0	14	<1	<1	3	6	8	9	17
65+	594	5.2	52	<1	<1	2	7	11	15	33
GRAND TOTAL	**8331**	**3.7**	**13**	**<1**	**<1**	**2**	**6**	**7**	**9**	**15**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	1.9	2	<1	1	2	2	3	4	8
20-34	204	1.9	2	<1	<1	1	2	4	4	7
35-49	33	2.4	2	<1	<1	2	4	4	5	7
50-64	6	5.3	35	<1	<1	2	13	13	13	13
65+	12	2.8	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	90	1.8	2	<1	<1	1	2	4	5	6
20-34	1002	2.8	5	<1	<1	2	5	6	7	9
35-49	446	5.1	8	<1	1	5	7	8	10	14
50-64	310	7.0	8	2	4	7	8	10	11	15
65+	198	7.6	16	2	4	7	9	11	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.7	1	<1	<1	1	2	3	4	6
20-34	245	2.3	3	<1	<1	2	3	5	6	9
35-49	59	2.7	5	<1	1	2	4	6	7	11
50-64	19	3.1	5	1	1	2	5	7	8	8
65+	18	5.7	18	<1	1	4	8	12	14	15
B. *Operated*										
0-19 YRS	109	2.9	5	<1	<1	2	4	6	7	9
20-34	2383	4.4	10	<1	<1	5	6	7	8	13
35-49	1436	6.0	8	1	2	6	7	9	10	15
50-64	531	7.7	14	4	5	7	9	11	14	23
65+	310	9.1	32	3	5	8	10	14	18	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*	2046	4.4	11	<1	<1	4	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	423	2.4	4	<1	1	2	3	5	7	11
B. *Operated*	4769	5.5	13	<1	1	6	7	9	11	17
1. SINGLE DX	2408	4.0	10	<1	<1	3	6	8	9	13
2. MULTIPLE DX	5192	5.3	13	<1	1	5	7	9	10	17
A. NOT OPERATED	785	2.2	3	<1	<1	2	3	4	6	11
B. OPERATED	6815	5.2	13	<1	<1	5	7	9	10	16
TOTAL 0-19 YRS	388	2.1	3	<1	<1	1	3	4	5	8
20-34	3834	3.7	8	<1	<1	4	6	7	8	11
35-49	1974	5.6	8	<1	1	6	7	9	10	14
50-64	866	7.3	12	2	4	7	8	10	13	21
65+	538	8.3	26	2	4	8	10	12	15	30
GRAND TOTAL	**7600**	**4.9**	**12**	**<1**	**<1**	**5**	**7**	**8**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	1.9	1	1	1	2	3	4	4	4
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	116	4.2	1	3	3	4	5	6	6	8
20-34	1383	4.3	2	2	3	4	5	6	6	9
35-49	134	4.3	2	2	3	4	5	6	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	10	2.0	1	<1	<1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	96	4.7	3	2	3	5	5	7	8	10
20-34	1307	4.7	3	3	3	4	5	6	7	11
35-49	160	5.4	5	3	3	5	6	8	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	1	1	1	2	3	4	4	4
B. *Operated*	1633	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	2	<1	1	2	3	4	5	5
B. *Operated*	1563	4.7	3	3	3	5	5	7	8	11
1. SINGLE DX	1653	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX	1577	4.7	3	3	3	5	5	7	8	11
A. NOT OPERATED	34	2.1	1	1	1	2	3	4	4	5
B. OPERATED	3196	4.5	2	3	3	4	5	6	7	10
TOTAL 0-19 YRS	215	4.4	2	2	3	4	5	6	7	9
20-34	2717	4.4	2	2	3	4	5	6	7	9
35-49	298	4.9	4	3	3	5	5	7	8	12
50-64										
65+										
GRAND TOTAL	**3230**	**4.5**	**2**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.2		<1	<1	1	1	2	2	3
20-34	90	1.3	1	<1	<1	1	1	2	3	5
35-49	15	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	936	1.2		<1	<1	1	1	2	2	3
20-34	1656	1.2		<1	<1	1	1	2	2	4
35-49	192	1.2	1	<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	23	2.2	4	<1	1	2	3	4	7	10
35-49	7	2.0	5	<1	<1	1	2	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	211	1.5	1	<1	<1	1	1	3	4	6
20-34	906	1.8	4	<1	<1	1	2	3	5	8
35-49	296	2.0	15	<1	<1	1	2	4	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	1.2		<1	<1	1	1	2	2	4
B. *Operated*	2784	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	38	1.9	3	<1	1	1	2	4	6	10
B. *Operated*	1413	1.8	6	<1	<1	1	2	3	5	8
1. SINGLE DX	2947	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX	1451	1.8	6	<1	<1	1	2	3	5	8
A. NOT OPERATED	201	1.4	1	<1	<1	1	1	2	3	6
B. OPERATED	4197	1.4	2	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1213	1.2		<1	<1	1	1	2	2	4
20-34	2675	1.4	2	<1	<1	1	1	2	3	6
35-49	510	1.7	9	<1	<1	1	1	3	4	9
50-64										
65+										
GRAND TOTAL	4398	1.4	2	<1	<1	1	1	2	3	6

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	3.3	6	1	1	3	5	6	6	6
1. SINGLE DX	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX	3	3.3	6	1	1	3	5	6	6	6
A. NOT OPERATED										
B. OPERATED	6	2.2	4	<1	<1	1	3	6	6	6
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64										
65+										
GRAND TOTAL	6	2.2	4	<1	<1	1	3	6	6	6

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	1.5	1	<1	<1	1	2	3	4	5
20-34	615	1.4	1	<1	<1	1	1	2	3	5
35-49	52	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	935	1.3	1	<1	<1	1	1	2	3	5
20-34	5170	1.2		<1	<1	1	1	2	2	4
35-49	726	1.2		<1	<1	1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.0	2	<1	<1	2	3	4	4	8
20-34	137	2.0	2	<1	1	2	2	4	5	8
35-49	17	1.5	1	<1	1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	135	1.9	2	<1	1	1	2	4	5	6
20-34	909	1.9	3	<1	<1	1	2	4	5	8
35-49	194	1.6	2	<1	<1	1	2	3	4	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	6831	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	193	1.9	2	<1	1	1	2	4	4	8
B. *Operated*	1238	1.9	3	<1	<1	1	2	4	5	7
1. SINGLE DX	7643	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1431	1.9	3	<1	<1	1	2	4	5	8
A. NOT OPERATED	1005	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	8069	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	1254	1.4	1	<1	<1	1	2	2	3	5
20-34	6831	1.3	1	<1	<1	1	1	2	3	5
35-49	989	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**9074**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.4	2	<1	<1	2	3	5	6	6
20-34	184	2.3	8	<1	<1	2	3	4	5	10
35-49	21	1.6	1	<1	1	1	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	117	1.8	2	<1	<1	1	2	3	5	7
20-34	998	1.3	1	<1	<1	1	1	2	3	5
35-49	146	1.4	8	<1	<1	1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	3	1	1	3	4	4	7	8
20-34	47	2.2	1	<1	1	2	3	4	4	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	40	3.2	11	<1	1	2	4	7	10	17
20-34	290	2.6	9	<1	<1	1	3	6	9	15
35-49	52	3.1	16	<1	<1	2	4	6	7	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.3	6	<1	<1	2	3	4	5	7
B. *Operated*	1261	1.4	2	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	68	2.3	2	1	1	2	3	4	4	8
B. *Operated*	382	2.7	10	<1	<1	2	3	6	8	16
1. SINGLE DX	1526	1.5	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	450	2.6	9	<1	1	2	3	6	8	16
A. NOT OPERATED	333	2.3	5	<1	<1	2	3	4	5	7
B. OPERATED	1643	1.7	4	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	235	2.3	4	<1	<1	2	3	5	6	9
20-34	1519	1.7	3	<1	<1	1	2	3	4	9
35-49	222	1.8	10	<1	<1	1	2	3	4	15
50-64										
65+										
GRAND TOTAL	**1976**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YR5	90	1.6	1	<1	1	1	2	3	3	6
20-34	482	1.8	1	<1	<1	2	2	3	4	7
35-49	36	1.6	1	<1	1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.2	2	1	1	2	4	4	4	4
20-34	15	1.7	1	<1	<1	1	2	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.7	4	1	1	2	4	5	7	7
20-34	103	2.3	3	<1	1	2	3	4	6	9
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	3.2	2	1	1	3	5	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	22	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	120	2.4	3	<1	1	2	3	5	6	9
B. *Operated*	15	3.1	2	<1	1	3	5	5	5	5
1. SINGLE DX	630	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	135	2.4	3	<1	1	2	3	5	6	9
A. NOT OPERATED	728	1.9	2	<1	1	2	2	3	4	7
B. OPERATED	37	2.4	2	<1	<1	2	4	5	5	5
TOTAL 0-19 YRS	111	1.8	2	<1	1	1	2	4	4	7
20-34	613	1.9	2	<1	1	2	2	3	4	7
35-49	41	1.7	1	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**765**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	1	1	1	2	3	4	5
20-34	56	1.9	2	<1	<1	1	3	4	4	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	2.4	3	<1	<1	2	3	4	7	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	1.8	2	<1	<1	1	2	4	4	7
B. *Operated*	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	15	2.3	3	<1	<1	2	3	4	7	8
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
1. SINGLE DX	75	1.9	2	<1	<1	1	3	4	4	7
2. MULTIPLE DX	17	2.3	3	<1	<1	2	3	4	7	8
A. NOT OPERATED	87	1.9	2	<1	<1	1	2	4	4	8
B. OPERATED	5	2.6	1	1	1	3	3	4	4	4
TOTAL 0-19 YRS	16	1.7	2	1	1	1	2	4	5	5
20-34	74	2.0	2	<1	<1	2	3	4	4	8
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
GRAND TOTAL	**92**	**2.0**	**2**	**<1**	**<1**	**1**	**3**	**4**	**4**	**8**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	3.2	11	<1	1	3	4	5	7	21
20-34	634	2.8	6	<1	1	2	3	5	7	13
35-49	64	3.9	10	<1	1	3	5	8	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.3	2	<1	<1	2	4	5	5	5
20-34	67	3.2	9	<1	1	2	4	7	9	15
35-49	8	7.0	32	<1	<1	5	12	14	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.5	8	1	1	3	4	6	10	14
20-34	178	2.9	4	1	1	3	4	5	7	12
35-49	43	4.0	7	1	1	3	5	7	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.6	1	<1	<1	1	2	3	3	3
20-34	72	3.8	11	<1	<1	3	6	8	10	16
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	3.0	7	<1	1	2	3	5	8	14
B. *Operated*	85	3.5	11	<1	<1	3	4	7	13	15
2. MULTIPLE DX										
A. *Not Operated*	255	3.2	5	1	1	3	4	6	8	14
B. *Operated*	86	3.5	10	<1	<1	2	4	8	9	16
1. SINGLE DX	918	3.0	7	<1	1	2	3	6	8	14
2. MULTIPLE DX	341	3.3	6	<1	1	3	4	6	8	14
A. NOT OPERATED	1088	3.0	7	<1	1	2	3	5	8	14
B. OPERATED	171	3.5	10	<1	<1	2	4	7	12	15
TOTAL 0-19 YRS	190	3.2	9	<1	1	3	4	5	7	18
20-34	951	3.0	6	<1	1	2	3	6	8	14
35-49	118	4.1	11	<1	1	3	5	8	11	16
50-64										
65+										
GRAND TOTAL	**1259**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	3.1	4	1	1	3	4	6	7	10
20-34	954	3.4	6	1	1	3	4	6	7	14
35-49	18	3.8	5	1	1	3	4	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	6.4	36	1	1	4	11	15	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.4	8	1	1	3	4	6	8	19
20-34	329	3.8	13	1	2	3	4	7	9	17
35-49	7	4.0	7	1	1	3	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	3.5	7	1	1	3	4	9	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	3.4	6	1	1	3	4	6	7	13
B. *Operated*	9	5.9	34	1	1	2	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	409	3.7	12	1	1	3	4	7	9	17
B. *Operated*	16	3.5	6	1	1	3	4	8	9	9
1. SINGLE DX	1197	3.4	6	1	1	3	4	6	7	13
2. MULTIPLE DX	425	3.7	11	1	1	3	4	7	9	17
A. NOT OPERATED	1597	3.5	7	1	1	3	4	6	8	13
B. OPERATED	25	4.4	16	1	1	3	5	9	14	16
TOTAL 0-19 YRS	291	3.2	5	1	1	3	4	6	7	10
20-34	1306	3.5	8	1	1	3	4	6	8	14
35-49	25	3.9	5	1	1	3	5	8	9	9
50-64										
65+										
GRAND TOTAL	**1622**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	948	1.1		<1	<1	<1	1	1	2	3
20-34	4120	1.1	1	<1	<1	<1	1	1	2	4
35-49	237	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	72	1.2		<1	<1	<1	1	1	3	4
20-34	355	1.2		<1	<1	<1	1	1	2	5
35-49	21	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.7	3	<1	<1	1	2	3	5	11
20-34	354	1.6	3	<1	<1	1	2	3	4	11
35-49	27	1.9	12	<1	<1	<1	1	2	6	19
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	49	1.7	3	<1	<1	1	2	3	5	11
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5305	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	448	1.2		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	463	1.7	3	<1	<1	1	2	3	4	11
B. *Operated*	62	1.5	3	<1	<1	1	1	2	4	11
1. SINGLE DX	5753	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	525	1.6	3	<1	<1	1	2	3	4	11
A. NOT OPERATED	5768	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	510	1.2	1	<1	<1	1	1	2	2	5
TOTAL 0-19 YRS	1112	1.2	1	<1	<1	<1	1	1	2	4
20-34	4878	1.2	1	<1	<1	<1	1	1	2	4
35-49	288	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**6278**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.0	3	<1	<1	1	2	3	5	10
20-34	373	2.8	9	<1	1	2	3	5	7	16
35-49	57	3.2	26	<1	<1	2	3	6	9	35
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.0	16	<1	<1	1	4	10	10	10
20-34	40	2.5	2	<1	1	2	4	5	5	6
35-49	6	4.5	3	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	7	1	1	3	6	8	10	10
20-34	103	3.3	8	<1	1	3	4	7	10	15
35-49	21	5.6	112	1	1	3	5	7	27	51
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	5.3	25	<1	1	4	6	14	17	18
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	2.8	11	<1	<1	2	3	5	7	16
B. *Operated*	51	2.8	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	134	3.7	24	1	1	3	4	7	10	22
B. *Operated*	18	5.3	24	<1	1	4	6	13	16	18
1. SINGLE DX	509	2.8	10	<1	<1	2	3	5	7	16
2. MULTIPLE DX	152	3.9	25	1	1	3	4	7	12	18
A. NOT OPERATED	592	3.0	14	<1	1	2	4	6	8	16
B. OPERATED	69	3.4	10	<1	1	3	4	6	10	17
TOTAL 0-19 YRS	44	2.5	6	<1	<1	2	3	6	10	10
20-34	532	3.0	9	<1	1	2	4	6	7	16
35-49	85	4.0	46	<1	1	2	4	7	9	46
50-64										
65+										
GRAND TOTAL	**661**	**3.1**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	1.8	2	<1	<1	1	2	3	5	8
20-34	368	1.7	2	<1	<1	1	2	3	4	8
35-49	33	1.5	1	<1	<1	1	1	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.3	8	<1	<1	1	2	7	8	8
20-34	37	2.3	14	<1	<1	1	2	5	9	21
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	2	<1	<1	1	3	4	5	5
20-34	120	2.5	6	<1	<1	2	3	5	7	15
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	19	3.6	21	<1	1	2	3	9	16	19
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	1.7	2	<1	<1	1	2	3	4	8
B. *Operated*	46	2.3	12	<1	<1	1	2	6	8	21
2. MULTIPLE DX										
A. *Not Operated*	144	2.4	5	<1	<1	2	3	4	7	15
B. *Operated*	23	3.9	18	<1	1	3	4	7	15	19
1. SINGLE DX	519	1.7	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX	167	2.6	7	<1	<1	2	3	5	7	15
A. NOT OPERATED	617	1.9	3	<1	<1	1	2	3	5	9
B. OPERATED	69	2.8	14	<1	<1	1	3	6	10	21
TOTAL 0-19 YRS	102	2.0	2	<1	<1	1	2	4	5	8
20-34	544	2.0	5	<1	<1	1	2	3	5	13
35-49	40	1.6	1	<1	<1	1	2	3	4	5
50-64										
65+										
GRAND TOTAL	**686**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.5	4	<1	1	3	4	6	7	11
20-34	357	2.9	3	<1	1	3	4	5	6	7
35-49	13	3.1	3	1	1	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.1	5	2	2	3	6	7	7	7
20-34	25	3.4	12	1	1	2	4	6	11	17
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.6	4	1	1	3	5	6	7	10
20-34	371	3.3	4	<1	1	3	4	6	7	10
35-49	9	4.2	5	1	1	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.0	4	1	1	4	5	7	8	8
20-34	28	5.3	23	1	1	4	7	13	15	20
35-49	3	5.7		5	5	6	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	3.1	3	<1	1	3	4	5	6	7
B. *Operated*	33	3.6	10	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	563	3.4	4	<1	1	3	5	6	7	10
B. *Operated*	41	5.0	17	1	1	4	6	11	13	20
1. SINGLE DX	600	3.1	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	604	3.5	5	<1	1	3	5	6	7	12
A. NOT OPERATED	1130	3.3	4	<1	1	3	4	6	7	10
B. OPERATED	74	4.4	14	1	1	3	6	8	13	19
TOTAL 0-19 YRS	398	3.5	4	1	1	3	5	6	7	11
20-34	781	3.2	5	<1	1	3	4	6	7	11
35-49	25	3.8	4	1	1	4	5	6	7	7
50-64										
65+										
GRAND TOTAL	**1204**	**3.3**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 *or* 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.7	15	<1	1	2	4	9	12	18
20-34	217	3.9	8	<1	1	3	5	8	10	13
35-49	36	4.4	9	1	2	3	6	8	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.4	6	<1	<1	2	3	6	8	8
20-34	18	4.3	34	<1	<1	2	4	10	20	25
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.5	9	<1	<1	3	4	7	10	16
20-34	513	3.7	18	<1	1	3	5	7	9	16
35-49	64	4.2	13	1	1	3	5	8	9	24
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.9	11	<1	<1	3	7	8	11	12
20-34	72	4.9	25	1	1	4	6	9	14	29
35-49	5	5.4	19	1	1	7	8	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	3.9	9	<1	1	3	5	8	10	15
B. *Operated*	28	4.0	25	<1	<1	2	5	8	13	25
2. MULTIPLE DX										
A. *Not Operated*	659	3.7	17	<1	1	3	5	7	9	16
B. *Operated*	93	4.8	22	<1	1	4	6	9	12	28
1. SINGLE DX	324	3.9	10	<1	1	3	5	8	10	15
2. MULTIPLE DX	752	3.8	17	<1	1	3	5	7	9	17
A. NOT OPERATED	955	3.8	14	<1	1	3	5	7	9	16
B. OPERATED	121	4.6	22	<1	1	3	6	9	12	27
TOTAL 0-19 YRS	149	3.5	10	<1	<1	2	4	8	11	16
20-34	820	3.8	17	<1	1	3	5	7	9	16
35-49	107	4.4	12	1	1	3	6	8	9	20
50-64										
65+										
GRAND TOTAL	1076	3.9	15	<1	1	3	5	8	10	16

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	565	2.1	5	<1	<1	1	3	4	5	10
20-34	2300	2.1	8	<1	<1	1	2	4	5	15
35-49	134	2.6	11	<1	<1	1	3	6	10	17
50-64										
65+										
B. *Operated*										
0-19 YRS	123	2.3	4	<1	<1	1	3	5	6	12
20-34	1020	2.2	6	<1	<1	1	3	4	5	11
35-49	50	1.8	2	<1	<1	1	2	3	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	180	2.3	3	<1	<1	2	3	5	6	9
20-34	880	2.9	11	<1	<1	2	3	6	10	17
35-49	50	2.3	3	<1	<1	1	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	75	3.1	14	<1	<1	2	3	6	12	22
20-34	481	3.4	21	<1	<1	2	4	7	9	22
35-49	38	4.3	51	<1	<1	2	4	8	13	43
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2999	2.1	8	<1	<1	1	2	4	6	14
B. *Operated*	1193	2.2	5	<1	<1	1	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1110	2.7	9	<1	<1	2	3	6	8	16
B. *Operated*	594	3.4	22	<1	<1	2	4	7	10	22
1. SINGLE DX	4192	2.2	7	<1	<1	1	3	4	6	13
2. MULTIPLE DX	1704	3.0	14	<1	<1	2	3	6	9	19
A. NOT OPERATED	4109	2.3	8	<1	<1	1	3	4	6	15
B. OPERATED	1787	2.6	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	943	2.2	5	<1	<1	1	3	4	6	11
20-34	4681	2.4	10	<1	<1	1	3	5	7	16
35-49	272	2.6	14	<1	<1	1	3	5	8	16
50-64										
65+										
GRAND TOTAL	5896	2.4	9	<1	<1	1	3	5	7	15

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.1		1	1	2	2	3	3	3
20-34	304	2.6	2	1	1	2	3	4	4	8
35-49	31	3.0	2	2	2	3	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	34	2.9	1	1	2	3	3	5	5	6
20-34	187	3.8	15	1	2	3	4	6	8	21
35-49	15	4.0	4	2	2	3	6	6	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.9	3	1	2	2	3	4	6	13
20-34	328	2.8	5	1	1	2	3	4	5	19
35-49	23	4.4	72	<1	1	3	3	8	20	43
50-64										
65+										
B. *Operated*										
0-19 YRS	91	4.7	33	1	2	3	5	7	14	37
20-34	794	5.4	44	2	2	4	6	9	14	38
35-49	103	6.0	36	2	2	5	7	9	18	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	2.5	2	1	1	2	3	4	4	8
B. *Operated*	236	3.7	13	1	2	3	4	6	7	21
2. MULTIPLE DX										
A. *Not Operated*	413	2.9	9	1	1	2	3	4	5	19
B. *Operated*	988	5.4	42	2	2	4	6	8	15	38
1. SINGLE DX	626	3.0	6	1	1	3	3	5	6	11
2. MULTIPLE DX	1401	4.7	33	1	2	3	5	7	12	33
A. NOT OPERATED	803	2.7	5	1	1	2	3	4	5	11
B. OPERATED	1224	5.1	37	2	2	4	5	8	13	37
TOTAL 0-19 YRS	242	3.4	14	1	2	3	4	5	6	21
20-34	1613	4.2	26	1	2	3	4	7	10	31
35-49	172	5.1	33	2	2	4	6	7	12	39
50-64										
65+										
GRAND TOTAL	**2027**	**4.1**	**26**	**1**	**2**	**3**	**4**	**7**	**9**	**31**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7050	2.1	1	1	1	2	3	3	3	4
20-34	44703	2.1	1	1	1	2	3	3	3	4
35-49	2214	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1849	2.2	1	1	1	2	3	3	3	4
20-34	9468	2.3	2	1	1	2	3	3	4	5
35-49	485	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	2.4	1	1	1	2	3	4	4	6
20-34	1352	2.4	2	1	1	2	3	4	4	7
35-49	76	2.5	1	1	1	2	3	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	161	2.7	1	1	2	3	3	4	4	6
20-34	4838	2.9	1	2	2	3	3	4	5	6
35-49	672	3.1	2	2	2	3	4	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53967	2.1	1	1	1	2	3	3	3	4
B. *Operated*	11802	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1702	2.4	2	1	1	2	3	4	4	6
B. *Operated*	5671	2.9	1	2	2	3	3	4	5	6
1. SINGLE DX	65769	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	7373	2.8	1	1	2	3	3	4	5	6
A. NOT OPERATED	55669	2.1	1	1	1	2	3	3	3	4
B. OPERATED	17473	2.5	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	9334	2.1	1	1	1	2	3	3	3	4
20-34	60361	2.2	1	1	1	2	3	3	4	5
35-49	3447	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**73142**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	34	2.9	7	1	1	2	3	4	9	15
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.1	5	2	3	5	7	8	9	9
20-34	183	7.4	74	2	3	5	6	12	27	48
35-49	13	4.2	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	41	4.0	31	1	1	2	4	5	16	32
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.6	17	1	2	4	6	10	16	18
20-34	359	7.9	79	2	3	5	7	13	26	50
35-49	78	7.4	47	3	4	5	7	12	22	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.8	6	1	1	2	3	4	6	15
B. *Operated*	208	7.0	67	2	3	5	6	11	26	47
2. MULTIPLE DX										
A. *Not Operated*	45	3.9	29	1	2	2	4	5	14	32
B. *Operated*	451	7.8	71	3	3	5	7	13	25	47
1. SINGLE DX	252	6.3	59	1	2	4	6	9	23	45
2. MULTIPLE DX	496	7.4	69	2	3	5	7	12	24	45
A. NOT OPERATED	89	3.4	18	1	1	2	3	5	10	28
B. OPERATED	659	7.5	70	2	3	5	7	12	25	47
TOTAL 0-19 YRS	33	4.7	11	1	2	4	5	9	9	18
20-34	617	7.2	72	2	2	5	6	12	25	48
35-49	98	6.7	40	2	3	5	6	10	17	38
50-64										
65+										
GRAND TOTAL	**748**	**7.0**	**65**	**2**	**2**	**5**	**6**	**11**	**23**	**45**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.9		<1	<1	2	2	3	3	3
20-34	164	2.2	1	1	1	2	3	3	4	5
35-49	11	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	34	3.5	4	1	1	3	5	6	6	10
20-34	158	3.7	10	1	1	3	5	5	6	16
35-49	9	2.7	2	1	1	2	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.4	2	<1	<1	2	3	4	5	8
20-34	147	2.8	2	1	1	3	3	4	6	8
35-49	10	2.4	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	70	5.3	56	2	2	4	5	8	11	52
20-34	481	4.1	9	1	2	4	5	7	8	15
35-49	40	4.3	13	1	2	4	5	6	7	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	193	2.2	1	1	1	2	3	3	4	5
B. *Operated*	201	3.6	9	1	1	3	5	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	186	2.7	2	<1	1	3	3	4	6	8
B. *Operated*	591	4.3	15	1	2	4	5	7	8	18
1. SINGLE DX	394	2.9	6	1	1	3	4	5	5	9
2. MULTIPLE DX	777	3.9	12	1	1	3	5	6	8	15
A. NOT OPERATED	379	2.4	2	1	1	2	3	4	4	7
B. OPERATED	792	4.1	13	1	2	4	5	6	8	17
TOTAL 0-19 YRS	151	4.0	29	1	1	3	4	6	9	34
20-34	950	3.5	7	1	1	3	4	6	7	13
35-49	70	3.5	9	1	1	3	4	6	6	21
50-64										
65+										
GRAND TOTAL	**1171**	**3.6**	**10**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	1	1	1	2	3	3	3	3
20-34	58	2.0	1	<1	1	2	2	3	4	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	77	2.1	1	1	1	2	3	3	4	5
20-34	508	2.3	1	1	1	2	3	3	4	6
35-49	20	2.1	1	<1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	2.3	1	1	1	2	3	3	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	43	3.0	12	<1	1	2	3	4	5	24
20-34	341	3.0	3	1	1	3	4	5	6	9
35-49	30	2.8	2	1	1	3	3	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.0	1	<1	1	2	3	3	4	6
B. *Operated*	605	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	25	2.4		1	2	2	3	3	4	4
B. *Operated*	414	3.0	4	1	1	3	3	5	6	9
1. SINGLE DX	669	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX	439	2.9	3	1	1	3	3	5	6	9
A. NOT OPERATED	89	2.1	1	1	1	2	3	3	3	5
B. OPERATED	1019	2.6	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	128	2.4	5	1	1	2	3	3	4	10
20-34	929	2.6	2	1	1	2	3	4	5	7
35-49	51	2.5	2	1	1	2	3	4	6	7
50-64										
65+										
GRAND TOTAL	1108	2.5	2	1	1	2	3	4	5	7

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.4	1	1	1	2	3	3	4	5
20-34	293	2.3	1	1	1	2	3	3	4	5
35-49	10	2.7		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	31	2.1	1	1	1	2	2	3	4	7
20-34	146	2.4	1	1	1	2	3	4	4	4
35-49	9	3.0	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	1	1	2	2	3	4	5	5
20-34	147	2.7	2	1	1	2	3	4	5	9
35-49	7	2.9	1	<1	<1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.5	3	2	2	3	4	5	6	9
20-34	218	3.1	2	1	2	3	4	5	6	10
35-49	13	3.9	3	1	2	4	5	6	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	2.4	1	1	1	2	3	3	4	5
B. *Operated*	186	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	184	2.7	2	1	2	2	3	4	5	9
B. *Operated*	275	3.2	2	1	2	3	4	5	6	9
1. SINGLE DX	537	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	459	3.0	2	1	2	3	4	5	5	9
A. NOT OPERATED	535	2.5	1	1	1	2	3	4	4	6
B. OPERATED	461	2.9	2	1	1	3	3	4	5	9
TOTAL 0-19 YRS	153	2.7	2	1	1	2	3	4	5	9
20-34	804	2.6	2	1	1	2	3	4	4	7
35-49	39	3.2	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	996	2.7	2	1	1	2	3	4	5	8

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	1	2	2	3	3	4	4	4
20-34	126	2.9	2	1	2	3	3	4	5	7
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	10	4.0	6	1	1	3	6	8	8	8
20-34	70	4.9	62	2	2	3	5	6	7	56
35-49	7	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.6	5	2	2	3	4	8	9	9
20-34	126	3.6	5	1	2	3	4	6	8	13
35-49	8	3.6	2	2	2	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	55	4.5	6	2	2	4	5	8	10	14
20-34	648	4.8	26	2	2	4	5	7	8	23
35-49	54	5.3	28	1	2	4	6	8	9	39
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	2.8	2	1	2	3	3	4	5	6
B. *Operated*	87	4.7	51	2	2	3	5	7	8	50
2. MULTIPLE DX										
A. *Not Operated*	147	3.6	5	1	2	3	4	6	8	13
B. *Operated*	757	4.8	25	2	2	4	5	7	8	23
1. SINGLE DX	227	3.5	21	1	2	3	4	5	6	17
2. MULTIPLE DX	904	4.6	22	2	2	4	5	7	8	19
A. NOT OPERATED	287	3.2	4	1	2	3	4	5	6	12
B. OPERATED	844	4.8	28	2	2	4	5	7	8	25
TOTAL 0-19 YRS	87	4.1	6	2	2	3	5	8	9	13
20-34	970	4.4	23	2	2	4	5	6	8	20
35-49	74	4.6	22	1	2	4	5	8	8	33
50-64										
65+										
GRAND TOTAL	1131	4.4	22	2	2	4	5	7	8	19

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	1	1	1	2	3	3	4	4
20-34	210	2.1	1	1	1	2	3	3	4	5
35-49	11	1.8	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	215	4.2	5	2	3	4	5	5	6	9
20-34	1670	4.1	2	2	2	4	5	6	6	8
35-49	73	4.0	2	2	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.2	2	<1	<1	2	3	4	5	5
20-34	98	2.5	1	1	1	2	3	4	5	7
35-49	10	1.9	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	235	4.7	6	2	2	4	6	7	9	13
20-34	1893	4.6	5	2	2	4	5	6	7	12
35-49	178	4.8	4	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	2.1	1	1	1	2	3	3	4	5
B. *Operated*	1958	4.1	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	118	2.4	1	1	1	2	3	4	5	7
B. *Operated*	2306	4.6	5	2	2	4	5	7	8	12
1. SINGLE DX	2196	3.9	3	1	2	4	5	5	6	8
2. MULTIPLE DX	2424	4.5	5	2	2	4	5	7	8	12
A. NOT OPERATED	356	2.2	1	1	1	2	3	3	4	5
B. OPERATED	4264	4.4	4	2	2	4	5	6	7	11
TOTAL 0-19 YRS	477	4.3	6	2	2	4	5	6	8	12
20-34	3871	4.2	4	2	2	4	5	6	7	11
35-49	272	4.4	4	2	2	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	4620	4.2	4	2	2	4	5	6	7	11

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.2	1	1	1	2	3	3	4	4
20-34	639	2.2	2	1	1	2	3	3	4	5
35-49	32	2.4	1	<1	1	2	3	4	4	4
50-64										
65+										
B. Operated										
0-19 YRS	241	2.9	1	1	2	3	3	5	5	6
20-34	1850	3.1	2	1	2	3	4	5	5	7
35-49	95	3.2	2	1	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	2.3	1	1	1	2	3	3	4	4
20-34	352	2.4	1	1	1	2	3	4	4	6
35-49	20	2.7	2	<1	<1	2	3	5	6	7
50-64										
65+										
B. Operated										
0-19 YRS	497	3.5	6	1	2	3	4	5	7	14
20-34	3624	3.6	3	1	2	3	4	5	6	9
35-49	301	4.1	4	2	2	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	752	2.2	2	1	1	2	3	3	4	5
B. *Operated*	2186	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	411	2.4	1	1	1	2	3	4	4	6
B. *Operated*	4422	3.6	4	1	2	3	4	6	6	10
1. SINGLE DX	2938	2.9	2	1	1	3	3	5	5	6
2. MULTIPLE DX	4833	3.5	3	1	2	3	4	5	6	9
A. NOT OPERATED	1163	2.3	2	1	1	2	3	3	4	5
B. OPERATED	6608	3.4	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	858	3.2	4	1	2	3	4	5	6	10
20-34	6465	3.2	3	1	2	3	4	5	6	8
35-49	448	3.7	3	1	2	3	5	6	7	10
50-64										
65+										
GRAND TOTAL	**7771**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	31	2.5	1	1	1	2	3	4	4	5
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	422	4.7	11	3	3	4	5	6	7	8
20-34	2076	4.6	1	3	3	5	5	6	6	8
35-49	86	4.8	1	3	4	5	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	41	3.5	3	2	2	3	4	5	7	10
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. Operated										
0-19 YRS	738	5.2	4	3	4	5	6	7	9	13
20-34	3968	5.0	3	3	3	5	6	7	8	11
35-49	251	5.1	3	3	3	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.7	1	1	1	2	4	4	5	5
B. *Operated*	2584	4.7	3	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	46	3.5	3	2	2	3	4	5	7	10
B. *Operated*	4957	5.0	3	3	3	5	6	7	8	12
1. SINGLE DX	2623	4.6	3	3	3	5	5	6	6	8
2. MULTIPLE DX	5003	5.0	3	3	3	5	6	7	8	12
A. NOT OPERATED	85	3.1	2	1	2	3	4	5	6	9
B. OPERATED	7541	4.9	3	3	3	5	5	6	7	11
TOTAL 0-19 YRS	1168	5.0	7	3	3	5	5	7	8	13
20-34	6116	4.9	3	3	3	5	5	6	7	11
35-49	342	5.0	2	3	3	5	6	7	7	10
50-64										
65+										
GRAND TOTAL	**7626**	**4.9**	**3**	**3**	**3**	**5**	**5**	**6**	**7**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	2.4	1	1	1	2	3	4	4	7
20-34	677	2.4	1	1	1	2	3	4	4	5
35-49	44	2.2	1	<1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	196	3.3	3	1	2	3	4	6	6	8
20-34	1150	3.3	2	1	2	3	4	5	6	7
35-49	57	4.2	2	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.6	1	1	1	2	3	4	4	6
20-34	425	2.5	1	1	1	2	3	4	4	6
35-49	18	2.1	1	<1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	394	3.9	10	2	2	4	5	6	7	10
20-34	2587	3.6	3	1	2	3	5	6	6	10
35-49	201	4.1	4	2	2	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	845	2.4	1	1	1	2	3	4	4	5
B. *Operated*	1403	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	510	2.5	1	1	1	2	3	4	4	6
B. *Operated*	3182	3.7	4	1	2	3	5	6	7	10
1. SINGLE DX	2248	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX	3692	3.5	4	1	2	3	4	6	6	9
A. NOT OPERATED	1355	2.4	1	1	1	2	3	4	4	5
B. OPERATED	4585	3.6	4	1	2	3	5	6	6	9
TOTAL 0-19 YRS	781	3.4	6	1	2	3	4	6	6	10
20-34	4839	3.3	3	1	2	3	4	5	6	8
35-49	320	3.7	4	1	2	3	5	6	7	9
50-64										
65+										
GRAND TOTAL	**5940**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	1	1	1	2	3	4	4	4
20-34	85	2.6	5	<1	1	2	3	4	5	15
35-49	11	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	49	3.6	2	2	2	4	5	5	5	6
20-34	358	3.8	2	1	2	4	5	6	6	8
35-49	30	3.7	4	1	1	4	5	6	6	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	59	2.7	2	1	1	2	3	5	6	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	77	5.3	30	1	2	5	6	7	9	39
20-34	629	5.0	36	2	2	4	5	7	8	16
35-49	69	4.8	10	2	2	4	5	8	10	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.6	4	1	1	2	3	4	5	13
B. *Operated*	437	3.8	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	63	2.7	2	1	1	2	3	5	6	7
B. *Operated*	775	5.0	33	2	2	4	5	7	8	16
1. SINGLE DX	545	3.6	3	1	2	3	5	6	6	8
2. MULTIPLE DX	838	4.8	31	2	2	4	5	7	8	16
A. NOT OPERATED	171	2.6	3	1	1	2	3	4	5	9
B. OPERATED	1212	4.6	22	2	2	4	5	6	8	13
TOTAL 0-19 YRS	141	4.4	18	1	2	4	5	6	7	19
20-34	1131	4.3	22	1	2	4	5	6	7	13
35-49	111	4.3	8	2	2	4	5	7	10	17
50-64										
65+										
GRAND TOTAL	**1383**	**4.3**	**20**	**1**	**2**	**4**	**5**	**6**	**7**	**13**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	3	1	1	2	3	5	6	6
20-34	95	2.5	1	1	1	2	3	4	5	6
35-49	9	2.2	2	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	328	4.6	2	3	3	5	5	6	6	8
20-34	5513	4.7	1	3	3	5	5	6	6	7
35-49	274	5.0	2	3	4	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	36	3.0	2	1	1	3	4	5	6	7
35-49	5	3.4	4	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	212	5.0	3	3	3	5	6	7	8	11
20-34	5994	5.0	4	3	3	5	6	6	7	11
35-49	658	5.4	5	3	4	5	6	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.5	1	1	1	2	3	4	5	6
B. *Operated*	6115	4.7	1	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	43	3.1	2	1	1	3	4	5	6	7
B. *Operated*	6864	5.0	4	3	3	5	6	6	7	11
1. SINGLE DX	6229	4.6	1	3	3	5	5	6	6	8
2. MULTIPLE DX	6907	5.0	4	3	3	5	6	6	7	11
A. NOT OPERATED	157	2.7	2	1	1	2	3	4	5	7
B. OPERATED	12979	4.9	3	3	3	5	5	6	7	9
TOTAL 0-19 YRS	552	4.7	2	3	3	5	5	6	7	9
20-34	11638	4.8	3	2	3	5	5	6	7	9
35-49	946	5.3	4	3	4	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	13136	4.8	3	3	3	5	5	6	7	9

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.4	1	1	1	2	3	4	4	5
20-34	1213	2.5	2	1	1	2	3	4	4	6
35-49	49	2.6	2	1	1	2	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	141	2.8	1	1	2	3	3	4	5	7
20-34	932	2.8	3	1	2	3	3	4	5	8
35-49	45	2.9	3	1	2	2	3	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.2	3	2	2	3	4	5	6	11
20-34	730	2.9	4	1	1	3	3	4	5	10
35-49	50	2.9	2	1	1	3	3	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	397	3.9	6	1	2	3	5	6	7	16
20-34	2961	3.7	5	2	2	3	4	6	7	11
35-49	280	4.3	8	2	2	4	5	6	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1423	2.5	2	1	1	2	3	4	4	6
B. *Operated*	1118	2.8	3	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	891	2.9	3	1	1	3	3	4	5	10
B. *Operated*	3638	3.8	5	2	2	3	4	6	7	12
1. SINGLE DX	2541	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	4529	3.6	5	1	2	3	4	6	7	11
A. NOT OPERATED	2314	2.7	2	1	1	2	3	4	5	8
B. OPERATED	4756	3.5	5	1	2	3	4	6	7	11
TOTAL 0-19 YRS	810	3.3	4	1	2	3	4	5	6	11
20-34	5836	3.2	4	1	2	3	4	5	6	10
35-49	424	3.8	6	1	2	3	4	6	7	14
50-64										
65+										
GRAND TOTAL	7070	3.2	4	1	2	3	4	5	6	11

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	2.2	1	1	1	2	3	3	3	4
20-34	4355	2.2	1	1	1	2	3	3	4	4
35-49	255	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	310	2.4	1	1	1	2	3	3	4	6
20-34	1908	2.4	1	1	1	2	3	3	4	5
35-49	109	2.4	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.4	1	1	1	2	3	3	4	6
20-34	994	2.4	1	1	1	2	3	3	4	5
35-49	57	2.4	1	1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	258	2.8	3	1	2	3	3	4	5	8
20-34	2454	2.8	1	1	2	3	3	4	5	6
35-49	213	3.1	2	1	2	3	4	5	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5104	2.2	1	1	1	2	3	3	4	4
B. *Operated*	2327	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	1196	2.4	1	1	1	2	3	3	4	6
B. *Operated*	2925	2.8	2	1	2	3	3	4	5	7
1. SINGLE DX	7431	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	4121	2.7	1	1	1	3	3	4	5	6
A. NOT OPERATED	6300	2.2	1	1	1	2	3	3	4	5
B. OPERATED	5252	2.6	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1207	2.4	1	1	1	2	3	3	4	6
20-34	9711	2.4	1	1	1	2	3	4	4	5
35-49	634	2.6	1	1	1	2	3	4	5	7
50-64										
65+										
GRAND TOTAL	**11552**	**2.4**	1	1	1	2	3	4	4	5

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	2.1	1	1	1	2	3	3	3	6
20-34	798	2.0	1	<1	1	2	3	3	3	4
35-49	44	2.5	1	1	1	3	3	3	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1019	2.1	2	1	1	2	2	3	3	5
20-34	8155	2.0	1	1	1	2	3	3	3	4
35-49	582	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.2	1	<1	1	2	3	4	4	4
20-34	253	2.2	2	1	1	2	3	3	4	6
35-49	10	2.1	1	<1	<1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	389	2.4	1	1	1	2	3	4	4	6
20-34	3848	2.5	2	1	1	2	3	4	4	6
35-49	406	2.8	1	1	1	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	953	2.0	1	<1	1	2	3	3	3	5
B. *Operated*	9756	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	284	2.2	2	<1	1	2	3	3	4	6
B. *Operated*	4643	2.5	2	1	1	2	3	4	4	6
1. SINGLE DX	10709	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	4927	2.5	2	1	1	2	3	4	4	6
A. NOT OPERATED	1237	2.1	1	<1	1	2	3	3	4	5
B. OPERATED	14399	2.2	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1540	2.2	2	1	1	2	3	3	4	5
20-34	13054	2.2	1	1	1	2	3	3	4	5
35-49	1042	2.4	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**15636**	**2.2**	1	1	1	2	3	3	4	5

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.4	2	1	1	2	3	4	5	8
20-34	349	2.2	1	<1	1	2	3	3	4	4
35-49	21	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1004	2.3	2	1	1	2	3	3	4	4
20-34	4041	2.4	1	1	1	2	3	3	4	5
35-49	108	2.5	1	1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	2	<1	1	3	4	5	6	6
20-34	103	2.7	13	1	1	2	3	4	4	20
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	820	2.5	1	1	2	2	3	4	5	7
20-34	2707	2.7	2	1	2	3	3	4	5	6
35-49	107	3.9	75	1	2	3	4	5	7	46
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	2.2	1	<1	1	2	3	3	4	5
B. *Operated*	5153	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	128	2.7	10	1	1	2	3	4	5	13
B. *Operated*	3634	2.7	4	1	2	2	3	4	5	7
1. SINGLE DX	5586	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	3762	2.7	4	1	2	2	3	4	5	7
A. NOT OPERATED	561	2.3	3	1	1	2	3	3	4	5
B. OPERATED	8787	2.5	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1910	2.4	1	1	1	2	3	3	4	6
20-34	7200	2.5	2	1	1	2	3	4	4	6
35-49	238	3.1	35	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**9348**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.6	12	1	1	2	3	3	4	26
20-34	284	2.2	1	1	1	2	3	3	4	5
35-49	7	2.4		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	328	2.3	3	1	1	2	3	3	4	5
20-34	1374	2.3	1	1	1	2	3	3	4	5
35-49	49	2.2	1	<1	1	2	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.7	4	1	1	2	3	4	7	11
20-34	88	2.5	4	1	1	2	3	4	6	13
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	248	2.9	19	1	1	2	3	4	4	9
20-34	1102	2.7	2	1	1	3	3	4	5	7
35-49	51	3.2	2	2	2	3	3	5	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	2.3	3	1	1	2	3	3	4	5
B. *Operated*	1751	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	112	2.6	4	1	1	2	3	4	6	13
B. *Operated*	1401	2.8	5	1	1	3	3	4	5	8
1. SINGLE DX	2106	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1513	2.7	5	1	1	2	3	4	5	8
A. NOT OPERATED	467	2.3	3	1	1	2	3	3	4	7
B. OPERATED	3152	2.5	3	1	1	2	3	4	4	6
TOTAL 0-19 YRS	662	2.6	10	1	1	2	3	3	4	7
20-34	2848	2.4	2	1	1	2	3	4	4	6
35-49	109	2.7	1	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**3619**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	962	2.5	3	1	1	2	3	4	5	10
20-34	5292	2.4	2	1	1	2	3	3	4	6
35-49	344	2.5	2	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2211	2.6	2	1	1	2	3	4	5	7
20-34	10976	2.8	2	1	1	3	3	4	5	7
35-49	626	3.0	2	1	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	530	2.9	3	1	1	3	3	5	6	9
20-34	2852	2.7	5	1	1	2	3	4	5	8
35-49	201	3.5	15	1	1	3	4	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	2190	3.6	7	1	2	3	4	6	8	15
20-34	12808	3.7	10	1	2	3	4	6	7	14
35-49	1214	4.3	11	2	2	4	5	7	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6598	2.4	2	1	1	2	3	4	4	6
B. *Operated*	13813	2.7	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	3583	2.8	5	1	1	2	3	4	5	9
B. *Operated*	16212	3.8	9	1	2	3	4	6	8	15
1. SINGLE DX	20411	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	19795	3.6	9	1	2	3	4	6	7	14
A. NOT OPERATED	10181	2.5	3	1	1	2	3	4	5	8
B. OPERATED	30025	3.3	6	1	2	3	4	5	6	12
TOTAL 0-19 YRS	5893	3.0	4	1	1	3	3	5	6	11
20-34	31928	3.1	6	1	1	3	3	5	6	10
35-49	2385	3.6	8	1	2	3	4	6	7	14
50-64										
65+										
GRAND TOTAL	40206	3.1	6	1	1	3	4	5	6	11

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	2	1	2	3	4	5	6	7
20-34	128	3.3	2	1	2	3	4	5	6	9
35-49	7	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.8	4	<1	<1	4	5	5	5	5
20-34	15	4.2	6	2	2	3	5	7	10	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	2	2	2	3	4	6	6	6
20-34	72	4.5	11	2	2	4	5	8	10	20
35-49	5	3.2	3	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.6	4	1	1	3	6	6	6	6
20-34	32	6.0	21	1	1	5	8	12	17	19
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.2	2	1	2	3	4	5	6	9
B. *Operated*	19	4.1	5	1	2	4	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	95	4.2	9	2	2	4	5	6	9	19
B. *Operated*	40	5.6	18	1	1	4	8	11	15	19
1. SINGLE DX	198	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX	135	4.6	12	1	2	4	5	8	12	19
A. NOT OPERATED	274	3.6	5	1	2	3	4	5	7	13
B. OPERATED	59	5.1	15	1	1	4	7	11	12	19
TOTAL 0-19 YRS	73	3.2	2	1	2	3	4	5	6	7
20-34	247	4.0	8	1	2	3	5	7	10	17
35-49	13	3.6	3	2	2	3	4	6	8	8
50-64										
65+										
GRAND TOTAL	333	3.8	7	1	2	3	4	6	9	18

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
20-34	78	1.9	2	<1	<1	1	2	4	5	8
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	30	1.8	2	<1	1	1	2	3	3	8
20-34	290	1.6	1	<1	<1	1	2	3	4	7
35-49	18	1.8	2	<1	<1	1	2	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	1	1	1	3	3	3	3
20-34	41	1.8	1	<1	1	1	2	3	4	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	22	2.2	3	<1	<1	2	3	4	6	9
20-34	146	2.5	4	<1	1	2	3	5	6	12
35-49	7	3.1	3	1	1	3	4	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	338	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	48	1.8	1	<1	1	1	2	3	4	5
B. *Operated*	175	2.5	4	<1	1	2	3	5	6	11
1. SINGLE DX	434	1.7	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	223	2.3	3	<1	1	2	3	4	6	10
A. NOT OPERATED	144	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	513	1.9	2	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	71	1.9	2	<1	1	1	2	3	4	9
20-34	555	1.9	2	<1	<1	1	2	3	5	8
35-49	31	2.0	2	<1	<1	1	3	4	5	6
50-64										
65+										
GRAND TOTAL	657	1.9	2	<1	<1	1	2	3	5	8

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.8	10	2	2	4	6	9	12	13
20-34	91	4.9	10	2	2	4	7	10	11	14
35-49	5	4.8	13	1	1	3	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	23	2.7	4	<1	1	2	3	5	7	10
20-34	152	2.8	7	<1	<1	2	3	6	10	13
35-49	11	3.6	13	<1	<1	2	4	10	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	3	<1	1	3	4	6	6	6
20-34	78	4.5	13	1	1	3	6	10	12	18
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	10	6.2	47	2	2	5	6	16	25	25
20-34	99	3.9	20	<1	1	2	5	8	15	24
35-49	11	5.1	22	1	2	3	6	12	17	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.9	10	2	2	4	7	10	11	14
B. *Operated*	186	2.8	7	<1	<1	2	3	6	10	13
2. MULTIPLE DX										
A. *Not Operated*	95	4.3	12	1	1	3	6	9	11	18
B. *Operated*	120	4.2	22	<1	1	3	5	8	15	24
1. SINGLE DX	294	3.6	9	<1	1	3	4	8	10	13
2. MULTIPLE DX	215	4.2	18	1	1	3	5	9	13	23
A. NOT OPERATED	203	4.6	11	1	2	3	6	10	11	16
B. OPERATED	306	3.3	13	<1	<1	2	4	7	10	21
TOTAL 0-19 YRS	59	3.8	13	<1	1	3	5	7	9	24
20-34	420	3.8	13	<1	1	3	5	9	11	17
35-49	30	4.3	15	1	1	3	5	10	11	18
50-64										
65+										
GRAND TOTAL	509	3.8	13	<1	1	3	5	9	11	18

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	491	3.9	7	1	2	3	5	7	8	14
20-34	472	4.2	7	2	2	4	5	7	9	15
35-49	274	4.7	7	2	2	4	6	8	9	13
50-64	227	5.4	16	2	2	4	7	10	13	22
65+	189	6.2	15	2	2	5	8	12	14	19
B. *Operated*										
0-19 YRS	227	4.6	15	<1	1	4	6	9	11	16
20-34	218	5.4	43	1	2	4	6	10	14	31
35-49	132	5.9	23	1	2	5	8	11	15	24
50-64	121	6.6	28	1	2	5	9	15	17	27
65+	86	8.1	44	1	2	7	10	18	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	464	4.3	8	2	2	4	5	7	9	16
20-34	513	5.3	21	2	2	4	6	10	13	21
35-49	552	6.2	35	2	2	5	8	11	14	28
50-64	689	7.3	32	2	3	6	9	13	16	28
65+	1053	8.7	41	3	3	7	11	16	21	33
B. *Operated*										
0-19 YRS	201	5.8	32	1	2	4	7	11	15	28
20-34	310	8.4	57	2	2	6	11	19	26	37
35-49	259	10.6	109	2	2	7	13	22	30	63
50-64	319	13.9	190	2	3	9	17	27	45	74
65+	399	15.2	186	3	4	11	19	32	50	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1653	4.6	10	2	2	4	6	8	10	17
B. *Operated*	784	5.7	30	1	1	4	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	3271	6.8	33	2	2	5	8	13	16	28
B. *Operated*	1488	11.4	137	2	3	8	14	25	34	67
1. SINGLE DX	2437	4.9	17	1	2	4	6	9	12	21
2. MULTIPLE DX	4759	8.3	70	2	2	6	10	16	23	49
A. NOT OPERATED	4924	6.1	26	2	2	5	7	11	15	25
B. OPERATED	2272	9.4	108	1	2	6	11	21	29	60
TOTAL 0-19 YRS	1383	4.4	13	1	2	4	5	8	10	19
20-34	1513	5.6	29	1	2	4	6	10	15	27
35-49	1217	6.7	48	2	2	5	8	12	18	33
50-64	1356	8.5	75	2	3	6	10	16	23	53
65+	1727	9.9	81	2	3	7	12	19	26	59
GRAND TOTAL	**7196**	**7.1**	**54**	**2**	**2**	**5**	**8**	**14**	**20**	**39**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.5	4	1	1	3	4	6	7	11
20-34	101	3.7	5	1	1	3	5	7	8	12
35-49	62	4.2	6	1	2	4	6	8	9	12
50-64	40	4.9	10	1	1	4	6	9	11	16
65+	27	6.3	33	2	2	5	7	10	15	32
B. *Operated*										
0-19 YRS	127	3.6	12	<1	1	2	5	8	11	16
20-34	108	3.9	13	<1	<1	3	5	7	10	21
35-49	78	4.2	22	<1	<1	3	5	8	15	27
50-64	42	4.1	41	<1	<1	2	4	8	10	41
65+	40	6.8	81	<1	<1	4	8	18	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	4.5	24	1	2	3	5	8	12	22
20-34	122	5.0	13	2	2	4	6	10	13	20
35-49	87	7.0	48	2	2	4	8	14	24	37
50-64	133	7.0	26	2	3	6	8	12	17	28
65+	179	8.6	37	2	3	7	11	16	21	31
B. *Operated*										
0-19 YRS	88	5.1	16	<1	1	4	7	11	14	18
20-34	150	6.8	43	1	2	5	8	14	18	38
35-49	121	7.3	50	1	2	5	9	14	19	39
50-64	123	9.8	130	1	2	6	13	21	24	61
65+	135	14.6	208	2	2	10	20	32	48	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	4.1	8	1	2	3	5	7	9	12
B. *Operated*	395	4.2	25	<1	<1	3	5	8	12	31
2. MULTIPLE DX										
A. *Not Operated*	673	6.5	31	2	2	5	8	13	17	28
B. *Operated*	617	8.9	104	1	2	6	11	20	27	56
1. SINGLE DX	737	4.1	17	<1	1	3	5	8	10	22
2. MULTIPLE DX	1290	7.7	68	1	2	5	9	16	22	44
A. NOT OPERATED	1015	5.7	25	1	2	4	7	11	15	26
B. OPERATED	1012	7.1	78	<1	1	4	8	16	23	46
TOTAL 0-19 YRS	479	4.1	15	1	1	3	5	8	11	18
20-34	481	5.0	22	1	1	4	6	10	14	23
35-49	348	6.0	37	1	1	4	7	12	16	32
50-64	338	7.4	68	1	2	5	8	16	20	42
65+	381	10.4	112	1	2	7	13	23	31	60
GRAND TOTAL	**2027**	**6.4**	**52**	**1**	**1**	**4**	**7**	**14**	**18**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	9	2.9	3	1	1	3	4	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	480	2.9	3	1	1	3	4	5	6	8
20-34	854	2.9	3	1	1	3	4	5	6	9
35-49	148	3.1	3	1	1	3	4	5	7	10
50-64	27	2.7	2	1	1	3	3	5	5	6
65+	6	2.8	1	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
20-34	12	1.9	3	<1	<1	1	2	5	6	6
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	62	3.5	6	1	1	3	4	6	8	14
20-34	134	3.7	4	1	1	3	5	6	8	11
35-49	45	4.3	5	2	2	4	5	7	10	12
50-64	18	9.3	170	1	2	4	16	41	80	99+
65+	5	7.0	24	3	3	5	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.8	2	<1	1	3	3	5	6	6
B. *Operated*	1515	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	2.0	3	<1	<1	1	3	5	6	6
B. *Operated*	264	4.2	18	1	2	3	5	7	10	19
1. SINGLE DX	1531	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	284	4.1	17	1	1	3	5	7	10	19
A. NOT OPERATED	36	2.4	3	<1	<1	2	3	5	6	6
B. OPERATED	1779	3.1	5	1	1	3	4	5	6	11
TOTAL 0-19 YRS	550	3.0	4	1	1	3	4	5	6	9
20-34	1009	3.0	3	1	1	3	4	5	6	9
35-49	197	3.3	4	1	1	3	4	6	7	11
50-64	46	5.3	76	1	1	3	4	16	28	99+
65+	13	4.7	13	<1	2	3	5	11	13	14
GRAND TOTAL	1815	3.1	5	1	1	3	4	5	6	10

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	1.7		1	1	2	2	2	2	2
50-64	2	8.0	72	2	2	8	14	14	14	14
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	118	1.3	1	<1	<1	<1	1	2	3	6
20-34	132	1.6	1	<1	<1	1	2	3	4	7
35-49	79	1.5	1	<1	<1	1	2	3	3	4
50-64	63	2.2	28	<1	<1	1	2	3	4	38
65+	39	2.2	23	<1	<1	1	2	3	3	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	3	3.0	3	2	2	2	4	5	5	5
B. *Operated*										
0-19 YRS	20	1.7	2	<1	<1	1	2	3	5	6
20-34	43	2.2	2	<1	<1	2	3	4	6	6
35-49	39	3.2	11	<1	<1	2	4	6	9	19
50-64	50	4.5	67	<1	<1	2	4	8	21	52
65+	43	4.2	86	<1	1	2	3	6	8	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	14	<1	<1	2	2	7	13	14
B. *Operated*	431	1.6	7	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	2	3	5	5
B. *Operated*	195	3.4	39	<1	<1	2	3	6	7	39
1. SINGLE DX	442	1.7	7	<1	<1	1	2	2	3	9
2. MULTIPLE DX	207	3.3	37	<1	<1	2	3	6	7	35
A. NOT OPERATED	23	2.2	7	<1	<1	2	2	3	8	14
B. OPERATED	626	2.2	18	<1	<1	1	2	3	5	19
TOTAL 0-19 YRS	140	1.3	1	<1	<1	<1	1	2	2	6
20-34	180	1.7	2	<1	<1	1	2	3	5	7
35-49	123	2.1	5	<1	<1	1	2	4	5	13
50-64	119	3.2	45	<1	<1	1	2	5	11	46
65+	87	3.2	53	<1	<1	2	3	5	6	50
GRAND TOTAL	649	2.2	17	<1	<1	1	2	3	5	19

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.5	10	1	1	3	4	6	8	21
20-34	145	4.8	32	<1	1	3	5	8	13	29
35-49	91	5.0	19	1	1	4	6	11	15	20
50-64	65	5.0	25	1	1	4	6	10	18	26
65+	126	8.5	88	1	2	6	10	17	20	60
B. *Operated*										
0-19 YRS	429	2.5	12	<1	<1	2	2	5	9	16
20-34	566	3.7	30	<1	<1	2	4	8	11	24
35-49	434	3.6	25	<1	<1	2	4	8	12	25
50-64	411	4.1	38	<1	<1	2	4	10	16	37
65+	277	8.1	151	<1	<1	3	9	22	35	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	4.0	12	1	1	3	5	8	11	19
20-34	259	6.6	53	1	1	4	9	14	22	57
35-49	221	6.6	34	1	2	5	8	14	18	25
50-64	335	8.2	57	1	2	6	10	19	23	37
65+	846	11.9	138	2	3	8	15	25	35	78
B. *Operated*										
0-19 YRS	233	5.4	82	<1	<1	2	5	11	25	50
20-34	519	9.4	215	<1	1	4	10	26	50	92
35-49	547	8.7	170	<1	1	4	9	23	38	77
50-64	605	10.0	178	<1	1	4	13	30	43	89
65+	863	18.9	350	1	2	13	26	49	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	589	5.3	38	1	1	4	6	11	16	28
B. *Operated*	2117	4.1	46	<1	<1	2	4	9	15	39
2. MULTIPLE DX										
A. *Not Operated*	1871	9.0	94	1	2	6	11	21	27	56
B. *Operated*	2767	12.0	252	1	1	5	16	34	50	90
1. SINGLE DX	2706	4.4	44	<1	<1	2	4	10	15	37
2. MULTIPLE DX	4638	10.8	190	1	1	6	13	27	42	84
A. NOT OPERATED	2460	8.1	83	1	2	5	10	18	24	53
B. OPERATED	4884	8.6	178	<1	<1	3	9	24	39	77
TOTAL 0-19 YRS	1034	3.6	29	<1	<1	2	4	7	11	31
20-34	1489	6.3	105	<1	<1	3	6	15	24	69
35-49	1293	6.4	92	<1	1	3	7	15	22	49
50-64	1416	7.6	108	<1	1	4	9	21	30	62
65+	2112	14.1	241	1	2	9	18	35	50	86
GRAND TOTAL	7344	8.4	146	<1	1	4	10	22	34	72

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.4	8	3	3	6	8	11	11	11
20-34	29	6.1	21	1	2	5	7	14	17	19
35-49	31	5.5	22	1	1	4	7	10	14	23
50-64	30	6.1	22	1	2	4	9	13	19	20
65+	13	9.3	96	2	2	5	11	27	31	32
B. *Operated*										
0-19 YRS	11	5.6	74	1	1	3	4	17	30	31
20-34	21	6.1	23	1	2	4	10	14	15	16
35-49	18	7.1	125	<1	1	3	8	14	35	48
50-64	17	6.6	87	1	1	4	8	19	32	38
65+	9	7.3	33	<1	1	5	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	8.4	74	2	2	6	9	18	25	46
20-34	110	7.4	38	2	2	6	9	14	18	37
35-49	105	8.2	63	2	2	6	9	15	22	45
50-64	133	8.3	50	2	3	6	11	16	19	40
65+	100	9.7	63	2	3	8	12	19	27	41
B. *Operated*										
0-19 YRS	21	10.7	136	1	1	6	15	32	38	39
20-34	76	14.4	283	<1	<1	8	21	38	62	72
35-49	73	15.1	215	2	2	11	19	30	53	68
50-64	72	13.3	195	2	2	10	18	30	37	66
65+	58	16.8	153	3	4	14	22	36	43	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	6.3	28	1	2	5	8	13	18	28
B. *Operated*	76	6.5	67	1	1	4	8	15	20	46
2. MULTIPLE DX										
A. *Not Operated*	479	8.4	54	2	2	6	10	16	22	42
B. *Operated*	300	14.5	200	1	2	10	20	33	43	67
1. SINGLE DX	195	6.4	43	1	1	4	8	14	18	35
2. MULTIPLE DX	779	10.7	119	2	2	7	13	23	34	56
A. NOT OPERATED	598	8.0	90	2	2	6	9	15	21	39
B. OPERATED	376	12.9	184	1	2	9	17	31	42	64
TOTAL 0-19 YRS	79	8.2	78	1	2	6	9	17	30	44
20-34	236	9.4	125	<1	2	6	11	21	34	61
35-49	227	10.0	123	1	2	7	12	22	30	57
50-64	252	9.4	85	2	2	7	12	20	26	48
65+	180	11.9	104	2	3	9	15	25	33	45
GRAND TOTAL	974	9.9	107	1	2	7	12	22	32	55

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	5.4	20	1	2	4	6	10	15	25
20-34	38	4.9	10	1	2	4	6	8	11	16
35-49	56	8.5	70	1	2	7	11	17	23	51
50-64	110	6.9	26	1	2	6	9	15	17	23
65+	85	8.6	70	2	3	6	10	14	25	51
B. *Operated*										
0-19 YRS	22	6.7	31	1	1	4	10	15	18	21
20-34	52	8.8	47	2	2	6	14	19	21	26
35-49	124	7.4	48	1	2	4	10	15	20	38
50-64	319	8.6	59	2	2	6	12	19	24	34
65+	201	10.7	72	2	2	9	15	23	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	7.6	47	1	2	5	10	18	25	27
20-34	55	7.3	51	1	2	4	8	18	23	34
35-49	104	7.8	33	2	3	6	10	15	19	29
50-64	352	8.4	52	1	2	6	11	18	23	37
65+	495	9.1	55	2	3	7	11	17	22	43
B. *Operated*										
0-19 YRS	13	8.5	78	<1	2	5	12	21	31	33
20-34	37	8.2	74	2	2	5	10	21	32	36
35-49	135	10.9	152	1	2	6	14	25	38	81
50-64	391	10.2	118	2	2	6	13	22	31	61
65+	357	14.1	177	2	3	11	17	29	42	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	7.1	43	1	2	6	9	14	19	32
B. *Operated*	718	8.9	60	2	2	6	13	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	1039	8.6	51	2	2	7	11	17	22	39
B. *Operated*	933	11.7	146	2	2	8	15	25	35	72
1. SINGLE DX	1060	8.4	55	2	2	6	12	18	23	33
2. MULTIPLE DX	1972	10.1	99	2	2	7	13	21	30	62
A. NOT OPERATED	1381	8.3	49	1	2	6	10	17	22	38
B. OPERATED	1651	10.5	111	2	2	7	14	22	30	63
TOTAL 0-19 YRS	121	6.5	36	1	1	5	8	15	19	29
20-34	182	7.4	47	2	2	5	9	18	21	35
35-49	419	8.8	83	1	2	6	11	19	25	50
50-64	1172	8.9	74	2	2	6	12	19	24	43
65+	1138	10.9	102	2	3	8	14	22	30	64
GRAND TOTAL	3032	9.5	84	2	2	7	12	20	26	48

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	10	4.6	11	1	1	4	8	9	10	10
35-49	13	6.1	36	1	1	3	8	13	21	23
50-64	51	4.7	10	1	1	4	6	9	9	16
65+	112	6.4	30	1	2	5	8	13	14	29
B. *Operated*										
0-19 YRS	19	9.9	78	<1	1	5	16	23	26	29
20-34	193	4.3	20	1	1	3	5	10	14	21
35-49	316	5.3	29	1	1	3	7	12	16	26
50-64	1237	8.8	38	1	2	8	13	17	20	27
65+	1772	12.9	39	3	5	13	16	20	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	6.4	20	1	2	6	9	13	18	18
35-49	43	6.9	32	1	2	5	10	16	19	23
50-64	220	5.9	25	1	1	4	8	12	16	26
65+	910	7.8	57	1	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	21	5.8	91	<1	<1	2	4	17	29	42
20-34	141	4.5	18	1	1	3	8	10	14	21
35-49	271	6.3	36	1	1	4	9	14	19	28
50-64	1072	10.1	63	1	2	9	14	20	24	38
65+	2091	15.6	91	2	5	14	19	26	33	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	5.8	24	1	1	5	8	11	13	24
B. *Operated*	3537	10.3	45	1	2	10	15	18	22	29
2. MULTIPLE DX										
A. *Not Operated*	1184	7.4	50	1	2	5	9	15	19	33
B. *Operated*	3596	12.8	89	2	2	12	17	23	29	48
1. SINGLE DX	3725	10.1	45	1	2	10	14	18	22	29
2. MULTIPLE DX	4780	11.5	84	1	2	10	16	22	28	45
A. NOT OPERATED	1372	7.2	47	1	2	5	9	15	19	32
B. OPERATED	7133	11.6	69	1	2	11	16	21	25	39
TOTAL 0-19 YRS	42	7.6	84	<1	1	5	10	21	25	42
20-34	355	4.5	19	1	1	3	5	10	14	20
35-49	643	5.9	32	1	1	4	8	13	17	27
50-64	2580	9.0	48	1	2	8	13	17	22	31
65+	4885	13.0	73	2	3	12	17	23	28	44
GRAND TOTAL	8505	10.9	68	1	2	10	15	20	25	38

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	7.1	40	1	1	5	10	15	19	31
20-34	57	6.1	22	1	2	5	8	13	17	19
35-49	33	4.7	11	<1	1	4	6	11	11	12
50-64	33	5.8	29	1	2	4	6	13	20	24
65+	56	6.8	23	1	2	6	9	13	15	26
B. *Operated*										
0-19 YRS	88	9.2	55	1	2	8	13	18	25	32
20-34	213	5.2	37	1	1	4	6	10	16	39
35-49	190	5.3	21	1	2	4	7	10	13	28
50-64	212	7.7	59	1	2	5	10	17	22	45
65+	122	12.6	100	3	3	11	17	21	28	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	8.9	46	2	2	7	14	20	21	30
20-34	65	5.8	18	1	2	4	7	12	15	20
35-49	54	7.0	44	2	2	5	10	14	18	36
50-64	92	7.8	42	1	2	6	10	16	23	32
65+	232	7.9	38	2	2	6	10	15	19	32
B. *Operated*										
0-19 YRS	78	12.7	107	2	2	11	19	25	34	51
20-34	147	7.7	84	2	2	4	9	17	22	56
35-49	134	9.4	132	1	1	5	12	26	34	57
50-64	197	11.2	171	1	2	6	15	26	36	69
65+	200	15.3	187	2	3	12	21	33	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	6.3	27	1	2	5	8	13	17	26
B. *Operated*	825	7.4	57	1	2	5	10	16	20	40
2. MULTIPLE DX										
A. *Not Operated*	507	7.6	39	1	2	6	10	15	20	31
B. *Operated*	756	11.4	152	1	2	7	15	27	35	62
1. SINGLE DX	1086	7.1	50	1	2	5	9	16	19	36
2. MULTIPLE DX	1263	9.9	110	1	2	6	13	22	31	55
A. NOT OPERATED	768	7.2	35	1	2	6	9	15	19	30
B. OPERATED	1581	9.3	106	1	2	5	13	21	30	53
TOTAL 0-19 YRS	312	9.5	66	1	2	7	14	20	25	35
20-34	482	6.1	48	1	1	4	7	13	18	39
35-49	411	6.8	63	1	1	4	8	13	21	43
50-64	534	8.9	98	1	2	5	12	19	26	52
65+	610	11.2	110	2	3	8	14	24	31	56
GRAND TOTAL	**2349**	**8.6**	**84**	**1**	**2**	**5**	**11**	**19**	**26**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.3	1	<1	<1	1	1	2	4	4
20-34	27	1.9	2	<1	<1	1	3	4	5	7
35-49	9	2.2	2	<1	<1	1	3	5	5	5
50-64	7	3.0	10	<1	<1	1	6	8	8	8
65+	7	5.0	22	1	1	4	5	13	15	15
B. *Operated*										
0-19 YRS	1098	2.6	3	<1	1	2	3	5	6	8
20-34	2653	2.8	6	<1	1	2	4	5	6	9
35-49	1172	2.9	4	1	1	2	4	5	6	10
50-64	604	3.2	6	1	1	3	4	6	8	13
65+	142	3.9	10	1	1	3	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6	1	<1	<1	1	2	4	4	4
20-34	37	1.5	1	<1	<1	1	2	2	4	6
35-49	24	2.0	2	<1	<1	1	3	4	4	4
50-64	30	3.0	14	<1	<1	2	3	8	9	19
65+	13	4.8	13	<1	1	5	6	10	12	13
B. *Operated*										
0-19 YRS	692	3.1	5	1	1	3	4	5	7	9
20-34	1831	3.3	8	<1	1	3	4	6	8	11
35-49	1051	3.3	6	<1	1	3	4	6	7	13
50-64	849	3.8	11	1	1	3	5	7	10	17
65+	347	4.7	19	1	2	3	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.3	6	<1	<1	1	3	5	7	14
B. *Operated*	5669	2.9	5	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	121	2.3	7	<1	<1	1	3	5	7	15
B. *Operated*	4770	3.5	9	1	1	3	4	6	8	15
1. SINGLE DX	5733	2.9	5	<1	1	2	4	5	6	10
2. MULTIPLE DX	4891	3.4	9	1	1	3	4	6	8	15
A. NOT OPERATED	185	2.3	6	<1	<1	1	3	5	7	14
B. OPERATED	10439	3.1	7	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	1821	2.7	3	<1	1	2	4	5	6	9
20-34	4548	3.0	7	<1	1	2	4	5	7	11
35-49	2256	3.1	5	<1	1	3	4	5	7	12
50-64	1490	3.5	9	1	1	3	4	6	9	15
65+	509	4.5	17	1	1	3	5	9	12	23
GRAND TOTAL	**10624**	**3.1**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.6	3	1	1	2	3	5	6	9
20-34	104	3.5	9	<1	<1	3	5	7	10	15
35-49	55	5.1	31	<1	1	4	5	11	18	31
50-64	50	3.8	10	1	1	3	5	8	10	16
65+	75	5.0	20	1	1	4	7	10	13	23
B. *Operated*										
0-19 YRS	1344	3.0	3	<1	1	3	4	5	6	9
20-34	2120	3.4	6	<1	1	3	4	6	7	10
35-49	610	3.5	8	<1	1	3	4	6	8	16
50-64	247	4.0	19	1	1	3	5	7	11	23
65+	134	6.0	41	<1	1	4	9	14	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.8	14	<1	1	3	5	7	12	20
20-34	125	5.4	49	<1	1	3	6	11	16	45
35-49	100	7.0	75	1	1	4	9	15	20	48
50-64	133	5.5	21	1	1	4	7	11	14	23
65+	252	7.2	34	1	2	6	9	14	21	28
B. *Operated*										
0-19 YRS	515	3.4	7	1	1	3	4	6	8	11
20-34	939	4.1	14	1	1	3	5	8	10	20
35-49	425	5.2	48	1	1	3	5	9	14	33
50-64	298	6.4	63	1	1	4	7	14	19	44
65+	210	10.2	115	1	2	7	15	22	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.8	14	<1	1	3	4	8	11	21
B. *Operated*	4455	3.4	7	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	705	6.1	39	1	1	4	8	13	18	28
B. *Operated*	2387	5.0	37	1	1	3	5	9	15	29
1. SINGLE DX	4834	3.4	8	<1	1	3	4	6	8	14
2. MULTIPLE DX	3092	5.2	37	1	1	3	6	11	16	29
A. NOT OPERATED	1084	5.3	31	1	1	4	7	11	16	27
B. OPERATED	6842	3.9	18	1	1	3	4	7	10	21
TOTAL 0-19 YRS	2049	3.1	5	1	1	3	4	5	6	11
20-34	3288	3.7	10	<1	1	3	4	6	8	17
35-49	1190	4.5	30	<1	1	3	5	8	12	28
50-64	728	5.2	38	1	1	3	6	11	15	28
65+	671	7.7	62	1	1	5	10	17	23	36
GRAND TOTAL	**7926**	**4.1**	**20**	**1**	**1**	**3**	**5**	**7**	**11**	**22**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	9.3	22	4	4	11	12	13	13	13
20-34	13	5.2	36	1	1	3	6	11	22	24
35-49	8	8.5	41	1	1	9	12	18	20	20
50-64	4	5.3	8	2	2	5	7	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	3	8.0	28	2	2	10	11	12	12	12
50-64	2	14.0	162	5	5	14	23	23	23	23
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	8.6	113	1	1	6	8	27	32	32
35-49	19	6.2	18	1	2	7	8	11	15	19
50-64	14	7.5	39	1	2	6	9	21	21	21
65+	15	11.9	36	5	6	11	17	21	22	22
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	10	9.1	15	3	4	8	12	14	15	15
50-64	13	24.3	437	7	8	15	33	62	68	70
65+	3	11.0	13	8	8	10	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	6.5	31	1	2	5	9	13	20	24
B. *Operated*	8	11.9	84	1	1	11	20	24	25	25
2. MULTIPLE DX										
A. *Not Operated*	55	8.4	42	1	2	7	10	21	21	31
B. *Operated*	30	15.5	251	3	5	10	15	37	60	70
1. SINGLE DX	37	7.7	46	1	2	5	10	19	24	25
2. MULTIPLE DX	85	10.9	126	2	3	8	12	21	30	66
A. NOT OPERATED	84	7.8	39	1	2	6	10	19	21	29
B. OPERATED	38	14.7	215	1	3	11	15	28	54	70
TOTAL 0-19 YRS	4	7.3	32	<1	<1	7	12	13	13	13
20-34	25	6.8	55	1	1	5	8	17	26	32
35-49	40	7.5	22	1	2	7	10	13	17	20
50-64	33	14.2	257	2	3	9	17	32	58	70
65+	20	12.1	40	4	5	10	16	22	23	25
GRAND TOTAL	**122**	**9.9**	**103**	**1**	**2**	**7**	**12**	**21**	**24**	**63**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	15	7.1	25	1	1	7	10	16	17	17
35-49	54	5.6	15	1	1	4	9	11	12	18
50-64	109	5.5	15	1	1	5	7	11	14	18
65+	140	6.8	27	1	2	5	9	14	15	27
B. *Operated*										
0-19 YRS	3	7.0	28	1	1	9	10	11	11	11
20-34	48	5.7	22	1	1	4	9	11	16	19
35-49	227	6.4	32	1	1	5	9	13	16	28
50-64	335	6.0	27	1	1	5	9	11	14	25
65+	138	7.3	58	1	1	5	10	14	20	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	9.3	336	1	2	4	7	13	46	92
35-49	145	6.0	18	1	2	5	8	12	15	20
50-64	356	6.6	28	1	2	5	8	13	18	25
65+	827	7.6	30	2	3	6	9	14	18	27
B. *Operated*										
0-19 YRS	6	9.3	13	5	5	9	11	15	15	15
20-34	51	8.3	78	1	1	6	12	18	21	42
35-49	225	8.2	72	1	2	6	10	17	24	45
50-64	411	8.4	67	1	1	7	11	16	21	42
65+	348	13.0	158	2	2	10	17	26	37	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	6.2	21	1	2	5	8	12	15	25
B. *Operated*	751	6.3	34	1	1	5	9	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	1353	7.2	34	2	2	6	9	14	18	26
B. *Operated*	1041	9.9	103	1	2	8	12	20	27	47
1. SINGLE DX	1071	6.3	30	1	1	5	9	12	16	26
2. MULTIPLE DX	2394	8.4	66	1	2	6	10	16	22	42
A. NOT OPERATED	1673	7.0	32	2	2	6	9	13	17	26
B. OPERATED	1792	8.4	77	1	1	6	11	17	23	43
TOTAL 0-19 YRS	12	7.8	17	1	1	9	10	12	15	15
20-34	138	7.4	97	1	1	5	9	16	18	48
35-49	651	6.9	42	1	1	5	9	14	18	32
50-64	1211	7.0	41	1	1	6	9	14	18	31
65+	1453	8.8	69	2	2	7	11	17	22	42
GRAND TOTAL	**3465**	**7.7**	**56**	**1**	**2**	**6**	**10**	**15**	**20**	**38**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	7.6	17	2	2	8	10	14	15	15
20-34	627	6.5	15	1	2	6	8	11	14	21
35-49	871	6.7	17	1	2	6	9	12	14	19
50-64	550	6.6	17	1	2	6	9	11	14	20
65+	181	8.0	31	2	2	7	11	14	16	24
B. *Operated*										
0-19 YRS	120	6.1	21	1	1	6	8	11	14	24
20-34	2637	7.1	32	1	1	6	9	14	17	26
35-49	3525	7.4	29	1	1	7	10	14	17	25
50-64	1781	7.5	32	1	1	7	10	14	18	26
65+	369	9.8	53	1	1	9	14	19	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.8	72	<1	1	6	10	11	29	37
20-34	330	7.1	22	1	2	6	9	14	17	25
35-49	569	7.4	32	1	2	6	9	14	19	29
50-64	579	7.7	23	2	3	7	10	14	17	25
65+	527	8.5	30	2	3	7	11	15	18	24
B. *Operated*										
0-19 YRS	23	8.9	31	1	1	9	12	16	19	22
20-34	778	9.4	63	1	2	8	12	18	22	34
35-49	1420	10.1	57	1	2	9	13	19	25	37
50-64	1218	10.5	72	1	2	9	14	19	27	43
65+	601	12.4	84	1	2	11	17	24	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2262	6.8	18	1	2	6	9	12	14	20
B. *Operated*	8432	7.4	32	1	1	7	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*	2021	7.7	28	2	2	7	10	14	18	26
B. *Operated*	4040	10.4	67	1	2	9	14	20	26	39
1. SINGLE DX	10694	7.3	29	1	1	7	10	14	17	25
2. MULTIPLE DX	6061	9.5	56	1	2	8	12	18	23	36
A. NOT OPERATED	4283	7.2	23	1	2	6	9	13	16	24
B. OPERATED	12472	8.4	45	1	1	7	11	16	21	32
TOTAL 0-19 YRS	192	6.8	26	1	1	6	9	12	15	27
20-34	4372	7.4	35	1	1	7	10	14	18	27
35-49	6385	7.9	35	1	2	7	10	15	19	29
50-64	4128	8.3	42	1	2	7	11	15	20	30
65+	1678	10.1	58	1	2	8	13	20	24	37
GRAND TOTAL	**16755**	**8.1**	**40**	**1**	**2**	**7**	**11**	**15**	**19**	**30**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	10	3	3	7	9	11	11	11
20-34	101	6.1	20	1	1	5	8	12	14	22
35-49	199	5.8	13	1	2	5	8	10	13	17
50-64	143	6.1	16	1	2	6	8	11	13	19
65+	52	7.0	33	2	3	6	8	11	15	35
B. *Operated*										
0-19 YRS	10	5.8	44	<1	<1	3	15	51	96	99+
20-34	372	5.8	22	1	1	5	8	11	15	22
35-49	720	5.9	18	1	1	5	8	11	14	22
50-64	461	6.2	21	1	1	5	8	12	15	20
65+	86	7.4	44	1	1	6	9	13	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	28	3	3	5	10	16	16	16
20-34	80	6.9	25	1	1	6	8	16	19	21
35-49	170	8.0	61	2	3	6	9	13	18	51
50-64	217	6.9	26	1	2	6	9	14	19	26
65+	208	8.0	36	2	2	7	10	15	21	27
B. *Operated*										
0-19 YRS	5	10.0	82	4	4	6	12	26	26	26
20-34	127	7.5	42	1	1	6	10	16	19	34
35-49	449	7.3	29	1	2	6	9	14	18	28
50-64	397	7.4	40	1	1	6	9	14	18	34
65+	92	10.2	60	2	2	8	14	20	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	6.1	17	1	2	5	8	11	13	19
B. *Operated*	1649	6.0	21	1	1	5	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	680	7.5	38	1	2	6	9	15	19	27
B. *Operated*	1070	7.6	38	1	1	6	10	15	18	33
1. SINGLE DX	2149	6.0	20	1	1	5	8	11	14	22
2. MULTIPLE DX	1750	7.6	38	1	2	6	10	15	19	31
A. NOT OPERATED	1180	6.9	30	1	2	6	8	13	16	26
B. OPERATED	2719	6.6	29	1	1	6	9	13	17	27
TOTAL 0-19 YRS	25	7.2	39	1	1	6	9	18	41	99+
20-34	680	6.3	26	1	1	5	8	12	16	24
35-49	1538	6.5	26	1	1	6	9	12	15	24
50-64	1218	6.7	28	1	1	6	9	13	17	27
65+	438	8.2	43	1	2	7	11	16	21	35
GRAND TOTAL	**3899**	**6.7**	**29**	**1**	**1**	**6**	**9**	**13**	**16**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.9	9	2	2	6	7	10	12	12
20-34	105	6.1	16	1	2	5	8	11	12	22
35-49	107	7.0	14	2	2	7	9	12	13	19
50-64	51	5.9	13	2	2	5	8	10	12	17
65+	21	7.3	7	3	4	7	9	11	11	12
B. *Operated*										
0-19 YRS	4	6.0	7	2	2	7	8	8	8	8
20-34	93	4.6	22	1	1	2	7	12	14	20
35-49	128	6.1	36	1	1	3	9	15	18	26
50-64	35	6.9	31	2	2	5	11	16	17	20
65+	5	5.2	16	1	1	3	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	15	3	3	6	9	13	15	15
20-34	89	7.0	27	2	2	6	9	12	19	29
35-49	139	8.3	27	3	3	7	11	16	19	26
50-64	100	8.5	77	2	3	7	10	16	19	52
65+	70	8.1	26	2	3	7	11	14	15	29
B. *Operated*										
0-19 YRS	5	5.6	19	2	2	4	8	13	13	13
20-34	76	8.4	32	1	2	8	13	16	18	21
35-49	78	8.1	61	1	2	6	11	17	22	44
50-64	45	11.6	112	1	1	10	15	26	33	48
65+	4	11.0	49	4	4	11	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	6.5	14	1	2	6	9	11	12	18
B. *Operated*	265	5.7	30	1	1	3	9	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	406	8.0	39	2	3	7	10	15	19	27
B. *Operated*	208	9.0	61	1	2	7	13	18	22	43
1. SINGLE DX	558	6.1	22	1	1	5	9	12	15	22
2. MULTIPLE DX	614	8.3	47	2	2	7	11	16	19	31
A. NOT OPERATED	699	7.4	29	2	3	7	9	13	17	25
B. OPERATED	473	7.1	46	1	1	5	11	16	19	30
TOTAL 0-19 YRS	26	6.3	12	2	2	6	8	12	13	15
20-34	363	6.4	25	1	1	5	9	14	16	23
35-49	452	7.3	33	1	2	6	10	15	18	26
50-64	231	8.3	66	2	2	7	10	17	20	42
65+	100	7.9	22	2	3	7	10	14	16	25
GRAND TOTAL	**1172**	**7.3**	**36**	**1**	**2**	**6**	**10**	**15**	**18**	**26**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	58	7.4	31	2	3	6	8	13	21	31
35-49	72	6.8	33	1	2	5	9	11	16	35
50-64	64	7.1	15	2	3	7	9	12	14	19
65+	34	6.8	22	1	2	5	10	14	16	19
B. *Operated*										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	51	4.5	17	1	1	3	7	11	12	18
35-49	56	5.3	34	1	1	2	9	12	17	28
50-64	29	4.2	19	1	1	2	7	11	15	15
65+	11	5.6	38	<1	<1	4	7	15	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	38	6.4	19	1	2	5	8	12	13	23
35-49	69	6.9	19	2	2	6	9	11	14	26
50-64	83	7.8	21	3	3	6	10	16	19	19
65+	125	8.5	34	3	3	7	11	15	20	32
B. *Operated*										
0-19 YRS										
20-34	25	8.2	48	1	2	6	11	20	23	28
35-49	46	7.2	38	1	1	6	10	16	20	26
50-64	34	6.4	29	1	1	4	11	14	14	23
65+	20	13.9	42	3	5	14	18	22	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	7.1	25	2	2	6	9	12	16	27
B. *Operated*	150	4.8	25	1	1	2	7	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	318	7.7	26	2	3	6	10	14	18	28
B. *Operated*	125	8.3	44	1	1	7	12	17	22	27
1. SINGLE DX	380	6.2	26	1	1	5	8	12	15	25
2. MULTIPLE DX	443	7.8	31	1	2	6	10	15	19	28
A. NOT OPERATED	548	7.4	26	2	3	6	9	13	17	28
B. OPERATED	275	6.4	36	1	1	4	10	15	19	26
TOTAL 0-19 YRS	8	4.1	13	1	1	2	8	9	9	9
20-34	172	6.4	28	1	1	5	8	12	18	27
35-49	243	6.6	31	1	1	5	9	12	17	28
50-64	210	6.9	21	1	1	6	9	14	16	20
65+	190	8.6	37	2	3	7	11	16	21	30
GRAND TOTAL	**823**	**7.1**	**30**	**1**	**1**	**6**	**10**	**14**	**18**	**27**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.0	8	1	1	3	5	8	10	12
20-34	777	5.9	20	1	1	5	8	11	14	21
35-49	899	6.5	24	1	2	5	8	12	16	26
50-64	568	6.5	28	1	2	5	8	11	15	24
65+	259	6.6	27	1	2	5	9	13	16	21
B. *Operated*										
0-19 YRS	58	3.8	18	<1	1	2	5	9	11	24
20-34	726	4.4	18	1	1	3	7	10	13	19
35-49	928	5.1	25	1	1	3	7	12	16	22
50-64	679	6.3	30	1	1	5	9	13	17	25
65+	336	8.2	48	1	1	8	12	16	21	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.4	21	<1	1	3	6	9	13	26
20-34	790	7.4	42	1	2	6	9	15	19	35
35-49	1225	7.7	39	1	2	6	10	16	19	32
50-64	976	7.7	37	1	2	6	10	16	19	32
65+	1075	7.9	43	2	2	6	10	15	19	31
B. *Operated*										
0-19 YRS	34	4.7	16	<1	1	3	7	10	10	18
20-34	582	6.7	53	1	1	5	9	14	18	34
35-49	837	7.8	71	1	1	6	10	16	21	43
50-64	834	8.6	54	1	2	7	12	17	21	38
65+	683	13.3	106	1	3	11	18	26	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2563	6.3	24	1	2	5	8	11	15	24
B. *Operated*	2727	5.6	29	1	1	3	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	4140	7.6	40	1	2	6	10	16	19	32
B. *Operated*	2970	9.0	76	1	1	7	12	19	25	44
1. SINGLE DX	5290	5.9	26	1	1	5	8	12	16	24
2. MULTIPLE DX	7110	8.2	55	1	2	6	11	17	21	37
A. NOT OPERATED	6703	7.1	34	1	2	6	9	14	18	30
B. OPERATED	5697	7.4	56	1	1	5	10	16	21	37
TOTAL 0-19 YRS	226	4.2	16	1	1	3	5	9	11	20
20-34	2875	6.1	33	1	1	5	8	13	17	26
35-49	3889	6.8	40	1	1	5	9	14	18	32
50-64	3057	7.4	39	1	2	6	10	15	19	32
65+	2353	9.4	67	1	2	8	12	19	24	40
GRAND TOTAL	**12400**	**7.2**	**44**	**1**	**1**	**6**	**9**	**15**	**19**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.5	14	1	1	3	4	6	8	25
20-34	89	3.7	6	1	2	3	5	6	7	15
35-49	67	3.7	8	1	1	3	5	7	10	13
50-64	70	4.1	8	<1	1	3	5	9	10	13
65+	65	4.5	15	<1	1	3	6	9	13	20
B. *Operated*										
0-19 YRS	316	2.1	2	<1	<1	2	3	4	5	8
20-34	772	2.6	5	<1	<1	2	3	5	6	11
35-49	882	2.7	5	<1	<1	2	3	5	6	13
50-64	873	2.5	5	<1	<1	2	3	5	6	12
65+	262	2.8	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.6	5	<1	1	3	4	6	9	10
20-34	81	4.7	12	<1	1	4	6	9	12	16
35-49	114	5.3	21	1	1	4	7	10	12	27
50-64	189	5.4	16	1	1	4	7	11	14	19
65+	212	6.9	28	1	2	5	9	14	18	24
B. *Operated*										
0-19 YRS	103	3.0	8	<1	1	2	4	6	7	16
20-34	372	3.1	5	<1	1	3	4	5	7	11
35-49	506	3.7	17	1	1	3	4	6	9	20
50-64	584	4.1	12	<1	1	3	5	8	10	19
65+	315	5.0	33	<1	1	3	5	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	3.9	10	1	1	3	5	7	10	16
B. *Operated*	3105	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	630	5.7	21	1	1	4	7	12	15	23
B. *Operated*	1880	3.9	16	<1	1	3	5	7	10	21
1. SINGLE DX	3484	2.7	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	2510	4.3	18	<1	1	3	5	9	12	22
A. NOT OPERATED	1009	5.0	18	1	1	4	6	10	13	22
B. OPERATED	4985	3.1	9	<1	<1	2	4	6	8	15
TOTAL 0-19 YRS	541	2.6	6	<1	<1	2	3	5	6	10
20-34	1314	3.0	6	<1	<1	2	4	5	7	12
35-49	1569	3.2	11	<1	1	2	4	6	8	16
50-64	1716	3.4	10	<1	<1	3	4	7	10	15
65+	854	4.8	24	<1	<1	3	6	11	14	24
GRAND TOTAL	**5994**	**3.4**	**11**	**<1**	**<1**	**2**	**4**	**6**	**9**	**17**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	231	3.0	3	1	1	3	4	5	6	7
20-34	461	3.1	3	1	1	3	4	5	6	8
35-49	452	3.2	2	1	1	3	4	5	6	8
50-64	619	3.2	3	<1	1	3	4	5	6	9
65+	353	3.6	4	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	3.8	48	<1	<1	1	1	16	18	18
35-49	7	2.6	4	<1	<1	2	4	6	6	6
50-64	27	1.6	1	<1	<1	1	2	3	4	5
65+	26	2.3	6	<1	<1	1	3	6	9	10
B. *Operated*										
0-19 YRS	199	3.6	2	2	2	3	4	6	6	9
20-34	526	3.5	3	1	2	3	4	5	6	8
35-49	795	3.9	5	1	2	4	5	6	7	11
50-64	1482	4.0	5	1	2	4	5	6	8	12
65+	984	4.5	7	2	2	4	5	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	2116	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	67	2.2	7	<1	<1	1	2	5	7	17
B. *Operated*	3986	4.0	5	2	2	4	5	6	8	12
1. SINGLE DX	2122	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	4053	4.0	5	1	2	4	5	6	8	12
A. NOT OPERATED	73	2.1	7	<1	<1	1	2	5	6	16
B. OPERATED	6102	3.8	4	1	2	3	5	6	7	11
TOTAL 0-19 YRS	431	3.3	3	1	1	3	4	5	6	8
20-34	995	3.3	3	1	1	3	4	5	6	9
35-49	1256	3.6	4	1	2	3	4	6	7	10
50-64	2128	3.8	4	1	2	3	5	6	7	11
65+	1365	4.2	7	1	2	4	5	7	8	13
GRAND TOTAL	**6175**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	3	<1	<1	<1	2	5	5	5
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	322	1.5	1	<1	<1	1	2	2	3	4
20-34	759	1.6	1	<1	<1	1	2	3	3	5
35-49	390	1.7	1	<1	<1	1	2	3	4	5
50-64	269	2.0	2	<1	<1	2	2	4	5	6
65+	106	2.5	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	8	1.1		<1	<1	<1	1	2	2	2
35-49	12	1.6	1	<1	<1	1	2	3	5	5
50-64	5	3.4	11	<1	<1	1	6	8	8	8
65+	7	4.4	5	1	1	5	6	7	7	7
B. *Operated*										
0-19 YRS	38	1.7	1	<1	<1	2	2	3	3	4
20-34	133	2.4	2	<1	<1	2	3	4	5	8
35-49	133	2.9	6	<1	<1	2	4	5	8	13
50-64	133	3.0	5	<1	<1	3	4	5	6	12
65+	105	3.8	18	<1	1	3	4	9	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*	1846	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	36	2.2	4	<1	<1	1	3	6	7	8
B. *Operated*	542	2.9	7	<1	<1	2	4	5	7	15
1. SINGLE DX	1863	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	578	2.9	7	<1	<1	2	4	5	7	14
A. NOT OPERATED	53	2.3	4	<1	<1	1	3	5	7	8
B. OPERATED	2388	2.0	3	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	369	1.5	1	<1	<1	1	2	2	3	4
20-34	903	1.7	2	<1	<1	1	2	3	4	6
35-49	539	2.0	3	<1	<1	2	2	4	5	8
50-64	410	2.4	3	<1	<1	2	3	5	5	8
65+	220	3.2	11	<1	<1	2	4	6	9	17
GRAND TOTAL	**2441**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	14.4	79	2	4	13	21	27	31	40
20-34	33	9.1	74	1	2	5	13	23	28	32
35-49	21	8.4	59	<1	1	7	13	17	26	32
50-64	20	11.0	61	2	2	9	16	23	27	28
65+	23	13.4	48	2	4	15	19	22	23	25
B. *Operated*										
0-19 YRS	102	13.7	113	1	3	11	21	26	35	45
20-34	79	11.6	123	1	2	8	15	28	34	51
35-49	83	11.8	143	1	1	9	15	28	36	60
50-64	61	10.5	107	2	2	7	15	22	39	44
65+	49	13.1	162	2	2	9	18	30	40	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	16.3	127	1	2	15	24	30	34	48
20-34	36	13.4	117	2	3	10	20	28	37	43
35-49	32	15.5	190	2	3	11	20	39	43	54
50-64	49	15.5	125	4	5	12	19	32	39	56
65+	60	14.4	132	2	3	11	21	31	42	95
B. *Operated*										
0-19 YRS	78	20.8	168	3	5	20	28	39	46	61
20-34	117	20.5	353	2	3	13	31	47	53	85
35-49	103	19.3	321	2	3	14	28	41	59	97
50-64	173	21.9	330	2	4	16	30	48	61	79
65+	160	23.4	312	3	5	19	32	53	59	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	12.4	75	2	2	11	18	25	29	37
B. *Operated*	374	12.2	127	1	2	9	17	28	37	48
2. MULTIPLE DX										
A. *Not Operated*	222	15.0	134	2	3	12	22	30	41	55
B. *Operated*	631	21.5	309	2	4	16	30	47	58	81
1. SINGLE DX	572	12.3	109	1	2	9	17	26	32	45
2. MULTIPLE DX	853	19.8	271	2	3	15	28	43	54	79
A. NOT OPERATED	420	13.8	108	2	3	11	20	28	33	50
B. OPERATED	1005	18.0	261	2	3	13	25	41	53	74
TOTAL 0-19 YRS	326	16.0	124	2	3	14	23	30	39	47
20-34	265	15.5	238	2	2	10	23	36	46	76
35-49	239	15.2	232	1	2	10	21	37	47	81
50-64	303	17.9	257	2	3	13	23	42	50	72
65+	292	19.0	251	2	4	15	26	42	54	68
GRAND TOTAL	**1425**	**16.8**	**219**	**2**	**3**	**13**	**23**	**38**	**47**	**70**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	5.2	35	<1	1	3	7	12	16	32
20-34	87	3.3	10	1	1	2	4	7	9	18
35-49	78	3.9	10	1	1	3	5	8	11	15
50-64	78	4.5	21	1	1	3	6	10	15	23
65+	184	7.8	31	2	2	7	11	16	18	25
B. *Operated*										
0-19 YRS	832	3.8	13	1	1	3	5	7	10	16
20-34	1055	3.8	13	1	1	3	5	7	10	15
35-49	496	5.2	23	1	1	4	6	10	15	24
50-64	341	6.5	37	1	2	5	9	13	16	29
65+	242	9.5	52	1	2	8	14	18	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.1	92	<1	<1	3	5	19	27	48
20-34	93	3.8	18	<1	<1	3	4	7	11	26
35-49	199	4.5	20	1	1	3	5	9	11	25
50-64	392	6.5	29	1	2	5	8	14	17	26
65+	1902	9.7	57	2	3	8	12	18	23	38
B. *Operated*										
0-19 YRS	276	4.8	38	1	1	3	5	10	15	38
20-34	561	5.6	39	1	1	4	7	11	16	34
35-49	421	7.4	70	1	2	5	9	16	23	37
50-64	491	11.1	125	1	2	8	15	22	31	64
65+	688	16.0	148	2	4	14	20	31	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	5.5	26	1	1	4	8	12	16	24
B. *Operated*	2966	4.8	23	1	1	3	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	2625	8.6	53	2	2	7	11	17	22	35
B. *Operated*	2437	9.8	111	1	2	6	14	21	30	60
1. SINGLE DX	3466	4.9	24	1	1	3	6	11	14	23
2. MULTIPLE DX	5062	9.2	81	1	2	7	12	19	25	48
A. NOT OPERATED	3125	8.1	50	1	2	6	11	16	21	34
B. OPERATED	5403	7.1	69	1	1	4	9	16	22	42
TOTAL 0-19 YRS	1220	4.2	23	1	1	3	5	8	12	25
20-34	1796	4.3	22	1	1	3	5	9	11	22
35-49	1194	5.8	40	1	1	4	7	12	17	33
50-64	1302	8.1	72	1	2	5	11	17	22	41
65+	3016	11.0	83	2	3	9	14	21	27	49
GRAND TOTAL	**8528**	**7.5**	**62**	**1**	**1**	**5**	**10**	**16**	**21**	**38**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	193	3.5	8	<1	1	3	5	6	7	19
20-34	132	2.8	5	<1	<1	2	4	6	8	10
35-49	73	2.8	6	<1	<1	2	3	7	8	11
50-64	72	4.3	14	<1	1	3	6	10	13	16
65+	40	5.1	13	<1	1	4	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	3	<1	<1	1	2	5	6	6
20-34	4	6.8	22	<1	<1	7	10	11	11	11
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	12	3.6	26	<1	<1	2	4	10	18	19
65+	11	13.7	331	<1	<1	7	15	46	57	58
B. *Operated*										
0-19 YRS	140	4.6	49	1	1	3	5	8	10	29
20-34	180	4.8	29	<1	1	3	6	9	13	34
35-49	117	4.6	23	1	1	4	5	7	14	28
50-64	125	5.5	37	1	2	4	7	10	13	30
65+	69	8.7	48	1	2	6	14	18	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	1	1	1	2	3	4	4	4
B. *Operated*	510	3.5	8	<1	<1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	39	6.6	122	<1	<1	2	7	15	29	58
B. *Operated*	631	5.3	37	1	1	4	6	10	16	29
1. SINGLE DX	518	3.5	8	<1	<1	3	4	7	9	15
2. MULTIPLE DX	670	5.4	42	1	1	4	6	10	16	32
A. NOT OPERATED	47	5.9	104	<1	<1	2	6	14	22	58
B. OPERATED	1141	4.5	25	<1	1	3	5	9	12	23
TOTAL 0-19 YRS	345	3.9	25	<1	1	3	5	6	8	21
20-34	317	4.0	20	<1	<1	3	5	8	10	27
35-49	194	4.0	17	<1	1	3	5	7	11	24
50-64	211	5.0	29	<1	1	4	6	10	13	19
65+	121	7.9	65	1	1	6	11	16	22	44
GRAND TOTAL	**1188**	**4.5**	**28**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	6.3	29	1	2	6	7	11	20	23
35-49	32	6.5	18	1	2	6	8	12	17	18
50-64	29	5.5	18	1	1	5	7	11	13	20
65+	14	6.1	11	2	3	5	8	12	12	12
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	17	4.8	18	1	1	3	6	12	13	13
35-49	37	4.5	16	1	1	3	7	11	13	17
50-64	30	6.7	47	1	1	6	8	12	17	36
65+	13	8.5	53	1	2	6	14	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	22	7.4	35	1	2	5	11	19	20	21
35-49	35	6.1	23	1	1	5	9	12	14	22
50-64	58	6.7	21	2	2	5	9	12	16	25
65+	74	8.1	48	2	2	6	11	16	22	36
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	20	9.3	77	1	1	7	12	21	31	35
35-49	36	9.1	88	1	1	7	12	19	42	99+
50-64	42	6.7	24	1	1	7	9	11	15	25
65+	15	13.1	74	1	3	10	21	25	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	6.0	18	1	2	6	7	11	16	22
B. *Operated*	99	5.7	32	1	1	4	8	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	190	7.2	34	1	2	5	10	14	19	31
B. *Operated*	114	8.8	62	1	1	7	11	19	25	70
1. SINGLE DX	190	5.9	25	1	1	5	8	12	16	23
2. MULTIPLE DX	304	7.8	45	1	2	6	10	15	22	36
A. NOT OPERATED	281	6.8	29	1	2	5	9	12	18	25
B. OPERATED	213	7.4	50	1	1	6	10	15	22	42
TOTAL 0-19 YRS	5	3.0	7	<1	<1	2	5	7	7	7
20-34	74	7.1	42	1	2	5	10	14	21	33
35-49	140	6.6	39	1	1	5	9	13	17	58
50-64	159	6.5	26	1	1	6	9	12	16	26
65+	116	8.6	50	2	2	7	12	19	23	35
GRAND TOTAL	**494**	**7.0**	**38**	**1**	**1**	**6**	**9**	**14**	**19**	**35**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.7	5	<1	<1	2	4	6	7	11
20-34	200	4.4	18	1	1	3	6	9	11	25
35-49	195	4.7	13	1	1	4	6	10	11	17
50-64	140	4.5	11	1	1	4	7	10	11	13
65+	95	4.8	11	1	2	4	7	9	11	17
B. *Operated*										
0-19 YRS	461	4.1	17	<1	<1	2	6	10	12	19
20-34	683	3.5	13	<1	1	2	4	9	11	17
35-49	481	3.5	17	<1	1	2	4	8	12	18
50-64	580	3.1	8	<1	1	2	3	6	9	14
65+	341	3.1	12	<1	1	2	3	6	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.8	17	<1	1	2	4	8	14	19
20-34	289	5.5	37	1	1	4	6	11	18	32
35-49	352	5.9	33	1	1	4	7	12	18	27
50-64	389	6.0	36	1	1	4	7	13	19	32
65+	528	6.7	29	1	2	5	9	14	17	26
B. *Operated*										
0-19 YRS	298	4.3	31	<1	1	3	4	10	16	32
20-34	648	4.6	27	1	1	3	5	11	15	28
35-49	490	5.0	29	1	1	3	6	11	15	27
50-64	572	5.5	47	1	1	3	6	11	17	39
65+	421	6.2	55	1	1	3	8	14	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	705	4.4	13	1	1	3	6	9	11	17
B. *Operated*	2546	3.5	14	<1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	1635	6.0	33	1	1	4	8	12	18	30
B. *Operated*	2429	5.1	38	1	1	3	6	11	16	35
1. SINGLE DX	3251	3.7	14	<1	1	2	4	8	11	17
2. MULTIPLE DX	4064	5.5	36	1	1	3	7	12	17	32
A. NOT OPERATED	2340	5.5	27	1	1	4	7	11	16	27
B. OPERATED	4975	4.3	26	<1	1	3	5	10	13	27
TOTAL 0-19 YRS	911	4.0	21	<1	1	2	5	10	12	23
20-34	1820	4.3	23	1	1	3	5	10	13	26
35-49	1518	4.7	25	1	1	3	6	10	14	24
50-64	1681	4.7	29	1	1	3	5	10	14	29
65+	1385	5.5	34	1	1	3	7	12	16	31
GRAND TOTAL	**7315**	**4.7**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	9	2	2	4	7	10	10	10
35-49	15	5.3	6	2	3	5	6	8	10	11
50-64	5	6.0	13	3	3	5	7	12	12	12
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	4	6.0	13	2	2	6	9	10	10	10
35-49	3	12.0	19	7	7	14	15	15	15	15
50-64	2	5.5	5	4	4	5	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	12	4.4	10	<1	1	4	6	10	11	11
35-49	14	5.1	9	<1	1	5	8	9	10	10
50-64	16	6.1	7	3	3	6	7	8	12	14
65+	10	6.9	13	<1	1	8	9	11	12	12
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	3	9.7	156	1	1	4	19	24	24	24
35-49	9	5.8	15	1	1	6	8	11	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.5	6	2	3	5	7	9	11	12
B. *Operated*	9	7.9	20	2	3	7	11	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	54	5.6	10	<1	1	6	8	9	11	14
B. *Operated*	15	6.1	36	1	1	4	8	12	21	24
1. SINGLE DX	37	6.1	10	2	3	5	7	11	13	15
2. MULTIPLE DX	69	5.7	15	1	1	6	8	10	12	22
A. NOT OPERATED	82	5.5	8	1	2	5	7	9	11	13
B. OPERATED	24	6.8	29	1	1	6	9	14	18	24
TOTAL 0-19 YRS	4	4.3	11	1	1	4	7	8	8	8
20-34	25	5.5	24	1	1	4	7	10	14	24
35-49	41	5.9	12	1	2	6	8	11	13	15
50-64	24	5.9	7	3	3	6	7	9	13	14
65+	12	6.8	11	<1	2	7	9	11	12	12
GRAND TOTAL	**106**	**5.8**	**13**	**1**	**2**	**6**	**8**	**10**	**12**	**19**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.4	2	<1	<1	2	4	4	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	48	7.5	61	1	1	5	8	17	21	41
20-34	16	7.9	50	1	1	5	12	21	23	23
35-49	5	8.6	15	5	5	7	10	15	15	15
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.6	48	<1	1	3	7	17	23	32
20-34	8	4.5	19	2	2	3	4	12	15	15
35-49	2	15.5	265	4	4	15	27	27	27	27
50-64	3	12.7	90	3	3	13	20	22	22	22
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	73	12.1	189	2	2	8	15	27	36	81
20-34	10	11.8	37	1	3	12	17	19	20	20
35-49	16	6.8	66	<1	1	4	8	15	28	33
50-64	7	10.4	22	3	4	12	13	16	17	17
65+	4	18.8	161	6	6	17	26	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.7	2	<1	<1	2	4	5	6	6
B. *Operated*	72	7.7	52	1	1	6	10	17	22	39
2. MULTIPLE DX										
A. *Not Operated*	73	6.0	51	<1	1	3	7	18	25	31
B. *Operated*	110	11.4	148	1	2	8	15	22	34	68
1. SINGLE DX	90	6.7	46	1	1	5	8	15	20	37
2. MULTIPLE DX	183	9.3	116	1	1	6	12	20	30	51
A. NOT OPERATED	91	5.4	43	<1	1	3	6	15	22	30
B. OPERATED	182	9.9	113	1	2	7	13	20	30	51
TOTAL 0-19 YRS	193	8.3	111	1	1	5	9	19	29	51
20-34	35	8.1	43	1	2	6	14	17	21	23
35-49	24	7.9	63	1	1	6	9	17	29	33
50-64	14	9.2	39	2	2	10	13	17	21	22
65+	7	13.6	128	2	3	9	19	32	35	35
GRAND TOTAL	**273**	**8.4**	**94**	**1**	**1**	**5**	**11**	**19**	**26**	**45**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	1.0		<1	<1	<1	1	1	1	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+										
B. *Operated*										
0-19 YRS	465	1.9	2	<1	<1	2	2	3	4	9
20-34	113	2.4	3	<1	1	2	3	4	6	9
35-49	69	2.1	1	<1	1	2	3	3	4	4
50-64	99	2.4	3	1	1	2	2	3	5	12
65+	142	2.7	4	1	2	2	3	4	5	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.2	1	<1	<1	<1	1	2	3	5
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	5	1.4		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	139	2.4	4	<1	<1	2	3	4	6	13
20-34	53	2.6	2	<1	<1	2	3	5	6	8
35-49	56	2.8	6	<1	1	2	3	5	8	14
50-64	161	2.7	1	2	2	2	3	4	5	7
65+	318	2.9	3	2	2	2	3	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	888	2.2	2	<1	<1	2	3	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	45	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	727	2.7	3	1	1	2	3	4	5	9
1. SINGLE DX	1032	2.0	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX	772	2.7	3	<1	1	2	3	4	5	9
A. NOT OPERATED	189	1.1		<1	<1	<1	1	1	2	4
B. OPERATED	1615	2.4	3	<1	1	2	3	4	5	9
TOTAL 0-19 YRS	776	1.8	2	<1	<1	1	2	3	4	9
20-34	170	2.5	3	<1	1	2	3	4	6	9
35-49	126	2.4	3	<1	1	2	3	4	5	12
50-64	267	2.6	2	1	2	2	3	4	5	8
65+	465	2.9	3	2	2	2	3	4	5	10
GRAND TOTAL	**1804**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	2	<1	<1	1	2	4	5	6
20-34	6	2.2	4	<1	<1	1	2	6	6	6
35-49	9	3.6	11	<1	<1	2	5	9	10	10
50-64	5	5.0	10	1	1	5	7	9	9	9
65+	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	560	4.0	12	1	1	2	7	8	10	16
20-34	99	5.2	19	<1	1	3	8	11	13	20
35-49	72	5.0	22	1	1	2	9	11	14	22
50-64	40	6.1	41	1	1	5	8	11	12	39
65+	12	3.8	9	1	1	2	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.9	70	<1	<1	2	5	10	16	38
20-34	50	5.2	39	1	1	3	6	11	14	41
35-49	16	5.8	18	1	1	5	8	12	15	16
50-64	21	6.5	47	1	2	4	9	14	22	31
65+	42	5.8	19	<1	1	5	8	13	16	17
B. *Operated*										
0-19 YRS	671	6.0	70	1	1	3	8	11	16	53
20-34	118	8.1	111	1	1	4	10	17	31	57
35-49	86	8.0	83	1	2	5	10	23	34	79
50-64	82	8.4	64	1	2	7	12	18	25	36
65+	44	10.7	66	1	2	11	17	22	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.8	6	<1	<1	2	4	7	9	10
B. *Operated*	783	4.3	15	1	1	2	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	270	5.2	51	<1	1	3	6	11	16	33
B. *Operated*	1001	6.8	77	1	1	3	9	14	21	53
1. SINGLE DX	822	4.2	15	1	1	2	7	9	11	17
2. MULTIPLE DX	1271	6.5	72	1	1	3	8	13	19	46
A. NOT OPERATED	309	4.9	46	<1	1	3	6	10	15	32
B. OPERATED	1784	5.7	51	1	1	3	8	11	16	39
TOTAL 0-19 YRS	1387	5.0	47	1	1	2	7	10	12	31
20-34	273	6.4	64	1	1	3	8	12	18	49
35-49	183	6.4	52	1	1	3	9	13	24	42
50-64	148	7.4	54	1	2	5	10	15	22	37
65+	102	7.6	45	1	1	5	12	18	21	27
GRAND TOTAL	**2093**	**5.6**	**51**	**1**	**1**	**3**	**8**	**11**	**16**	**38**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	355	3.8	3	1	2	3	5	6	8	8
20-34	13	3.2	4	<1	<1	3	4	7	7	7
35-49	4	2.5	1	1	1	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	1.6	5	<1	<1	1	1	1	8	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	205	4.4	11	1	2	4	5	7	8	21
20-34	12	3.9	4	<1	1	4	5	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	373	3.7	3	1	2	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	25	1.6	5	<1	<1	1	1	1	8	11
B. *Operated*	218	4.4	11	1	2	4	5	7	8	19
1. SINGLE DX	376	3.7	3	1	2	3	5	6	7	8
2. MULTIPLE DX	243	4.1	11	<1	1	4	5	7	8	16
A. NOT OPERATED	28	1.6	5	<1	<1	1	1	2	7	11
B. OPERATED	591	4.0	6	1	2	4	5	7	8	10
TOTAL 0-19 YRS	588	3.9	6	1	1	4	5	7	8	11
20-34	25	3.6	4	<1	<1	3	5	7	7	8
35-49	5	2.8	1	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
GRAND TOTAL	**619**	**3.9**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	1	1	1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	279	3.3	2	2	2	3	4	5	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	69	4.6	10	2	3	4	5	7	11	20
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.1	1	1	1	2	3	4	4	4
B. *Operated*	279	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*	69	4.6	10	2	3	4	5	7	11	20
1. SINGLE DX	291	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX	72	4.5	10	2	2	4	5	7	11	20
A. NOT OPERATED	15	2.1	1	1	1	2	3	3	4	4
B. OPERATED	348	3.6	4	2	2	3	4	6	7	11
TOTAL 0-19 YRS	363	3.5	4	1	2	3	4	5	7	11
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**363**	**3.5**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.9	2	<1	<1	1	3	5	6	6
20-34	3	4.7	30	<1	<1	2	9	11	11	11
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	3	4.3	33	<1	<1	<1	8	11	11	11
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	174	4.1	14	<1	<1	3	6	9	12	17
20-34	59	4.3	11	<1	<1	3	6	9	11	14
35-49	24	3.5	8	<1	<1	2	6	7	9	11
50-64	21	4.3	9	<1	<1	4	7	9	10	10
65+	8	3.3	13	<1	<1	2	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.5	28	<1	1	3	5	9	15	30
20-34	10	5.4	8	2	2	5	8	10	11	11
35-49	6	4.5	7	1	1	5	7	7	7	7
50-64	7	4.3	5	3	3	4	4	8	9	9
65+	26	7.1	28	1	1	6	10	15	18	19
B. *Operated*										
0-19 YRS	166	9.2	154	1	1	6	10	20	28	78
20-34	63	6.9	19	1	2	6	9	12	14	24
35-49	32	8.2	53	<1	2	7	9	12	15	44
50-64	35	9.0	75	<1	1	8	11	18	27	44
65+	41	13.2	77	2	3	11	17	26	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	2.2	5	<1	<1	1	3	5	6	11
B. *Operated*	286	4.1	13	<1	<1	3	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	92	5.3	24	1	1	4	7	11	15	25
B. *Operated*	337	9.1	104	1	2	7	10	18	26	64
1. SINGLE DX	353	3.7	12	<1	<1	2	5	8	11	15
2. MULTIPLE DX	429	8.3	89	1	1	6	10	17	24	48
A. NOT OPERATED	159	4.0	18	<1	<1	3	5	9	12	19
B. OPERATED	623	6.8	68	<1	1	5	9	13	19	42
TOTAL 0-19 YRS	438	5.8	74	<1	<1	3	7	11	18	38
20-34	135	5.6	16	<1	1	5	8	11	12	21
35-49	65	5.9	35	<1	1	6	8	11	12	40
50-64	66	6.8	49	<1	<1	5	9	12	18	42
65+	78	9.7	66	1	1	8	14	19	27	38
GRAND TOTAL	**782**	**6.2**	**59**	**<1**	**1**	**4**	**8**	**12**	**18**	**33**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	590	2.1	1	<1	1	2	3	3	4	6
20-34	47	2.3	2	<1	1	2	3	4	5	8
35-49	11	2.2	1	1	1	2	3	4	4	4
50-64	4	2.8	2	2	2	2	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	428	2.2	2	<1	1	2	3	4	4	7
20-34	57	2.9	5	1	1	2	3	5	7	14
35-49	16	2.5	2	1	1	2	3	5	6	6
50-64	10	2.3	1	1	1	2	3	4	4	4
65+	2	8.0	8	6	6	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4		<1	<1	1	2	3	3	3
B. *Operated*	652	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	14	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	513	2.3	2	<1	1	2	3	4	5	8
1. SINGLE DX	663	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX	527	2.3	2	<1	1	2	3	4	5	8
A. NOT OPERATED	25	1.2		<1	<1	1	1	2	2	3
B. OPERATED	1165	2.2	2	<1	1	2	3	4	4	7
TOTAL 0-19 YRS	1040	2.2	1	<1	1	2	3	3	4	6
20-34	107	2.6	4	1	1	2	3	5	6	11
35-49	27	2.4	2	1	1	2	3	4	5	6
50-64	14	2.4	1	1	1	2	3	4	5	5
65+	2	8.0	8	6	6	8	10	10	10	10
GRAND TOTAL	**1190**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	2	<1	<1	1	1	2	6	7
20-34	8	3.1	2	1	1	3	4	5	5	5
35-49	5	6.2	70	<1	<1	3	8	21	21	21
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	3.0	12	1	1	1	6	7	7	7
B. *Operated*										
0-19 YRS	433	4.2	13	<1	<1	3	6	9	11	16
20-34	169	3.6	8	<1	<1	3	5	8	9	14
35-49	36	3.5	8	<1	1	3	6	7	8	13
50-64	25	4.0	11	<1	<1	2	6	8	11	12
65+	7	5.1	18	<1	<1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.9	2	<1	<1	1	2	5	6	7
20-34	23	4.0	9	<1	1	3	6	9	10	10
35-49	21	4.9	16	2	2	3	5	11	15	18
50-64	18	6.2	22	1	1	4	7	12	17	19
65+	14	8.1	109	2	2	5	7	18	37	42
B. *Operated*										
0-19 YRS	346	4.5	17	<1	1	3	7	10	13	17
20-34	222	5.6	22	1	1	5	7	10	13	25
35-49	93	6.2	24	1	2	5	8	12	16	25
50-64	86	7.1	37	1	1	5	10	15	20	29
65+	40	8.7	84	1	1	6	10	23	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.7	14	<1	<1	1	3	5	7	21
B. *Operated*	670	4.0	11	<1	<1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	112	4.2	25	<1	1	3	5	9	12	28
B. *Operated*	787	5.5	26	<1	1	4	7	12	15	25
1. SINGLE DX	703	4.0	12	<1	<1	3	6	8	10	15
2. MULTIPLE DX	899	5.4	26	<1	1	4	7	11	15	25
A. NOT OPERATED	145	3.9	23	<1	<1	2	5	7	11	22
B. OPERATED	1457	4.8	20	<1	1	4	7	10	13	23
TOTAL 0-19 YRS	830	4.2	14	<1	<1	3	6	9	12	17
20-34	422	4.7	16	<1	1	4	6	9	11	22
35-49	155	5.4	21	<1	1	4	7	11	15	23
50-64	131	6.2	31	1	1	4	8	13	17	26
65+	64	7.9	79	1	1	5	9	21	27	42
GRAND TOTAL	**1602**	**4.8**	**20**	**<1**	**1**	**4**	**6**	**10**	**13**	**23**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	279	3.3	4	1	1	3	4	5	7	12
20-34	16	4.9	8	<1	1	5	6	10	11	11
35-49	7	2.4	1	1	1	3	3	4	4	4
50-64	5	3.8	3	2	2	3	5	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	178	3.8	3	2	2	4	5	6	7	9
20-34	52	3.8	3	1	2	4	5	6	7	7
35-49	40	3.8	2	1	2	4	5	6	7	8
50-64	48	3.7	3	2	2	3	4	6	7	9
65+	27	4.7	6	2	2	4	6	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	1	1	1	1	1
B. *Operated*	308	3.3	4	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	15	1.0		<1	<1	1	1	1	1	1
B. *Operated*	345	3.9	3	2	2	4	5	6	7	9
1. SINGLE DX	312	3.3	4	1	1	3	4	5	7	12
2. MULTIPLE DX	360	3.7	3	1	2	4	5	6	7	9
A. NOT OPERATED	19	1.0		<1	<1	1	1	1	1	1
B. OPERATED	653	3.6	4	1	2	3	4	6	7	11
TOTAL 0-19 YRS	473	3.4	4	1	1	3	4	5	7	11
20-34	71	3.9	4	1	1	4	5	7	7	11
35-49	47	3.6	2	1	2	3	4	6	6	8
50-64	53	3.7	2	2	2	3	4	6	7	9
65+	28	4.6	6	2	2	4	6	9	10	11
GRAND TOTAL	**672**	**3.5**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.7	47	<1	<1	1	3	10	15	40
20-34	31	4.1	6	<1	1	3	6	8	8	10
35-49	24	6.0	27	1	1	4	8	12	17	23
50-64	18	5.0	18	<1	1	4	7	11	13	14
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	957	3.6	13	<1	1	2	4	7	10	19
20-34	403	3.9	17	<1	1	3	5	9	11	18
35-49	207	4.0	20	<1	1	3	5	9	11	17
50-64	125	5.0	25	<1	1	3	7	12	17	23
65+	41	5.1	21	1	1	3	6	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.9	25	<1	1	3	5	8	11	23
20-34	63	5.7	24	<1	1	4	8	11	16	24
35-49	59	5.7	16	1	2	5	7	10	16	18
50-64	40	5.4	28	<1	1	4	8	12	13	29
65+	54	7.5	22	2	2	7	10	14	18	22
B. *Operated*										
0-19 YRS	375	5.5	52	1	1	4	6	11	15	49
20-34	208	5.8	31	1	1	4	9	14	16	31
35-49	196	7.7	84	1	1	5	10	15	19	52
50-64	205	8.0	38	2	2	6	11	16	20	29
65+	80	10.3	101	1	2	8	13	21	31	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	4.2	33	<1	<1	2	5	10	13	33
B. *Operated*	1733	3.8	16	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	350	5.3	25	<1	1	4	7	11	14	22
B. *Operated*	1064	6.8	56	1	1	4	9	14	19	48
1. SINGLE DX	1910	3.9	18	<1	1	2	5	8	12	21
2. MULTIPLE DX	1414	6.4	49	1	1	4	8	14	18	42
A. NOT OPERATED	527	4.9	28	<1	1	3	7	11	14	26
B. OPERATED	2797	5.0	33	<1	1	3	6	11	15	29
TOTAL 0-19 YRS	1567	4.1	26	<1	1	3	5	8	12	26
20-34	705	4.6	22	<1	1	3	6	10	14	22
35-49	486	5.8	48	1	1	4	8	12	16	34
50-64	388	6.6	34	1	1	5	9	14	19	26
65+	178	8.1	61	1	2	6	11	17	21	55
GRAND TOTAL	**3324**	**5.0**	**33**	**<1**	**1**	**3**	**6**	**11**	**15**	**28**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2709	2.7	10	1	1	2	3	4	5	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	40	5.3	52	<1	1	3	4	9	26	35
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1106	6.6	95	1	1	3	6	18	28	45
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	124	12.9	268	1	2	6	16	37	57	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2709	2.7	10	1	1	2	3	4	5	16
B. *Operated*	40	5.3	52	<1	1	3	4	9	26	35
2. MULTIPLE DX										
A. *Not Operated*	1106	6.6	95	1	1	3	6	18	28	45
B. *Operated*	124	12.9	268	1	2	6	16	37	57	99+
1. SINGLE DX	2749	2.8	10	1	1	2	3	4	6	17
2. MULTIPLE DX	1230	7.3	116	1	1	3	7	20	32	57
A. NOT OPERATED	3815	3.9	37	1	1	2	3	6	13	35
B. OPERATED	164	11.0	226	1	1	4	13	33	48	99
TOTAL 0-19 YRS	3979	4.2	47	1	1	2	3	7	15	39
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3979**	**4.2**	**47**	**1**	**1**	**2**	**3**	**7**	**15**	**39**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	858	2.3	5	<1	1	2	3	4	5	11
20-34	402	2.5	3	1	1	2	3	4	6	9
35-49	183	2.8	4	<1	1	2	4	5	7	10
50-64	164	3.2	6	1	1	3	4	6	8	11
65+	138	3.7	10	1	1	3	5	6	10	16
B. *Operated*										
0-19 YRS	8	3.5	4	2	2	3	4	7	8	8
20-34	19	4.5	15	1	1	3	6	10	13	16
35-49	8	3.3	8	<1	<1	2	3	8	10	10
50-64	9	3.7	3	2	2	4	4	6	7	7
65+	3	3.7	6	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1008	2.8	8	1	1	2	3	5	7	14
20-34	504	4.4	34	1	1	3	5	9	12	27
35-49	508	4.4	20	1	1	3	5	8	12	22
50-64	598	4.6	15	1	1	4	6	9	11	23
65+	785	6.3	39	1	2	5	8	11	15	31
B. *Operated*										
0-19 YRS	26	6.4	37	1	2	5	6	17	20	26
20-34	44	5.8	27	1	1	4	8	12	17	24
35-49	50	7.1	85	1	1	5	9	15	22	59
50-64	45	10.4	106	2	3	7	11	28	34	44
65+	63	13.3	151	1	2	9	17	28	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1745	2.6	5	1	1	2	3	5	6	11
B. *Operated*	47	3.9	9	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	3403	4.4	24	1	1	3	5	9	12	23
B. *Operated*	228	9.1	98	1	2	6	11	22	28	54
1. SINGLE DX	1792	2.6	5	1	1	2	3	5	6	11
2. MULTIPLE DX	3631	4.7	30	1	1	3	5	9	13	27
A. NOT OPERATED	5148	3.8	18	1	1	3	4	8	10	20
B. OPERATED	275	8.2	87	1	2	5	10	19	27	50
TOTAL 0-19 YRS	1900	2.6	7	<1	1	2	3	5	7	13
20-34	969	3.7	22	1	1	3	4	7	10	20
35-49	749	4.2	21	1	1	3	5	8	10	22
50-64	816	4.6	20	1	1	3	5	9	11	27
65+	989	6.3	46	1	2	4	8	12	17	34
GRAND TOTAL	**5423**	**4.0**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**24**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	2.8	8	1	1	2	3	5	6	12
20-34	78	3.7	6	1	1	3	5	7	9	12
35-49	40	4.1	7	1	1	3	6	8	9	10
50-64	47	4.0	6	2	2	4	5	6	8	15
65+	76	4.6	6	2	2	4	6	8	10	11
B. *Operated*										
0-19 YRS	7	4.6	6	3	3	3	7	8	8	8
20-34	9	6.3	12	1	1	7	9	10	11	11
35-49	6	4.8	14	2	2	3	6	11	12	12
50-64	4	8.0	8	4	4	9	10	10	10	10
65+	8	10.6	39	2	3	10	16	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	442	3.1	5	1	1	3	4	6	7	11
20-34	225	4.4	11	1	2	4	5	8	11	16
35-49	186	5.4	16	1	2	4	6	11	12	21
50-64	317	6.0	24	2	2	4	8	12	16	24
65+	576	7.0	33	2	2	5	8	13	16	32
B. *Operated*										
0-19 YRS	28	7.4	39	1	2	5	8	18	22	23
20-34	34	8.6	56	2	2	7	10	18	22	37
35-49	31	9.4	52	3	3	7	12	23	28	28
50-64	76	11.4	83	2	3	10	14	26	33	43
65+	73	16.1	201	2	3	12	19	40	44	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	3.4	7	1	1	3	4	6	9	12
B. *Operated*	34	6.9	21	1	2	6	9	12	17	19
2. MULTIPLE DX										
A. *Not Operated*	1746	5.3	22	1	2	4	7	11	14	24
B. *Operated*	242	11.7	115	2	3	8	14	26	37	50
1. SINGLE DX	541	3.6	9	1	1	3	4	7	9	14
2. MULTIPLE DX	1988	6.1	38	1	2	4	7	12	16	35
A. NOT OPERATED	2253	4.9	19	1	1	4	6	10	12	23
B. OPERATED	276	11.1	106	2	3	8	14	24	37	49
TOTAL 0-19 YRS	743	3.1	8	1	1	2	4	6	7	16
20-34	346	4.7	16	1	2	4	6	9	12	21
35-49	263	5.6	21	1	2	4	7	11	13	27
50-64	444	6.7	37	2	2	5	8	13	18	34
65+	733	7.7	56	2	2	6	9	14	20	41
GRAND TOTAL	**2529**	**5.6**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.2	2	<1	1	2	3	4	6	8
20-34	314	3.2	7	1	1	2	4	6	8	13
35-49	174	3.4	6	1	1	3	5	6	8	13
50-64	102	3.4	12	1	1	2	4	6	8	21
65+	44	3.7	7	1	1	3	5	6	7	16
B. *Operated*										
0-19 YRS	7	3.1	7	<1	<1	2	5	8	8	8
20-34	44	3.4	8	1	1	2	4	8	11	12
35-49	34	4.0	22	2	2	2	4	7	10	28
50-64	23	2.7	4	1	1	2	3	6	7	9
65+	8	4.4	23	1	1	3	4	12	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.0	10	<1	1	2	3	6	7	16
20-34	425	4.4	14	1	1	3	5	9	11	20
35-49	347	5.4	28	1	1	4	6	11	18	29
50-64	314	5.2	21	1	2	4	6	10	14	23
65+	217	5.7	28	1	2	4	7	11	17	29
B. *Operated*										
0-19 YRS	6	5.0	20	1	1	3	9	12	12	12
20-34	50	5.9	42	2	2	4	7	9	20	37
35-49	46	6.5	60	1	1	4	8	13	27	36
50-64	49	8.1	37	2	2	7	11	18	22	25
65+	34	9.4	43	2	3	8	11	15	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	742	3.2	7	1	1	2	4	6	8	12
B. *Operated*	116	3.5	12	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	1435	4.9	21	1	1	3	6	10	13	26
B. *Operated*	185	7.2	46	1	2	5	9	15	22	37
1. SINGLE DX	858	3.2	8	1	1	2	4	6	8	13
2. MULTIPLE DX	1620	5.2	25	1	1	4	6	11	15	27
A. NOT OPERATED	2177	4.3	17	1	1	3	5	8	12	22
B. OPERATED	301	5.8	36	1	1	4	8	12	17	32
TOTAL 0-19 YRS	253	2.7	7	<1	1	2	3	6	7	13
20-34	833	4.0	13	1	1	3	5	8	10	19
35-49	601	4.8	25	1	1	3	6	10	15	28
50-64	488	5.0	22	1	1	4	6	10	14	23
65+	303	5.8	28	1	2	4	7	12	16	29
GRAND TOTAL	**2478**	**4.5**	**20**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	21	<1	<1	2	3	5	14	22
20-34	43	3.2	3	<1	1	3	5	6	7	8
35-49	49	3.6	4	<1	1	3	5	7	8	9
50-64	126	3.5	5	1	1	3	5	6	7	13
65+	115	3.1	6	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	33	1.7	2	<1	<1	<1	2	4	4	7
20-34	39	3.3	3	1	1	3	4	6	6	7
35-49	48	3.8	5	<1	<1	4	5	7	8	10
50-64	79	4.5	8	<1	1	4	6	8	9	16
65+	60	4.1	5	1	1	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.6	4	<1	<1	2	4	5	7	9
20-34	26	3.0	3	1	1	3	4	5	6	7
35-49	67	3.5	4	1	1	3	5	6	7	10
50-64	169	3.9	11	1	1	3	5	7	8	16
65+	367	4.4	13	1	1	4	6	8	10	18
B. *Operated*										
0-19 YRS	15	2.5	6	<1	<1	1	3	5	9	10
20-34	29	4.8	16	1	1	4	6	8	10	22
35-49	48	5.2	5	2	2	5	6	9	9	11
50-64	120	5.5	14	1	2	4	7	9	13	22
65+	169	6.2	29	1	2	5	7	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	3.3	6	1	1	3	4	6	7	13
B. *Operated*	259	3.7	6	<1	<1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	675	4.0	11	1	1	3	5	8	9	17
B. *Operated*	381	5.6	20	1	2	5	7	10	14	26
1. SINGLE DX	613	3.5	6	<1	1	3	5	6	8	11
2. MULTIPLE DX	1056	4.6	15	1	1	4	6	9	10	21
A. NOT OPERATED	1029	3.8	9	1	1	3	5	7	9	17
B. OPERATED	640	4.8	15	<1	1	4	6	9	11	23
TOTAL 0-19 YRS	115	2.4	7	<1	<1	1	3	4	7	14
20-34	137	3.5	6	1	1	3	5	6	7	11
35-49	212	3.9	5	1	1	4	5	7	8	10
50-64	494	4.3	10	1	1	4	6	8	9	16
65+	711	4.6	16	1	1	4	6	9	11	22
GRAND TOTAL	**1669**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**9**	**18**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.7	112	<1	1	3	4	5	18	56
20-34	23	3.3	5	1	1	3	5	6	8	10
35-49	16	1.9		<1	1	2	2	3	3	3
50-64	22	2.9	6	<1	<1	2	3	7	9	10
65+	9	2.4	3	1	1	2	3	5	6	6
B. *Operated*										
0-19 YRS	142	1.6	2	<1	<1	1	2	2	4	8
20-34	164	2.3	6	<1	<1	2	2	4	5	16
35-49	78	2.2	3	<1	<1	2	2	4	5	9
50-64	72	2.7	8	<1	<1	2	3	5	7	19
65+	33	2.8	5	<1	<1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	4	<1	1	3	4	5	7	10
20-34	58	4.0	7	<1	1	3	5	8	9	13
35-49	54	3.6	13	1	1	3	4	8	11	18
50-64	81	4.8	47	<1	1	3	6	10	16	41
65+	178	6.1	43	1	1	4	8	12	18	37
B. *Operated*										
0-19 YRS	29	2.8	7	<1	<1	2	4	8	9	10
20-34	59	3.5	9	<1	1	2	4	9	10	14
35-49	56	4.4	21	1	1	3	5	10	16	20
50-64	92	5.9	77	<1	1	3	6	13	25	50
65+	73	6.5	46	1	1	4	9	16	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.3	33	<1	1	2	3	5	8	35
B. *Operated*	489	2.2	4	<1	<1	2	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	412	4.9	32	1	1	3	6	11	13	33
B. *Operated*	309	5.0	41	1	1	3	6	12	17	30
1. SINGLE DX	585	2.3	9	<1	<1	2	2	4	6	11
2. MULTIPLE DX	721	5.0	36	1	1	3	6	11	16	31
A. NOT OPERATED	508	4.6	33	1	1	3	5	10	12	33
B. OPERATED	798	3.3	21	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	238	2.4	15	<1	<1	2	2	4	6	10
20-34	304	2.9	7	<1	<1	2	4	6	8	14
35-49	204	3.2	11	<1	1	2	3	7	10	18
50-64	267	4.4	45	<1	1	2	4	9	14	31
65+	293	5.7	40	1	1	3	7	13	18	35
GRAND TOTAL	**1306**	**3.8**	**26**	**<1**	**1**	**2**	**4**	**8**	**12**	**26**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	10.0	8	8	8	10	12	12	12	12
65+	3	15.3	210	1	1	15	26	30	30	30
B. *Operated*										
0-19 YRS	11	7.2	63	1	1	4	12	19	25	26
20-34	28	6.9	77	1	1	4	8	16	21	44
35-49	15	10.3	115	<1	1	4	18	28	29	29
50-64	20	13.3	138	2	2	10	18	32	36	39
65+	53	12.9	122	1	2	11	16	27	40	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	8.5	34	3	3	8	13	14	14	14
35-49	7	12.0	6	9	9	11	14	16	16	16
50-64	20	11.7	65	2	3	10	15	25	27	29
65+	76	12.1	137	2	3	8	13	27	35	66
B. *Operated*										
0-19 YRS	12	14.7	190	1	3	7	27	36	40	41
20-34	29	10.6	160	1	1	5	20	40	98	99+
35-49	46	13.9	197	<1	1	10	18	33	36	74
50-64	123	17.5	260	2	3	13	25	47	62	99+
65+	400	21.7	346	4	6	15	27	46	71	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	13.2	116	1	1	12	19	30	30	30
B. *Operated*	127	10.8	113	1	1	7	15	26	32	45
2. MULTIPLE DX										
A. *Not Operated*	109	11.7	110	2	3	9	14	26	29	55
B. *Operated*	610	19.6	315	2	4	14	26	44	69	99+
1. SINGLE DX	132	10.9	112	1	1	8	15	27	31	45
2. MULTIPLE DX	719	18.4	291	2	3	14	24	41	62	99+
A. NOT OPERATED	114	11.8	110	2	3	9	14	26	30	53
B. OPERATED	737	18.1	291	2	3	14	24	41	60	99+
TOTAL 0-19 YRS	25	10.4	133	1	1	6	14	28	36	41
20-34	61	8.7	114	1	1	5	14	23	50	99+
35-49	68	12.9	159	<1	1	10	17	29	34	67
50-64	165	16.2	222	2	3	12	22	38	57	99+
65+	532	19.4	308	3	5	14	25	42	63	95
GRAND TOTAL	**851**	**17.2**	**271**	**2**	**3**	**13**	**23**	**39**	**57**	**97**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.0	1	<1	1	2	3	3	4	5
20-34	335	2.3	3	<1	1	2	3	4	5	10
35-49	1237	2.5	4	1	1	2	3	4	5	8
50-64	1205	2.6	3	1	1	2	3	5	6	8
65+	476	2.8	3	1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	57	3.0	3	1	1	2	4	6	7	9
35-49	308	2.8	4	1	1	2	3	5	7	11
50-64	350	2.6	4	1	1	2	2	5	6	13
65+	88	2.6	3	1	1	2	3	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.3	3	<1	1	2	3	4	5	11
20-34	572	3.1	8	1	1	2	4	6	7	15
35-49	2157	3.0	4	1	1	3	4	5	7	11
50-64	3465	3.4	6	1	1	3	4	6	8	14
65+	2787	4.1	11	1	2	3	5	7	9	16
B. *Operated*										
0-19 YRS	8	3.0	14	1	1	2	3	9	12	12
20-34	59	4.2	18	1	1	2	6	8	11	24
35-49	502	3.9	16	1	1	2	5	8	10	22
50-64	1003	4.1	16	1	1	2	5	9	12	20
65+	381	5.3	28	1	2	3	7	11	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3285	2.6	3	1	1	2	3	5	6	9
B. *Operated*	806	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	9023	3.5	7	1	1	3	4	6	8	14
B. *Operated*	1953	4.3	19	1	1	2	5	9	12	24
1. SINGLE DX	4091	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	10976	3.6	10	1	1	3	4	7	9	16
A. NOT OPERATED	12308	3.3	6	1	1	3	4	6	8	13
B. OPERATED	2759	3.8	15	1	1	2	5	8	11	20
TOTAL 0-19 YRS	85	2.3	3	<1	1	2	3	4	5	12
20-34	1023	2.9	7	1	1	2	3	5	7	14
35-49	4204	3.0	6	1	1	2	4	5	7	11
50-64	6023	3.3	7	1	1	3	4	6	8	14
65+	3732	4.0	12	1	1	3	5	8	9	17
GRAND TOTAL	**15067**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	190	2.6	7	1	1	2	3	4	8	12
20-34	27	2.2	2	<1	<1	2	3	4	6	6
35-49	38	2.3	2	<1	<1	2	3	4	5	6
50-64	37	3.6	9	1	1	3	4	8	10	13
65+	55	4.0	22	1	1	2	5	8	13	28
B. *Operated*										
0-19 YRS	21	8.6	236	<1	1	2	8	23	51	63
20-34	31	2.3	3	<1	<1	2	3	5	6	7
35-49	41	2.7	4	<1	<1	2	4	6	8	99+
50-64	102	2.8	5	<1	<1	2	4	6	7	11
65+	84	3.4	10	<1	1	2	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	4.0	23	1	1	3	5	8	11	24
20-34	86	3.1	6	1	1	2	4	7	8	10
35-49	132	4.7	27	1	1	3	5	9	12	31
50-64	319	5.6	23	1	1	4	7	11	14	26
65+	648	6.4	33	1	2	5	8	13	18	28
B. *Operated*										
0-19 YRS	24	5.7	23	1	1	4	8	12	16	21
20-34	28	5.4	18	1	2	4	7	11	15	17
35-49	87	4.7	14	1	1	4	6	10	13	19
50-64	203	6.1	55	1	1	4	7	13	20	45
65+	259	7.8	85	1	1	5	10	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	2.9	9	<1	1	2	3	5	8	14
B. *Operated*	279	3.4	25	<1	<1	2	4	7	9	34
2. MULTIPLE DX										
A. *Not Operated*	1411	5.5	28	1	1	4	7	11	15	27
B. *Operated*	601	6.6	60	1	1	4	8	14	21	42
1. SINGLE DX	626	3.1	16	<1	1	2	3	6	8	16
2. MULTIPLE DX	2012	5.8	38	1	1	4	7	12	17	31
A. NOT OPERATED	1758	5.0	25	1	1	3	6	10	14	26
B. OPERATED	880	5.6	51	<1	1	4	7	12	17	42
TOTAL 0-19 YRS	461	3.7	27	1	1	2	4	8	11	22
20-34	172	3.2	8	<1	1	2	4	7	9	14
35-49	298	4.1	18	<1	1	3	5	9	11	28
50-64	661	5.2	30	1	1	4	6	11	14	28
65+	1046	6.4	45	1	2	4	8	14	18	33
GRAND TOTAL	**2638**	**5.2**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	1	2	2	3	4	4
20-34	93	1.8	1	<1	<1	1	2	3	4	5
35-49	117	1.9	2	<1	1	1	2	3	5	9
50-64	67	2.3	3	<1	<1	2	3	5	6	9
65+	70	3.1	7	1	1	2	3	7	9	13
B. *Operated*										
0-19 YRS	53	1.3	2	<1	<1	1	1	2	3	11
20-34	28	3.8	12	<1	<1	3	5	9	12	13
35-49	31	6.0	13	1	2	6	8	10	11	18
50-64	33	4.1	11	<1	1	2	6	9	11	13
65+	43	5.8	15	<1	1	5	8	10	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.9	4	<1	1	2	4	6	7	7
20-34	102	3.8	39	1	1	2	4	7	9	39
35-49	108	3.0	7	1	1	2	4	6	7	15
50-64	155	3.5	12	<1	1	2	4	7	10	20
65+	408	6.4	47	1	2	4	8	13	17	47
B. *Operated*										
0-19 YRS	100	2.5	11	<1	<1	1	2	6	10	17
20-34	50	6.7	59	<1	1	4	8	15	21	45
35-49	54	5.5	19	1	1	5	8	12	14	20
50-64	115	6.9	23	2	2	6	9	11	14	28
65+	340	9.2	40	2	2	8	12	18	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	2.2	3	<1	1	2	2	4	5	10
B. *Operated*	188	4.0	13	<1	<1	2	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	792	5.0	35	1	1	3	6	11	14	33
B. *Operated*	659	7.3	38	<1	1	6	10	15	19	31
1. SINGLE DX	556	2.8	7	<1	<1	2	3	6	9	13
2. MULTIPLE DX	1451	6.0	38	1	1	4	8	13	18	32
A. NOT OPERATED	1160	4.1	26	1	1	3	5	9	12	26
B. OPERATED	847	6.6	34	<1	1	5	9	14	18	28
TOTAL 0-19 YRS	193	2.1	7	<1	<1	1	2	5	7	15
20-34	273	3.6	29	<1	1	2	4	8	12	25
35-49	310	3.3	10	1	1	2	4	8	11	16
50-64	370	4.4	17	<1	1	3	6	9	11	22
65+	861	7.2	43	1	2	5	10	15	19	35
GRAND TOTAL	**2007**	**5.1**	**31**	**<1**	**1**	**3**	**7**	**11**	**15**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1250	2.0	2	<1	1	2	2	4	4	7
20-34	1592	2.6	5	<1	1	2	3	5	6	10
35-49	835	3.2	7	1	1	2	4	6	8	14
50-64	544	3.2	6	1	1	3	4	6	8	12
65+	393	3.4	6	1	1	3	4	7	8	14
B. *Operated*										
0-19 YRS	207	3.3	4	1	1	3	4	5	6	12
20-34	316	3.8	6	<1	1	3	5	7	8	16
35-49	129	4.3	10	1	1	3	6	8	10	15
50-64	69	4.9	22	<1	1	4	6	9	13	27
65+	41	5.4	30	1	1	4	6	12	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	738	2.4	5	<1	1	2	3	4	6	11
20-34	1462	3.3	9	1	1	3	4	6	8	14
35-49	1101	4.0	14	1	1	3	5	8	10	17
50-64	1174	4.5	15	1	1	4	6	8	11	18
65+	1741	5.3	19	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	137	4.5	11	2	2	4	5	7	9	20
20-34	376	6.2	34	1	1	5	8	12	15	34
35-49	200	6.8	32	1	2	6	9	13	16	21
50-64	196	7.8	41	1	2	6	9	15	20	34
65+	209	9.6	52	2	3	8	13	18	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4614	2.7	5	<1	1	2	3	5	7	12
B. *Operated*	762	3.9	9	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	6216	4.1	14	1	1	3	5	8	10	18
B. *Operated*	1118	7.0	38	1	2	5	9	14	18	33
1. SINGLE DX	5376	2.9	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	7334	4.5	19	1	1	3	6	9	12	21
A. NOT OPERATED	10830	3.5	11	1	1	3	4	7	9	16
B. OPERATED	1880	5.7	28	1	1	4	7	12	15	28
TOTAL 0-19 YRS	2332	2.4	4	<1	1	2	3	4	5	10
20-34	3746	3.3	10	1	1	2	4	6	9	15
35-49	2265	4.0	14	1	1	3	5	8	10	17
50-64	1983	4.5	17	1	1	3	6	9	11	21
65+	2384	5.4	22	1	2	4	7	11	14	24
GRAND TOTAL	**12710**	**3.8**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	2.4	3	1	1	2	3	4	7	9
20-34	89	2.3	3	1	1	2	3	4	5	10
35-49	64	3.1	10	<1	1	2	4	6	9	19
50-64	62	2.9	5	<1	1	2	4	5	7	13
65+	92	3.5	12	1	1	2	4	7	12	19
B. *Operated*										
0-19 YRS	11	2.7	3	1	1	2	4	5	7	7
20-34	42	4.4	19	<1	<1	4	6	8	10	26
35-49	25	4.1	17	<1	<1	2	6	11	14	14
50-64	35	4.0	11	1	1	3	6	8	10	16
65+	31	4.6	22	<1	1	2	7	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	293	3.2	19	1	1	2	4	6	8	15
20-34	272	3.5	9	1	1	3	4	7	9	16
35-49	274	5.2	26	1	1	4	6	10	15	27
50-64	413	5.2	21	1	1	4	7	10	12	23
65+	945	6.0	24	1	2	5	7	12	15	25
B. *Operated*										
0-19 YRS	29	5.7	34	1	1	4	7	14	21	23
20-34	96	6.1	34	1	1	4	8	13	22	27
35-49	90	8.8	114	1	2	6	9	20	27	63
50-64	129	8.7	68	1	1	7	11	19	26	36
65+	199	10.2	105	1	2	8	12	21	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	2.8	7	1	1	2	3	5	7	13
B. *Operated*	144	4.2	16	<1	1	3	6	8	12	18
2. MULTIPLE DX										
A. *Not Operated*	2197	5.0	22	1	1	4	6	10	14	22
B. *Operated*	543	8.6	83	1	1	6	11	19	25	43
1. SINGLE DX	560	3.2	9	1	1	2	4	7	9	16
2. MULTIPLE DX	2740	5.8	36	1	1	4	7	12	16	28
A. NOT OPERATED	2613	4.7	20	1	1	3	6	10	13	21
B. OPERATED	687	7.7	72	1	1	6	10	16	23	40
TOTAL 0-19 YRS	442	3.2	16	1	1	2	4	6	8	16
20-34	499	3.8	15	1	1	3	5	8	11	22
35-49	453	5.5	44	1	1	4	7	11	17	30
50-64	639	5.6	31	1	1	4	7	11	15	26
65+	1267	6.4	38	1	2	5	8	13	17	35
GRAND TOTAL	**3300**	**5.3**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	698	3.8	33	1	1	2	4	8	11	23
20-34	387	3.0	10	1	1	2	4	6	7	14
35-49	350	3.1	8	1	1	2	4	6	8	15
50-64	463	3.3	11	<1	1	2	4	6	8	18
65+	699	4.0	18	1	1	3	5	7	10	22
B. *Operated*										
0-19 YRS	78	3.0	10	<1	<1	2	3	7	12	14
20-34	198	2.8	8	<1	<1	2	3	6	7	14
35-49	188	2.6	6	<1	<1	2	3	5	7	12
50-64	215	2.3	4	<1	<1	2	2	5	7	12
65+	139	3.5	15	<1	1	2	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	874	5.0	42	1	1	3	6	11	15	32
20-34	745	3.8	17	1	1	3	4	7	11	21
35-49	935	4.2	20	1	1	3	5	8	11	23
50-64	1996	5.0	28	1	1	3	6	10	15	26
65+	5555	6.1	35	1	2	5	7	12	16	30
B. *Operated*										
0-19 YRS	78	6.9	78	1	1	4	8	20	37	99+
20-34	193	6.1	88	<1	1	3	6	13	24	57
35-49	251	5.4	60	1	1	3	7	11	15	26
50-64	434	8.0	134	1	1	4	9	16	29	63
65+	725	10.2	115	1	2	7	13	21	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2597	3.5	19	1	1	2	4	7	9	20
B. *Operated*	818	2.8	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	10105	5.5	32	1	1	4	7	11	15	28
B. *Operated*	1681	8.3	110	1	1	5	10	18	27	60
1. SINGLE DX	3415	3.4	16	<1	1	2	4	7	9	19
2. MULTIPLE DX	11786	5.9	44	1	1	4	7	12	17	34
A. NOT OPERATED	12702	5.1	30	1	1	3	6	10	14	27
B. OPERATED	2499	6.5	83	<1	1	3	8	15	22	49
TOTAL 0-19 YRS	1728	4.5	39	1	1	3	5	9	14	33
20-34	1523	3.7	24	<1	1	2	4	7	11	28
35-49	1724	4.0	22	1	1	3	5	8	11	22
50-64	3108	5.0	41	1	1	3	6	10	15	31
65+	7118	6.3	43	1	2	4	8	13	17	34
GRAND TOTAL	**15201**	**5.3**	**39**	**1**	**1**	**3**	**6**	**11**	**16**	**31**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	2.2	6	1	1	1	2	4	6	13
20-34	42	3.3	16	<1	1	2	4	6	10	23
35-49	12	4.2	9	<1	<1	4	6	8	10	10
50-64	9	4.4	24	1	1	2	8	12	15	15
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	48	4.2	8	2	2	3	5	8	10	13
20-34	29	6.6	13	2	2	6	8	12	14	15
35-49	6	8.5	44	1	1	7	16	17	17	17
50-64	11	8.7	30	2	2	9	11	17	20	20
65+	1	49.0		49	49	49	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	3.3	12	1	1	2	4	7	10	17
20-34	88	6.7	40	1	1	5	9	15	22	29
35-49	35	5.3	18	1	1	4	8	10	16	18
50-64	22	4.8	7	1	2	5	6	8	11	13
65+	29	10.4	113	1	2	6	16	24	29	47
B. *Operated*										
0-19 YRS	119	13.2	247	1	2	8	19	39	70	99+
20-34	126	14.2	270	2	2	9	16	37	62	99+
35-49	42	19.7	443	2	2	14	38	80	99+	99+
50-64	31	21.7	352	1	2	16	38	51	71	99+
65+	22	21.3	645	3	5	10	15	72	79	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.4	8	1	1	2	2	5	7	15
B. *Operated*	95	6.2	36	2	2	4	8	12	15	36
2. MULTIPLE DX										
A. *Not Operated*	417	4.8	29	1	1	3	6	11	16	26
B. *Operated*	340	15.7	321	2	2	9	22	44	79	99+
1. SINGLE DX	480	3.2	15	1	1	2	4	7	11	17
2. MULTIPLE DX	757	9.7	189	1	1	5	11	27	44	99+
A. NOT OPERATED	802	3.6	20	1	1	2	4	8	12	24
B. OPERATED	435	13.6	274	2	2	8	17	40	67	99+
TOTAL 0-19 YRS	730	4.5	62	1	1	2	4	10	17	64
20-34	285	9.5	154	1	1	6	11	24	35	98
35-49	95	11.7	255	1	1	6	15	43	70	99+
50-64	73	12.5	220	1	2	7	15	39	46	93
65+	54	15.2	372	1	2	8	16	46	67	87
GRAND TOTAL	**1237**	**7.1**	**132**	**1**	**1**	**3**	**8**	**17**	**32**	**92**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.5	4	1	1	2	3	5	6	12
20-34	59	3.2	7	<1	1	2	4	8	8	11
35-49	20	3.5	5	1	1	3	4	7	9	10
50-64	9	3.0	4	1	1	3	4	6	7	7
65+	3	9.0	21	4	4	10	12	13	13	13
B. *Operated*										
0-19 YRS	25	8.6	160	1	1	6	9	14	29	66
20-34	14	5.1	12	2	2	4	7	10	12	13
35-49	4	5.0	7	2	2	5	7	8	8	8
50-64	4	8.0	27	3	3	8	12	13	13	13
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	4.5	29	1	1	3	5	10	16	26
20-34	153	5.8	45	1	1	4	7	11	14	44
35-49	67	7.3	95	1	1	4	9	14	18	66
50-64	37	8.6	74	1	2	5	12	20	25	43
65+	25	8.4	80	1	2	5	8	17	25	44
B. *Operated*										
0-19 YRS	80	12.8	144	2	3	9	16	26	38	64
20-34	99	14.9	275	2	3	9	19	47	62	99+
35-49	35	17.5	490	1	2	11	17	48	82	85
50-64	21	16.8	422	1	2	11	17	39	70	90
65+	12	20.3	194	6	7	20	32	59	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	2.8	5	1	1	2	4	6	7	12
B. *Operated*	48	7.2	90	1	2	5	8	13	14	66
2. MULTIPLE DX										
A. *Not Operated*	487	5.8	51	1	1	4	7	12	17	43
B. *Operated*	247	15.0	271	2	3	10	18	38	53	99+
1. SINGLE DX	293	3.5	22	1	1	2	4	7	10	14
2. MULTIPLE DX	734	8.9	143	1	1	5	11	20	31	79
A. NOT OPERATED	732	4.8	37	1	1	3	6	11	15	28
B. OPERATED	295	13.7	249	2	2	9	15	32	52	95
TOTAL 0-19 YRS	464	5.5	60	1	1	3	6	13	19	44
20-34	325	8.1	127	1	1	5	9	17	31	78
35-49	126	9.4	212	1	1	5	11	17	27	83
50-64	71	10.3	181	1	2	5	13	21	29	82
65+	41	11.9	133	2	3	8	17	33	46	99+
GRAND TOTAL	**1027**	**7.4**	**114**	**1**	**1**	**4**	**8**	**16**	**24**	**72**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	1	<1	<1	1	2	3	4	4
20-34	38	2.0	3	<1	<1	1	2	4	6	7
35-49	15	2.3	3	<1	<1	2	3	5	6	7
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	6	1.8	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	709	1.8	2	<1	<1	1	2	3	4	7
20-34	963	2.3	3	<1	1	2	3	4	6	9
35-49	269	2.7	5	1	1	2	3	5	7	14
50-64	94	2.7	4	1	1	2	3	5	7	11
65+	42	4.3	23	1	1	3	4	7	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	1.9	2	<1	1	1	3	4	5	6
20-34	134	2.4	3	<1	1	2	3	5	6	8
35-49	55	2.9	5	<1	1	2	4	6	7	10
50-64	35	3.3	4	<1	1	3	5	7	8	99+
65+	85	6.6	99	1	1	4	8	13	16	65
B. *Operated*										
0-19 YRS	491	3.4	10	1	1	2	4	7	9	18
20-34	965	4.3	18	1	1	3	5	9	12	23
35-49	340	5.1	45	1	1	3	6	11	13	31
50-64	156	6.1	40	1	1	4	8	12	18	32
65+	115	11.1	153	1	2	7	14	25	34	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	2077	2.2	4	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	372	3.4	28	<1	1	2	4	7	10	17
B. *Operated*	2067	4.7	33	1	1	3	5	10	14	29
1. SINGLE DX	2164	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX	2439	4.5	32	1	1	3	5	9	13	27
A. NOT OPERATED	459	3.1	24	<1	1	2	4	6	9	17
B. OPERATED	4144	3.5	20	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	1287	2.4	5	<1	<1	2	3	5	6	12
20-34	2100	3.2	11	<1	1	2	4	6	9	16
35-49	679	3.9	26	1	1	3	4	8	11	19
50-64	289	4.6	26	1	1	3	6	9	14	29
65+	248	8.2	116	1	1	5	10	17	25	58
GRAND TOTAL	**4603**	**3.4**	**20**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	3.8	9	1	1	3	5	7	10	15
20-34	346	5.2	17	1	1	4	7	10	12	23
35-49	158	4.8	12	1	1	4	6	9	12	18
50-64	169	6.3	24	1	2	5	8	12	14	28
65+	272	7.8	21	2	3	7	10	13	17	24
B. *Operated*										
0-19 YRS	36	12.2	80	4	4	9	17	27	30	36
20-34	79	11.9	119	1	3	11	15	22	25	69
35-49	16	13.0	104	5	6	11	14	20	40	48
50-64	17	13.6	274	1	2	10	16	19	55	74
65+	15	15.5	168	1	2	12	23	30	44	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.7	20	1	1	3	5	10	14	20
20-34	385	6.1	29	1	2	5	7	11	16	31
35-49	227	6.3	22	1	2	5	8	12	16	25
50-64	315	8.6	40	2	3	7	11	18	21	31
65+	1467	10.5	48	3	4	9	13	19	22	37
B. *Operated*										
0-19 YRS	73	12.2	216	2	3	8	14	21	33	90
20-34	207	14.1	157	2	4	10	18	29	42	63
35-49	91	14.8	228	1	3	10	18	35	47	80
50-64	81	17.2	197	3	4	14	23	40	48	92
65+	124	18.6	218	4	6	14	23	36	54	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	5.7	19	1	2	5	7	11	14	23
B. *Operated*	163	12.6	127	2	4	11	15	24	29	71
2. MULTIPLE DX										
A. *Not Operated*	2551	8.9	45	2	3	7	11	17	21	34
B. *Operated*	576	15.4	198	2	3	11	19	34	46	73
1. SINGLE DX	1271	6.6	38	1	2	5	8	13	17	29
2. MULTIPLE DX	3127	10.1	79	2	3	8	13	19	25	49
A. NOT OPERATED	3659	7.9	39	1	2	6	10	15	20	31
B. OPERATED	739	14.8	183	2	3	11	19	30	43	74
TOTAL 0-19 YRS	429	6.3	66	1	1	4	7	14	19	35
20-34	1017	7.9	71	1	2	5	9	16	24	44
35-49	492	7.6	73	1	2	5	9	15	20	48
50-64	582	9.3	75	2	2	7	12	19	25	48
65+	1878	10.7	62	3	4	9	13	19	24	47
GRAND TOTAL	**4398**	**9.1**	**70**	**1**	**2**	**7**	**11**	**18**	**23**	**45**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	10.9	157	1	2	6	14	31	41	43
35-49	9	6.2	14	1	2	6	7	12	14	14
50-64	6	11.5	76	3	3	9	13	26	28	28
65+	8	12.8	34	7	7	11	17	21	22	22
B. *Operated*										
0-19 YRS	9	31.3	681	8	9	23	41	75	85	85
20-34	25	19.0	151	7	8	14	29	33	40	59
35-49	8	17.1	200	1	2	10	32	36	36	36
50-64										
65+	4	25.3	432	<1	<1	25	41	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	18.8	751	1	2	3	26	67	79	79
20-34	24	11.0	135	2	2	7	13	25	39	53
35-49	15	18.1	473	2	4	9	21	44	75	86
50-64	13	13.2	95	2	4	9	15	32	34	34
65+	33	14.6	141	5	5	11	17	32	42	58
B. *Operated*										
0-19 YRS	26	26.8	282	9	12	25	30	57	86	99+
20-34	48	36.5	752	7	10	31	72	99+	99+	99+
35-49	24	35.6	808	6	8	30	66	95	99+	99+
50-64	10	31.0	421	8	10	29	63	99+	99+	99+
65+	10	29.9	590	5	7	25	89	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	10.1	77	1	2	7	12	22	27	43
B. *Operated*	46	21.6	289	4	8	15	33	36	59	85
2. MULTIPLE DX										
A. *Not Operated*	94	14.4	237	2	3	9	16	33	49	83
B. *Operated*	118	33.2	615	8	10	28	64	99+	99+	99+
1. SINGLE DX	82	16.5	227	2	3	11	23	34	45	77
2. MULTIPLE DX	212	24.9	533	3	5	17	39	84	99+	99+
A. NOT OPERATED	130	13.2	196	2	3	9	15	29	44	80
B. OPERATED	164	29.9	548	7	9	25	49	90	99+	99+
TOTAL 0-19 YRS	45	25.6	448	3	3	20	31	61	83	99+
20-34	109	24.1	537	2	4	15	33	80	99	99+
35-49	56	23.6	613	2	4	13	35	74	95	99+
50-64	29	19.0	269	3	5	14	30	61	98	99+
65+	55	17.9	251	4	5	14	22	49	94	99+
GRAND TOTAL	**294**	**22.5**	**460**	**3**	**5**	**15**	**33**	**73**	**95**	**99+**

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	2	1	1	2	3	4	5	6
20-34	52	2.5	4	<1	1	2	3	5	7	12
35-49	72	3.1	6	<1	1	2	4	7	7	13
50-64	80	3.3	6	1	1	3	5	7	8	11
65+	91	4.2	6	1	1	4	6	7	10	12
B. *Operated*										
0-19 YRS										
20-34	6	5.8	36	1	1	4	7	16	17	17
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	4.5	9	<1	<1	5	7	7	7	7
65+	2	21.5	25	18	18	21	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.7	8	1	1	3	5	7	9	16
20-34	263	4.1	14	1	1	3	5	7	9	13
35-49	266	5.3	23	1	2	4	7	10	13	22
50-64	390	5.9	21	1	2	5	8	11	14	25
65+	811	7.7	37	2	2	6	10	15	18	29
B. *Operated*										
0-19 YRS	29	8.9	183	1	2	6	8	15	21	76
20-34	123	9.5	104	2	3	5	12	19	30	57
35-49	109	8.4	70	2	2	6	10	16	27	47
50-64	102	13.1	182	2	3	9	17	32	47	88
65+	115	15.1	157	2	4	12	19	28	49	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.3	6	1	1	3	4	6	8	12
B. *Operated*	14	7.2	56	<1	1	5	7	19	24	25
2. MULTIPLE DX										
A. *Not Operated*	1791	6.3	29	1	2	5	8	12	16	27
B. *Operated*	478	11.3	136	2	3	8	14	24	35	65
1. SINGLE DX	330	3.5	8	1	1	3	5	7	8	15
2. MULTIPLE DX	2269	7.3	56	1	2	5	9	14	19	41
A. NOT OPERATED	2107	5.8	27	1	1	5	7	12	15	26
B. OPERATED	492	11.2	134	2	3	7	14	24	35	64
TOTAL 0-19 YRS	111	4.8	57	1	1	3	6	8	12	41
20-34	444	5.4	44	1	1	4	6	11	15	32
35-49	449	5.7	34	1	1	4	7	11	14	29
50-64	576	6.8	57	1	1	5	8	13	19	44
65+	1019	8.3	55	1	2	6	10	16	21	43
GRAND TOTAL	**2599**	**6.8**	**52**	**1**	**1**	**5**	**8**	**14**	**19**	**37**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	5.9	37	1	1	4	8	12	18	35
20-34	71	6.3	24	1	2	5	9	11	16	27
35-49	37	8.1	41	1	2	7	10	15	16	37
50-64	68	9.1	103	1	2	7	10	16	28	63
65+	239	9.9	38	3	4	9	13	17	21	31
B. *Operated*										
0-19 YRS	6	11.8	104	2	2	9	20	26	27	27
20-34	5	16.6	185	5	5	13	21	40	40	40
35-49	3	17.7	44	10	10	21	22	22	22	22
50-64	5	12.0	49	3	3	11	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	99	9.4	130	2	2	6	10	16	31	70
20-34	188	10.0	86	2	3	7	13	21	27	42
35-49	103	12.2	103	2	3	9	16	29	31	48
50-64	135	13.5	116	3	5	11	16	24	33	58
65+	853	13.1	83	3	4	11	16	24	32	46
B. *Operated*										
0-19 YRS	60	17.5	216	2	3	13	26	39	51	57
20-34	118	24.6	357	4	5	21	38	53	64	99+
35-49	43	27.0	374	7	8	21	40	49	83	99+
50-64	67	24.6	374	4	6	18	35	52	71	99
65+	95	24.9	364	5	7	20	29	55	72	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	8.5	47	1	2	7	11	16	20	38
B. *Operated*	19	14.1	93	2	3	13	20	25	34	40
2. MULTIPLE DX										
A. *Not Operated*	1378	12.4	93	3	4	10	16	24	31	50
B. *Operated*	383	23.8	346	4	5	19	34	51	64	98
1. SINGLE DX	509	8.7	50	1	2	7	11	16	21	39
2. MULTIPLE DX	1761	14.9	170	3	4	11	18	31	41	78
A. NOT OPERATED	1868	11.4	84	2	3	9	15	22	29	46
B. OPERATED	402	23.4	338	4	5	19	33	50	62	97
TOTAL 0-19 YRS	240	10.4	140	1	2	6	12	25	34	58
20-34	382	13.9	212	2	3	9	17	36	46	80
35-49	186	14.9	198	2	3	10	19	34	45	89
50-64	275	15.1	205	2	4	11	18	34	46	87
65+	1187	13.4	109	3	4	11	16	24	32	58
GRAND TOTAL	**2270**	**13.5**	**150**	**2**	**3**	**10**	**16**	**28**	**39**	**69**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.3	18	<1	1	2	3	10	14	18
20-34	33	2.2	3	<1	<1	2	3	5	6	7
35-49	29	3.6	15	1	1	3	4	6	8	22
50-64	67	3.6	11	1	1	3	5	6	10	18
65+	197	4.6	13	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS	916	3.6	19	1	1	2	4	10	14	21
20-34	131	4.2	16	1	1	3	5	8	9	24
35-49	98	4.3	8	1	1	4	6	7	9	16
50-64	112	4.6	19	1	1	4	5	9	13	25
65+	183	6.4	42	1	2	5	8	12	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.3	10	1	1	2	5	8	11	13
20-34	37	5.5	19	1	1	4	7	14	17	99+
35-49	34	4.4	14	1	1	3	6	10	14	16
50-64	131	7.5	84	1	2	5	9	14	24	47
65+	570	8.8	59	2	2	7	11	17	23	44
B. *Operated*										
0-19 YRS	242	6.5	49	1	1	4	8	16	21	32
20-34	125	9.2	93	1	2	6	11	24	30	70
35-49	87	7.9	82	1	1	6	9	14	20	53
50-64	148	10.4	125	1	2	7	12	21	40	53
65+	320	13.3	136	2	3	9	18	30	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	3.9	14	1	1	3	5	9	12	19
B. *Operated*	1440	4.2	22	1	1	2	5	9	14	22
2. MULTIPLE DX										
A. *Not Operated*	822	7.9	59	1	2	6	10	16	22	43
B. *Operated*	922	10.0	108	1	2	7	13	22	33	53
1. SINGLE DX	1908	4.1	20	1	1	3	5	9	13	22
2. MULTIPLE DX	1744	9.0	86	1	2	6	11	19	28	50
A. NOT OPERATED	1290	6.4	47	1	1	4	8	14	19	37
B. OPERATED	2362	6.4	63	1	1	4	8	15	21	41
TOTAL 0-19 YRS	1350	4.1	25	1	1	2	4	11	15	23
20-34	326	6.1	51	1	1	4	7	14	23	50
35-49	248	5.5	39	1	1	4	6	10	14	39
50-64	458	7.2	77	1	1	5	8	15	21	49
65+	1270	9.0	78	1	2	6	11	19	27	46
GRAND TOTAL	**3652**	**6.4**	**57**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	1.3	1	<1	<1	1	1	2	4	5
20-34	26	2.5	2	<1	1	2	4	5	5	6
35-49	15	1.7	1	<1	1	2	2	3	4	4
50-64	25	2.6	5	<1	1	2	4	6	7	7
65+	47	3.3	10	<1	1	2	4	10	11	12
B. *Operated*										
0-19 YRS	1620	1.7	2	<1	1	1	2	3	4	7
20-34	626	2.7	4	1	1	2	3	5	6	9
35-49	325	2.6	3	1	1	2	3	5	6	11
50-64	441	2.5	6	1	1	2	3	4	5	10
65+	419	3.1	7	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.1	3	1	1	2	3	4	5	9
20-34	57	3.6	12	1	1	3	5	9	11	17
35-49	39	4.1	11	<1	1	3	6	9	11	14
50-64	45	4.3	25	1	1	2	4	11	16	23
65+	176	7.4	37	1	2	6	9	15	19	33
B. *Operated*										
0-19 YRS	345	3.4	23	1	1	2	4	7	11	17
20-34	415	5.5	35	1	1	4	6	11	17	27
35-49	238	5.6	34	1	1	4	7	11	19	31
50-64	268	5.3	56	1	1	4	6	10	14	33
65+	449	6.7	60	1	1	4	8	14	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.2	4	<1	1	1	2	5	6	11
B. *Operated*	3431	2.2	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	377	5.3	28	1	1	4	7	11	16	23
B. *Operated*	1715	5.4	43	1	1	4	6	11	16	33
1. SINGLE DX	3621	2.2	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	2092	5.4	41	1	1	4	6	11	16	33
A. NOT OPERATED	567	4.2	22	1	1	2	6	10	13	22
B. OPERATED	5146	3.3	19	1	1	2	4	6	10	21
TOTAL 0-19 YRS	2102	1.9	6	<1	1	1	2	4	5	11
20-34	1124	3.8	18	1	1	3	4	7	10	22
35-49	617	3.8	18	1	1	3	4	7	11	23
50-64	779	3.5	26	1	1	2	4	6	9	22
65+	1091	5.3	37	1	1	4	7	11	15	33
GRAND TOTAL	**5713**	**3.4**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	2	<1	<1	1	3	4	5	5
20-34	28	2.4	4	1	1	2	3	4	6	10
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64	8	2.1	4	<1	<1	1	3	5	6	6
65+	16	3.8	7	<1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	577	1.6	2	<1	<1	1	2	3	3	6
20-34	810	1.9	2	<1	<1	1	2	3	5	8
35-49	260	1.9	2	<1	<1	1	2	4	5	9
50-64	117	2.1	3	<1	<1	2	3	4	5	13
65+	52	2.2	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.7	15	<1	<1	2	2	4	11	19
20-34	45	3.0	5	<1	1	3	4	5	7	12
35-49	11	3.5	2	1	2	3	5	6	6	6
50-64	16	8.0	67	1	1	4	12	16	27	32
65+	68	8.5	82	1	2	5	10	18	34	42
B. *Operated*										
0-19 YRS	164	2.6	5	<1	1	2	3	6	7	10
20-34	404	3.2	16	<1	1	2	3	6	9	21
35-49	169	3.1	14	1	1	2	4	7	8	17
50-64	109	3.8	67	<1	1	2	3	6	10	61
65+	102	5.0	38	1	1	3	6	10	15	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.5	4	<1	1	2	3	6	7	9
B. *Operated*	1816	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	161	5.8	51	1	1	3	7	13	18	39
B. *Operated*	948	3.3	22	<1	1	2	4	7	9	25
1. SINGLE DX	1897	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1109	3.7	27	<1	1	2	4	7	10	32
A. NOT OPERATED	242	4.7	38	<1	1	3	5	10	16	35
B. OPERATED	2764	2.3	10	<1	<1	2	3	4	6	13
TOTAL 0-19 YRS	783	1.9	3	<1	<1	1	2	3	5	9
20-34	1287	2.3	7	<1	<1	2	3	4	6	12
35-49	448	2.4	7	<1	1	2	3	5	7	11
50-64	250	3.2	37	<1	1	2	3	5	10	32
65+	238	5.3	46	1	1	3	7	11	17	37
GRAND TOTAL	**3006**	**2.5**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	15.3	172	1	2	14	28	31	36	47
20-34	5	13.4	622	<1	<1	3	17	58	58	58
35-49	12	15.5	480	<1	<1	5	25	52	61	63
50-64	26	7.1	97	1	1	5	8	12	22	52
65+	136	8.8	51	1	1	8	12	18	21	31
B. *Operated*										
0-19 YRS	69	10.2	56	3	3	9	13	16	21	42
20-34	64	12.2	130	3	4	9	13	23	37	57
35-49	92	10.8	62	4	5	9	12	17	21	53
50-64	362	11.6	41	5	6	10	14	18	22	35
65+	2263	14.6	54	7	8	13	17	22	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	19.2	301	2	2	17	33	44	51	55
20-34	16	8.6	158	1	2	4	8	23	43	51
35-49	15	10.4	160	<1	2	6	12	16	44	53
50-64	42	13.4	172	1	2	8	17	43	44	49
65+	403	12.9	112	2	3	10	17	26	33	55
B. *Operated*										
0-19 YRS	56	17.5	187	2	4	13	24	38	43	64
20-34	131	19.1	253	4	6	15	26	45	74	99+
35-49	125	16.2	163	4	5	13	19	30	49	82
50-64	579	17.4	157	7	8	14	20	30	41	91
65+	5229	18.3	104	8	9	16	21	30	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	10.0	114	1	1	7	12	22	30	56
B. *Operated*	2850	13.9	56	6	7	13	16	21	26	46
2. MULTIPLE DX										
A. *Not Operated*	494	12.9	127	1	3	10	17	28	37	55
B. *Operated*	6120	18.2	114	7	9	16	21	31	38	68
1. SINGLE DX	3059	13.7	61	5	6	12	16	21	26	47
2. MULTIPLE DX	6614	17.8	117	6	8	15	21	31	38	67
A. NOT OPERATED	703	12.1	125	1	2	9	16	26	36	55
B. OPERATED	8970	16.8	100	7	8	15	20	28	36	61
TOTAL 0-19 YRS	173	14.4	153	2	3	11	20	33	41	54
20-34	216	16.2	228	3	4	11	19	40	56	99+
35-49	244	13.8	145	4	5	11	18	26	46	67
50-64	1009	14.9	123	5	6	12	17	26	34	67
65+	8031	16.8	94	7	8	15	20	28	35	59
GRAND TOTAL	**9673**	**16.5**	**103**	**6**	**7**	**14**	**20**	**28**	**36**	**60**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	354	16.9	134	1	2	17	24	31	37	48
20-34	27	19.3	555	1	1	7	35	52	73	86
35-49	8	12.4	293	<1	1	4	21	41	42	42
50-64	15	24.1	391	3	5	19	46	51	56	58
65+	68	19.1	227	4	5	14	26	43	54	64
B. *Operated*										
0-19 YRS	333	13.8	153	1	2	11	20	29	35	59
20-34	135	12.2	93	1	3	10	17	22	34	48
35-49	40	14.4	284	2	3	10	14	29	52	88
50-64	43	20.3	364	3	4	16	23	33	68	92
65+	121	16.4	82	5	7	14	21	28	33	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	17.7	175	1	2	18	24	35	42	69
20-34	38	20.2	324	1	2	16	35	50	61	99+
35-49	20	15.4	363	1	1	8	24	47	58	68
50-64	45	22.8	387	3	6	16	30	50	60	95
65+	150	22.1	370	4	5	16	28	54	68	84
B. *Operated*										
0-19 YRS	301	22.3	222	2	4	19	32	44	48	63
20-34	341	21.3	269	2	4	17	27	48	60	84
35-49	97	24.7	435	3	5	18	36	60	86	99+
50-64	108	24.1	395	5	8	19	32	61	90	99+
65+	330	24.8	307	7	9	20	33	53	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	17.5	182	1	2	17	25	34	42	57
B. *Operated*	672	14.4	152	2	2	12	20	28	35	59
2. MULTIPLE DX										
A. *Not Operated*	400	20.0	297	2	2	17	27	46	58	89
B. *Operated*	1177	23.1	294	3	6	19	31	49	63	99+
1. SINGLE DX	1144	15.7	166	1	2	13	22	31	40	59
2. MULTIPLE DX	1577	22.3	297	2	4	18	30	49	62	99+
A. NOT OPERATED	872	18.7	236	1	2	17	26	40	51	71
B. OPERATED	1849	19.9	260	2	4	16	26	43	56	99+
TOTAL 0-19 YRS	1138	17.5	178	1	2	16	24	35	42	59
20-34	541	18.8	256	2	3	15	25	43	56	93
35-49	165	20.5	403	2	3	13	28	55	71	99+
50-64	211	23.0	384	4	6	17	30	55	80	99+
65+	669	22.1	282	5	7	18	29	49	63	99+
GRAND TOTAL	**2721**	**19.5**	**252**	**2**	**3**	**16**	**26**	**42**	**54**	**94**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.3	4	1	1	2	3	5	6	11
20-34	147	3.3	7	<1	1	3	4	7	9	13
35-49	80	3.8	10	1	1	3	4	8	10	16
50-64	76	5.1	13	1	1	4	7	11	13	14
65+	86	8.3	52	2	2	6	10	17	22	40
B. *Operated*										
0-19 YRS	599	3.7	9	1	1	3	5	7	9	15
20-34	556	6.0	32	1	2	5	7	11	15	38
35-49	264	5.6	18	1	2	5	7	11	14	21
50-64	195	7.7	48	1	2	6	9	12	18	42
65+	116	10.7	71	3	4	9	13	19	30	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.9	10	1	1	3	5	8	11	15
20-34	86	4.8	17	1	1	4	6	10	13	23
35-49	67	5.5	24	1	2	4	7	12	13	29
50-64	98	8.5	80	1	2	6	11	16	23	56
65+	194	10.2	50	2	3	8	14	19	24	35
B. *Operated*										
0-19 YRS	326	9.3	147	1	2	6	10	20	32	77
20-34	516	13.1	209	2	3	8	16	32	50	82
35-49	216	13.1	191	2	3	9	15	28	40	77
50-64	186	14.8	227	2	4	10	17	34	61	95
65+	178	15.4	192	3	4	12	18	32	39	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	3.9	17	1	1	3	5	8	12	20
B. *Operated*	1730	5.7	30	1	1	4	7	11	14	32
2. MULTIPLE DX										
A. *Not Operated*	525	7.5	47	1	2	5	10	16	19	32
B. *Operated*	1422	12.7	196	2	3	8	15	29	42	83
1. SINGLE DX	2336	5.2	27	1	1	4	6	11	14	30
2. MULTIPLE DX	1947	11.3	161	1	2	7	14	24	37	75
A. NOT OPERATED	1131	5.6	34	1	1	4	7	13	16	27
B. OPERATED	3152	8.9	117	1	2	5	10	18	30	63
TOTAL 0-19 YRS	1222	5.0	52	1	1	3	6	10	15	39
20-34	1305	8.4	113	1	2	5	9	18	31	62
35-49	627	8.0	91	1	2	5	9	16	24	48
50-64	555	9.9	122	1	2	7	12	18	30	71
65+	574	11.7	105	2	3	9	15	23	32	48
GRAND TOTAL	**4283**	**8.0**	**97**	**1**	**1**	**5**	**9**	**16**	**25**	**57**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.3	4	<1	1	2	3	5	5	12
20-34	147	3.2	9	<1	1	2	4	6	7	17
35-49	80	3.7	7	1	1	3	5	7	10	13
50-64	96	3.9	9	<1	1	3	5	8	9	16
65+	127	5.3	15	1	2	4	7	11	13	19
B. *Operated*										
0-19 YRS	775	3.1	4	1	1	3	4	5	7	10
20-34	1253	4.0	7	1	1	3	5	7	8	13
35-49	761	4.5	9	1	2	4	6	8	10	15
50-64	621	5.3	13	1	2	5	7	9	12	19
65+	400	6.8	22	2	3	6	8	11	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	3.0	5	<1	1	2	4	6	7	12
20-34	166	4.3	10	1	1	3	6	9	9	16
35-49	92	5.4	23	1	1	4	7	13	15	24
50-64	134	6.5	28	1	2	5	8	13	16	25
65+	289	7.8	37	2	2	6	10	15	18	36
B. *Operated*										
0-19 YRS	337	5.9	39	1	2	4	6	10	16	40
20-34	822	6.5	74	1	2	4	7	11	17	52
35-49	446	6.8	52	2	2	5	8	13	18	44
50-64	488	7.8	49	2	3	6	9	14	20	38
65+	479	11.6	97	3	4	9	14	23	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	542	3.8	10	<1	1	3	5	7	10	16
B. *Operated*	3810	4.4	10	1	1	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	761	6.0	27	1	1	5	8	12	16	26
B. *Operated*	2572	7.7	69	2	2	5	9	15	23	46
1. SINGLE DX	4352	4.3	10	1	1	4	5	8	10	16
2. MULTIPLE DX	3333	7.3	60	1	2	5	8	14	20	44
A. NOT OPERATED	1303	5.1	21	1	1	4	7	11	14	23
B. OPERATED	6382	5.7	36	1	2	4	7	10	14	34
TOTAL 0-19 YRS	1284	3.8	15	1	1	3	5	7	9	19
20-34	2388	4.8	32	1	1	4	5	8	11	32
35-49	1379	5.3	25	1	2	4	6	9	13	25
50-64	1339	6.3	29	1	2	5	7	11	15	28
65+	1295	8.6	58	2	3	7	10	16	23	43
GRAND TOTAL	**7685**	**5.6**	**34**	**1**	**2**	**4**	**7**	**10**	**14**	**33**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.4	13	<1	1	1	2	4	8	19
20-34	24	1.4		<1	1	1	2	2	3	3
35-49	15	1.9	2	<1	<1	2	2	3	5	6
50-64	7	4.6	14	1	1	3	8	10	10	10
65+	12	4.7	13	1	1	3	7	11	12	12
B. *Operated*										
0-19 YRS	39	2.8	5	<1	1	2	3	4	6	14
20-34	45	2.8	2	1	1	3	4	5	5	7
35-49	16	2.9	1	1	2	3	3	4	5	6
50-64	4	2.5	2	1	1	2	3	4	4	4
65+	3	2.7		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.5	19	1	1	2	4	7	10	26
20-34	155	3.7	11	1	1	3	5	7	9	21
35-49	78	4.6	28	1	1	3	5	10	14	32
50-64	61	4.4	9	1	1	4	6	8	11	13
65+	122	8.0	41	1	2	6	11	17	22	30
B. *Operated*										
0-19 YRS	35	5.5	100	1	1	4	6	10	46	99+
20-34	75	7.0	131	1	1	3	7	12	27	70
35-49	33	7.2	121	2	2	4	7	12	27	61
50-64	24	6.9	64	1	2	4	9	13	23	39
65+	21	13.6	199	2	3	10	20	25	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.5	8	<1	1	2	2	5	9	17
B. *Operated*	107	2.8	3	1	1	3	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	502	4.9	25	1	1	3	6	11	15	25
B. *Operated*	188	7.5	125	1	1	4	8	15	29	73
1. SINGLE DX	190	2.7	5	1	1	2	3	5	6	13
2. MULTIPLE DX	690	5.6	54	1	1	3	6	12	18	41
A. NOT OPERATED	585	4.6	24	1	1	3	5	10	14	24
B. OPERATED	295	5.8	86	1	1	3	5	12	19	63
TOTAL 0-19 YRS	185	3.6	31	1	1	2	4	7	10	49
20-34	299	4.2	42	1	1	3	5	8	11	36
35-49	142	4.7	46	1	1	3	5	10	13	38
50-64	96	5.0	23	1	1	4	6	10	13	28
65+	158	8.4	63	1	2	6	11	19	23	34
GRAND TOTAL	**880**	**5.0**	**45**	**1**	**1**	**3**	**5**	**11**	**15**	**35**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	14	<1	<1	2	5	10	12	12
20-34	9	2.4	9	<1	<1	1	2	7	10	10
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.0	18	1	1	4	8	10	10	10
20-34	6	12.0	337	1	1	6	8	45	49	49
35-49	4	5.0	25	<1	<1	3	8	12	12	12
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	5	1	1	3	4	7	9	9
20-34	15	7.7	47	1	2	4	12	19	23	24
35-49	9	7.2	62	1	1	4	9	21	24	24
50-64	6	14.2	266	3	3	9	10	43	47	47
65+	5	8.2	18	3	3	7	12	13	13	13
B. *Operated*										
0-19 YRS	11	23.0	445	3	5	16	34	59	66	67
20-34	19	18.3	480	5	6	12	26	99	99+	99+
35-49	5	15.8	96	5	5	15	22	30	30	30
50-64	3	40.3	1221	11	11	31	67	79	79	79
65+	2	21.5	481	6	6	21	37	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.5	17	<1	<1	2	4	11	13	15
B. *Operated*	17	7.4	127	<1	1	4	8	12	36	49
2. MULTIPLE DX										
A. *Not Operated*	48	7.3	66	1	2	4	9	16	24	47
B. *Operated*	40	21.1	457	5	6	14	30	71	99	99+
1. SINGLE DX	38	5.2	68	<1	1	2	7	11	14	49
2. MULTIPLE DX	88	13.5	289	2	2	8	16	38	67	99+
A. NOT OPERATED	69	6.1	54	1	1	3	8	13	19	43
B. OPERATED	57	17.0	395	1	2	11	22	52	90	99+
TOTAL 0-19 YRS	37	9.4	211	1	1	3	10	17	49	67
20-34	49	11.3	268	1	1	7	13	34	96	99+
35-49	21	8.7	71	<1	1	5	15	22	27	30
50-64	11	19.6	568	2	3	10	26	60	77	79
65+	8	10.9	125	3	3	7	12	30	37	37
GRAND TOTAL	**126**	**11.0**	**236**	**1**	**1**	**6**	**13**	**29**	**49**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	11	1.9	1	<1	<1	2	3	4	4	4
35-49	6	2.7	8	<1	<1	1	4	8	8	8
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	7	1.7	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-19 YRS	133	2.7	2	1	1	3	3	4	5	6
20-34	510	2.7	2	1	1	3	3	4	5	7
35-49	118	2.5	2	<1	1	2	3	4	4	6
50-64	47	2.8	7	<1	1	2	3	4	7	17
65+	45	2.7	10	<1	1	1	3	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	7	<1	1	3	5	7	9	10
20-34	29	2.2	5	<1	<1	1	3	5	6	11
35-49	12	3.3	8	<1	1	2	4	7	10	11
50-64	12	5.3	26	1	1	3	6	15	16	16
65+	19	6.1	18	1	1	5	9	12	14	15
B. *Operated*										
0-19 YRS	25	4.2	19	1	2	3	4	7	18	18
20-34	108	3.7	5	1	1	3	5	7	8	13
35-49	47	3.7	15	1	1	2	4	9	15	18
50-64	46	5.0	20	1	1	4	6	10	11	26
65+	54	4.4	13	1	1	3	5	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.0	3	<1	<1	1	3	4	5	8
B. *Operated*	853	2.7	3	1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	86	3.8	13	<1	1	2	5	9	12	16
B. *Operated*	280	4.1	12	1	1	3	5	9	10	18
1. SINGLE DX	883	2.6	3	<1	1	3	3	4	5	8
2. MULTIPLE DX	366	4.0	12	1	1	3	5	9	11	18
A. NOT OPERATED	116	3.4	11	<1	<1	2	4	9	11	16
B. OPERATED	1133	3.0	5	1	1	3	4	5	7	13
TOTAL 0-19 YRS	175	3.0	5	1	1	3	4	5	6	16
20-34	658	2.8	3	<1	1	3	4	5	6	9
35-49	183	2.8	6	<1	1	2	3	4	6	17
50-64	108	4.0	16	<1	1	3	5	10	11	21
65+	125	3.9	14	1	1	2	5	9	12	17
GRAND TOTAL	**1249**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	<1	<1	1	2	3	4	4
20-34	27	2.1	2	<1	<1	1	3	5	5	5
35-49	5	2.8	4	1	1	2	5	5	5	5
50-64	6	3.0	2	1	1	3	4	4	4	4
65+	5	8.4	127	1	1	3	13	28	28	28
B. *Operated*										
0-19 YRS	837	2.9	3	<1	1	2	4	5	6	8
20-34	1968	2.9	3	<1	1	3	4	5	6	9
35-49	773	3.2	6	<1	1	3	4	6	7	11
50-64	445	3.3	4	<1	1	3	4	6	7	9
65+	88	4.2	10	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.7	2	<1	<1	1	2	4	4	4
20-34	33	2.8	9	<1	<1	1	4	6	11	12
35-49	9	2.3	3	1	1	1	4	5	5	5
50-64	16	3.1	5	<1	<1	2	5	7	7	7
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	474	3.5	4	1	1	3	5	6	7	10
20-34	1222	3.7	9	<1	1	3	5	6	8	13
35-49	561	3.7	10	<1	1	3	5	7	9	18
50-64	486	4.0	13	1	1	3	5	7	9	18
65+	167	4.7	12	1	2	4	6	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.7	14	<1	<1	2	3	5	5	26
B. *Operated*	4111	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	79	2.5	6	<1	<1	1	4	5	7	12
B. *Operated*	2910	3.8	9	1	1	3	5	7	8	15
1. SINGLE DX	4169	3.0	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	2989	3.8	9	<1	1	3	5	7	8	15
A. NOT OPERATED	137	2.6	9	<1	<1	1	4	5	7	14
B. OPERATED	7021	3.3	6	<1	1	3	4	6	7	12
TOTAL 0-19 YRS	1346	3.1	4	<1	1	3	4	6	7	9
20-34	3250	3.2	5	<1	1	3	4	6	7	10
35-49	1348	3.4	7	<1	1	3	4	6	7	13
50-64	953	3.7	8	<1	1	3	5	6	8	15
65+	261	4.6	13	1	1	4	6	8	11	19
GRAND TOTAL	**7158**	**3.3**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**12**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	24	<1	1	3	4	8	13	25
20-34	40	3.7	10	<1	1	3	5	8	11	14
35-49	7	9.4	44	2	2	9	12	20	22	22
50-64	8	6.5	33	<1	<1	5	11	15	16	16
65+	11	8.5	48	1	2	7	10	18	26	27
B. *Operated*										
0-19 YRS	187	3.1	15	<1	1	2	3	8	12	19
20-34	225	3.4	15	<1	1	2	4	7	12	19
35-49	87	3.8	22	<1	1	2	5	10	12	27
50-64	65	3.8	12	<1	1	2	5	9	10	17
65+	54	4.1	13	<1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	7.8	119	:	1	3	9	29	34	40
20-34	43	8.5	116	1	1	5	9	19	37	49
35-49	19	7.1	63	<1	1	4	8	15	27	35
50-64	21	6.7	35	1	1	5	9	13	19	26
65+	29	8.7	104	1	1	6	10	23	28	48
B. *Operated*										
0-19 YRS	97	7.1	85	1	1	4	8	15	22	55
20-34	187	9.2	163	1	1	5	11	20	31	74
35-49	76	7.6	61	1	1	5	11	20	22	38
50-64	85	8.7	128	1	1	4	10	28	41	82
65+	81	12.1	195	1	2	6	16	34	46	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	5.0	26	1	1	3	7	11	14	26
B. *Operated*	618	3.5	16	<1	1	2	4	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	137	7.9	92	1	1	5	9	19	30	49
B. *Operated*	526	8.9	135	1	1	5	11	21	35	63
1. SINGLE DX	710	3.7	17	<1	1	2	4	9	12	21
2. MULTIPLE DX	663	8.7	126	1	1	5	10	21	32	54
A. NOT OPERATED	229	6.8	67	1	1	4	8	14	26	48
B. OPERATED	1144	6.0	78	1	1	3	7	14	21	48
TOTAL 0-19 YRS	335	4.7	47	<1	1	2	5	11	16	38
20-34	495	6.1	87	1	1	3	7	14	20	49
35-49	189	5.9	46	<1	1	3	7	15	21	33
50-64	179	6.6	75	1	1	4	8	15	27	49
65+	175	8.9	125	1	1	5	10	22	35	51
GRAND TOTAL	1373	6.1	76	1	1	3	7	14	21	48

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	2	<1	<1	2	3	4	5	6
20-34	52	2.2	4	<1	<1	2	2	4	6	11
35-49	33	2.4	2	<1	1	2	3	4	4	6
50-64	13	2.4	2	<1	<1	2	4	4	5	5
65+	19	5.1	17	1	1	4	7	10	15	17
B. *Operated*										
0-19 YRS	410	3.1	3	<1	1	3	4	5	6	9
20-34	772	3.3	5	<1	1	3	4	6	7	10
35-49	151	3.7	5	<1	1	3	5	6	8	11
50-64	41	3.9	6	1	1	3	5	7	9	11
65+	10	5.3	13	2	2	4	6	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	18	<1	1	3	7	12	13	13
20-34	53	3.6	8	<1	<1	3	5	9	10	10
35-49	25	4.2	6	1	2	3	7	8	27	99+
50-64	36	4.9	15	1	1	4	7	9	15	17
65+	94	6.9	33	1	2	5	9	12	19	31
B. *Operated*										
0-19 YRS	362	4.5	8	1	2	4	5	8	9	14
20-34	756	4.3	6	1	1	4	5	7	8	13
35-49	212	5.0	10	1	2	4	6	8	11	17
50-64	72	4.8	12	<1	1	4	6	10	12	15
65+	29	11.1	164	1	2	6	14	23	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.6	5	<1	1	2	3	5	7	12
B. *Operated*	1384	3.3	4	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	222	5.4	22	1	1	4	7	10	13	28
B. *Operated*	1431	4.6	12	1	1	4	6	8	9	16
1. SINGLE DX	1534	3.3	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1653	4.7	13	1	1	4	6	8	10	18
A. NOT OPERATED	372	4.2	17	<1	1	3	6	9	11	26
B. OPERATED	2815	4.0	8	1	1	4	5	7	8	14
TOTAL 0-19 YRS	819	3.7	6	<1	1	3	5	6	8	13
20-34	1633	3.7	6	<1	1	3	5	6	8	12
35-49	421	4.3	8	1	1	4	5	7	9	16
50-64	162	4.4	11	<1	1	4	6	9	11	17
65+	152	7.4	57	1	2	5	9	14	20	34
GRAND TOTAL	3187	4.0	9	<1	1	4	5	7	9	15

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.3	9	1	1	4	6	8	9	16
20-34	697	5.5	11	1	2	5	7	10	12	17
35-49	611	5.7	16	2	2	5	7	10	11	17
50-64	347	6.0	15	2	2	5	7	10	13	20
65+	124	6.2	22	1	2	5	8	12	14	23
B. *Operated*										
0-19 YRS	10	3.3	13	1	1	2	4	9	12	12
20-34	128	7.2	35	1	1	6	10	15	16	30
35-49	96	5.8	27	1	1	4	8	13	16	23
50-64	25	7.7	61	1	1	5	11	16	22	35
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.8	28	1	2	5	7	10	13	35
20-34	498	6.5	19	2	2	6	8	11	14	20
35-49	608	7.2	19	2	3	6	9	12	15	24
50-64	471	6.9	22	2	3	6	9	12	14	27
65+	531	7.8	28	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	5	3.6	2	3	3	3	4	6	6	6
20-34	96	8.5	60	1	2	7	10	17	23	44
35-49	106	7.9	30	2	2	7	10	15	17	27
50-64	59	12.1	81	2	3	9	16	24	28	50
65+	32	14.1	87	4	6	10	16	29	38	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1834	5.7	14	1	2	5	7	10	12	17
B. *Operated*	261	6.5	34	1	1	5	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	2158	7.1	22	2	3	6	9	12	15	25
B. *Operated*	298	9.5	60	1	2	8	12	18	24	41
1. SINGLE DX	2095	5.8	17	1	2	5	7	10	13	19
2. MULTIPLE DX	2456	7.4	27	2	3	6	9	13	17	27
A. NOT OPERATED	3992	6.4	19	2	2	5	8	11	14	21
B. OPERATED	559	8.1	50	1	1	7	11	16	22	35
TOTAL 0-19 YRS	120	4.8	17	1	1	4	6	9	11	22
20-34	1419	6.2	20	1	2	5	8	11	14	21
35-49	1421	6.5	20	2	2	6	8	11	14	21
50-64	902	6.9	26	2	2	6	8	12	16	28
65+	689	7.8	32	2	2	7	10	14	18	30
GRAND TOTAL	**4551**	**6.6**	**23**	**1**	**2**	**6**	**8**	**12**	**15**	**24**

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.6	5	<1	1	2	4	5	6	12
20-34	549	4.8	10	1	1	4	6	9	11	15
35-49	420	5.3	11	1	2	5	7	9	11	16
50-64	166	5.3	11	1	2	5	7	10	12	17
65+	78	6.1	20	1	1	5	10	12	15	19
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	152	4.6	18	1	1	3	6	10	12	20
35-49	98	5.0	23	1	1	3	7	12	15	23
50-64	19	5.1	9	2	2	4	7	10	10	10
65+	2	10.0	2	9	9	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	3.7	14	<1	1	3	4	8	12	21
20-34	774	5.6	21	1	1	4	7	11	13	23
35-49	628	6.5	19	1	2	5	9	12	14	21
50-64	470	6.2	18	1	2	5	8	11	15	22
65+	449	7.0	20	2	2	6	9	13	15	23
B. *Operated*										
0-19 YRS	15	5.9	21	1	1	4	10	12	14	14
20-34	132	6.9	32	1	2	5	10	14	17	24
35-49	141	7.4	43	1	2	5	10	16	19	35
50-64	59	9.0	49	1	2	8	13	20	22	33
65+	29	11.3	62	2	3	11	15	20	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1367	4.8	11	1	1	4	7	9	11	16
B. *Operated*	274	4.7	19	1	1	3	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	2471	6.1	20	1	2	5	8	12	14	22
B. *Operated*	376	7.7	42	1	2	6	11	16	20	35
1. SINGLE DX	1641	4.8	13	1	1	4	7	10	12	16
2. MULTIPLE DX	2847	6.3	23	1	2	5	8	12	15	23
A. NOT OPERATED	3838	5.6	17	1	1	5	8	11	13	20
B. OPERATED	650	6.5	34	1	1	4	9	14	18	27
TOTAL 0-19 YRS	322	3.2	11	<1	1	2	4	7	10	16
20-34	1607	5.3	18	1	1	4	7	10	13	20
35-49	1287	6.1	20	1	2	5	8	12	14	22
50-64	714	6.2	20	1	2	5	8	11	15	22
65+	558	7.1	23	2	2	6	10	13	16	23
GRAND TOTAL	**4488**	**5.7**	**20**	**1**	**1**	**5**	**8**	**11**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.4	4	<1	1	2	3	6	7	9
20-34	63	2.8	4	<1	<1	2	4	6	7	8
35-49	42	2.5	4	<1	<1	2	3	5	7	10
50-64	51	3.1	7	<1	1	2	4	7	9	14
65+	44	4.6	23	1	1	3	6	7	15	28
B. Operated										
0-19 YRS	192	2.5	2	1	1	2	3	4	5	7
20-34	547	2.6	3	<1	1	2	3	5	5	9
35-49	338	3.1	[illegible]	1	1	3	4	5	7	10
50-64	382	3.8	4	1	2	3	5	6	7	11
65+	110	5.2	8	1	2	4	6	9	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.8	7	<1	1	2	3	5	7	15
20-34	108	3.2	6	<1	1	2	4	7	8	12
35-49	66	4.3	21	1	1	3	6	9	9	31
50-64	92	4.6	12	1	1	3	6	9	13	16
65+	207	6.7	47	1	2	4	8	14	18	45
B. Operated										
0-19 YRS	56	3.3	13	1	1	3	4	5	7	26
20-34	139	4.2	23	1	1	3	5	7	9	34
35-49	132	3.7	5	1	1	3	5	6	8	13
50-64	190	5.4	14	2	2	4	7	9	12	21
65+	134	6.7	27	2	3	6	8	11	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	251	3.0	8	<1	1	2	4	6	7	15
B. Operated	1569	3.2	4	<1	1	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	510	5.0	28	1	1	3	6	11	14	34
B. Operated	651	4.9	18	1	2	4	6	8	11	22
1. SINGLE DX	1820	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX	1161	4.9	22	1	1	4	6	9	13	29
A. NOT OPERATED	761	4.3	22	<1	1	3	5	9	13	28
B. OPERATED	2220	3.7	9	1	1	3	4	7	8	14
TOTAL 0-19 YRS	336	2.6	5	<1	1	2	3	5	6	9
20-34	857	2.9	7	<1	1	2	4	5	7	11
35-49	578	3.3	6	1	1	3	4	6	7	12
50-64	715	4.3	8	1	2	4	5	7	10	15
65+	495	6.2	32	1	2	5	7	11	16	37
GRAND TOTAL	2981	3.8	12	1	1	3	5	7	9	17

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1595	1.4	1	<1	1	1	2	2	3	6
20-34	514	1.7	1	<1	<1	1	2	3	4	6
35-49	120	2.3	4	<1	1	2	3	5	7	10
50-64	56	2.4	4	<1	1	2	3	5	8	10
65+	37	2.5	4	1	1	2	3	6	7	8
B. Operated										
0-19 YRS	5	2.4	4	<1	<1	2	3	6	6	6
20-34	5	1.4		1	1	1	2	2	2	2
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1691	2.1	5	1	1	1	2	4	6	11
20-34	1424	2.7	7	<1	1	2	3	5	7	13
35-49	506	3.3	10	1	1	2	4	7	9	16
50-64	345	3.6	13	1	1	2	4	8	11	18
65+	415	5.2	27	1	1	4	7	11	16	28
B. Operated										
0-19 YRS	404	4.6	56	<1	1	2	5	11	17	40
20-34	519	5.4	68	<1	1	2	6	13	21	47
35-49	150	6.4	110	<1	1	3	7	16	24	96
50-64	113	7.2	180	1	1	4	8	12	17	82
65+	103	8.8	151	1	1	4	10	24	37	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2322	1.6	2	<1	1	1	2	3	4	7
B. Operated	12	2.2	3	<1	<1	2	2	5	6	6
2. MULTIPLE DX										
A. Not Operated	4381	2.8	10	<1	1	2	3	6	8	16
B. Operated	1289	5.7	87	<1	1	3	6	13	22	84
1. SINGLE DX	2334	1.6	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	5670	3.5	29	<1	1	2	4	7	11	26
A. NOT OPERATED	6703	2.4	7	<1	1	1	3	5	7	14
B. OPERATED	1301	5.7	86	<1	1	3	6	13	22	53
TOTAL 0-19 YRS	3695	2.1	10	<1	1	1	2	4	6	15
20-34	2462	3.0	20	<1	1	2	3	6	9	22
35-49	778	3.7	30	<1	1	2	4	7	11	25
50-64	514	4.3	51	1	1	2	5	9	11	29
65+	555	5.7	51	1	1	3	7	12	17	38
GRAND TOTAL	8004	2.9	22	<1	1	2	3	6	9	22

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	379	2.0	8	<1	1	1	2	4	6	13
20-34	130	3.6	62	<1	<1	2	3	8	10	34
35-49	54	6.3	198	<1	1	3	5	8	21	77
50-64	17	4.2	24	<1	1	2	5	13	16	17
65+	33	6.1	35	1	1	4	9	15	20	23
B. *Operated*										
0-19 YRS	37	11.8	278	2	3	7	10	20	58	80
20-34	28	11.8	112	2	4	9	13	22	31	55
35-49	27	9.9	37	2	4	8	10	20	24	28
50-64	20	10.8	51	2	4	9	13	17	27	35
65+	38	12.5	124	1	3	10	14	26	29	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	463	4.0	98	1	1	2	4	8	17	34
20-34	376	5.0	61	<1	1	3	5	12	19	48
35-49	127	5.3	29	1	1	3	7	11	18	25
50-64	114	7.0	97	1	1	4	8	17	23	53
65+	214	7.3	47	1	1	5	10	17	21	67
B. *Operated*										
0-19 YRS	197	16.7	430	1	1	9	24	54	78	99+
20-34	248	19.9	467	1	1	12	31	59	85	99+
35-49	75	17.5	357	1	2	11	26	66	89	99+
50-64	93	20.6	426	1	2	14	30	56	73	99+
65+	124	18.8	319	2	3	14	27	55	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	3.0	40	<1	1	1	3	6	9	25
B. *Operated*	147	11.5	132	2	3	9	13	22	28	72
2. MULTIPLE DX										
A. *Not Operated*	1294	5.2	59	1	1	3	6	12	20	39
B. *Operated*	737	18.7	416	1	2	12	28	56	82	99+
1. SINGLE DX	760	4.7	69	<1	1	2	5	10	17	35
2. MULTIPLE DX	2031	10.1	230	1	1	4	12	29	50	99+
A. NOT OPERATED	1907	4.5	54	<1	1	2	5	10	18	34
B. OPERATED	884	17.5	376	1	2	11	25	54	76	99+
TOTAL 0-19 YRS	1076	5.9	145	1	1	2	5	15	28	80
20-34	782	9.8	241	<1	1	4	11	29	49	99+
35-49	283	9.1	174	1	1	5	10	23	45	99+
50-64	244	12.3	256	1	1	7	14	35	48	94
65+	406	11.2	163	1	2	7	14	27	50	99+
GRAND TOTAL	**2791**	**8.6**	**192**	**1**	**1**	**3**	**9**	**23**	**42**	**95**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	7	<1	1	2	3	7	9	11
20-34	59	3.2	4	1	1	3	5	7	7	10
35-49	19	3.5	4	1	1	4	4	7	8	8
50-64	5	3.8	3	2	2	4	5	6	6	6
65+	7	4.7	11	2	2	3	8	10	10	10
B. *Operated*										
0-19 YRS	35	5.7	19	1	2	4	7	10	16	22
20-34	69	5.2	13	1	2	4	6	9	13	22
35-49	28	5.8	17	1	2	4	8	11	17	17
50-64	15	5.7	28	1	2	4	7	8	19	23
65+	4	5.8	11	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.5	4	1	1	3	5	6	7	9
20-34	121	3.9	9	1	1	3	5	8	11	14
35-49	81	5.1	17	1	1	4	6	11	13	21
50-64	63	6.1	19	1	2	5	8	12	16	22
65+	55	7.5	44	1	2	6	10	12	20	37
B. *Operated*										
0-19 YRS	97	9.6	83	1	3	7	12	20	26	54
20-34	245	8.4	31	2	3	7	11	15	18	26
35-49	122	8.8	63	2	3	6	11	17	22	49
50-64	59	13.0	244	2	3	8	12	37	49	74
65+	43	15.1	269	3	4	9	21	36	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.3.	5	1	1	3	4	7	8	10
B. *Operated*	151	5.5	16	1	2	4	7	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	378	5.0	18	1	1	4	6	10	12	22
B. *Operated*	566	9.7	90	2	3	7	11	18	25	56
1. SINGLE DX	269	4.5	13	1	1	4	6	8	10	21
2. MULTIPLE DX	944	7.8	67	1	2	6	9	15	21	48
A. NOT OPERATED	496	4.6	16	1	1	4	6	9	12	20
B. OPERATED	717	8.8	78	2	3	6	10	17	23	92
TOTAL 0-19 YRS	218	6.6	51	1	1	4	8	15	20	37
20-34	494	6.3	25	1	2	5	8	13	16	24
35-49	250	6.9	42	1	2	5	9	13	18	34
50-64	142	8.9	124	1	2	6	9	16	29	69
65+	109	10.2	144	2	2	7	11	23	35	85
GRAND TOTAL	**1213**	**7.1**	**57**	**1**	**2**	**5**	**9**	**14**	**19**	**43**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.4	10	<1	1	2	4	7	10	14
20-34	129	3.0	5	1	1	2	4	6	7	12
35-49	30	2.9	6	1	1	2	4	7	8	10
50-64	8	3.5	9	1	1	2	5	8	9	9
65+	7	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	119	6.3	11	2	3	6	8	9	12	21
20-34	150	6.5	14	1	3	6	8	10	12	21
35-49	33	6.5	21	1	2	6	8	12	16	23
50-64	11	8.0	9	3	4	8	10	12	13	13
65+	9	7.4	13	2	2	8	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	3.7	14	1	1	3	4	7	11	21
20-34	204	4.1	13	1	1	3	5	9	11	18
35-49	62	3.7	15	1	1	2	5	7	10	24
50-64	24	5.8	26	<1	1	5	7	14	17	23
65+	35	6.8	28	1	2	5	9	16	19	20
B. *Operated*										
0-19 YRS	356	11.9	142	3	5	8	12	24	36	67
20-34	482	13.2	163	3	5	9	14	30	40	75
35-49	193	13.5	119	5	6	11	15	26	38	72
50-64	81	16.8	240	4	5	11	18	43	54	73
65+	57	18.5	212	6	7	13	21	39	57	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	335	3.2	8	1	1	2	4	7	8	12
B. *Operated*	322	6.5	13	2	3	6	8	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	498	4.2	16	1	1	3	5	9	13	21
B. *Operated*	1169	13.4	159	4	5	9	14	28	42	72
1. SINGLE DX	657	4.8	13	1	1	4	7	9	11	16
2. MULTIPLE DX	1667	10.6	134	1	2	7	12	22	35	66
A. NOT OPERATED	833	3.8	13	1	1	3	5	8	11	19
B. OPERATED	1491	11.9	136	3	4	8	13	24	36	68
TOTAL 0-19 YRS	809	7.7	84	1	1	5	9	15	23	54
20-34	965	8.9	107	1	1	6	10	18	30	57
35-49	318	9.9	99	1	2	8	12	20	29	56
50-64	124	13.0	190	1	3	9	15	25	48	68
65+	108	12.7	160	1	2	10	16	25	40	64
GRAND TOTAL	2324	9.0	107	1	1	6	10	18	29	59

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	1	<1	<1	2	3	3	3	3
20-34	5	2.0	1	<1	<1	2	3	3	3	3
35-49	3	4.7	14	2	2	3	7	9	9	9
50-64	1	41.0		41	41	41	41	41	41	41
65+	2	25.5	925	4	4	25	47	47	47	47
B. *Operated*										
0-19 YRS	172	2.5	4	<1	1	2	3	5	7	9
20-34	108	2.5	2	1	1	2	3	4	5	7
35-49	36	3.1	4	1	1	3	4	6	8	8
50-64	28	2.1	2	<1	1	2	3	5	5	5
65+	17	3.5	20	1	1	2	3	10	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	3	<1	<1	3	4	6	6	6
20-34	26	2.3	2	<1	1	2	3	5	5	6
35-49	11	3.7	7	<1	1	3	6	8	8	8
50-64	6	2.7	1	1	1	3	3	4	4	4
65+	6	3.3	1	3	3	3	3	5	5	5
B. *Operated*										
0-19 YRS	160	4.2	31	<1	1	3	5	8	10	22
20-34	145	4.7	31	1	1	3	5	9	11	31
35-49	63	5.4	64	1	1	3	6	9	17	54
50-64	29	4.1	12	1	1	3	5	9	12	15
65+	39	4.6	10	1	1	4	7	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.8	166	<1	<1	3	3	25	44	47
B. *Operated*	361	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	67	2.9	3	<1	1	2	4	6	6	8
B. *Operated*	436	4.6	33	1	1	3	5	8	11	23
1. SINGLE DX	381	2.8	13	1	1	2	3	5	7	13
2. MULTIPLE DX	503	4.3	29	1	1	3	5	8	10	21
A. NOT OPERATED	87	3.8	42	<1	1	2	4	6	8	48
B. OPERATED	797	3.7	21	1	1	3	4	7	9	18
TOTAL 0-19 YRS	359	3.3	17	<1	1	2	4	6	8	15
20-34	284	3.6	18	1	1	3	4	7	9	18
35-49	113	4.5	39	1	1	3	5	8	10	35
50-64	64	3.7	29	1	1	3	4	6	10	37
65+	64	4.9	40	1	1	3	6	9	12	43
GRAND TOTAL	884	3.7	23	1	1	3	4	7	9	19

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.9	2	<1	<1	1	2	4	5	10
20-34	54	2.4	4	<1	<1	2	3	5	8	10
35-49	25	2.1	2	<1	<1	1	3	4	5	5
50-64	7	2.3	4	<1	<1	1	3	6	6	6
65+	11	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	231	2.5	40	<1	<1	1	2	4	7	27
20-34	145	2.5	6	<1	<1	2	3	5	7	14
35-49	56	2.5	5	<1	1	2	3	6	8	10
50-64	25	4.8	50	<1	1	2	5	11	17	36
65+	13	2.5	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	2.4	14	<1	<1	1	3	4	6	14
20-34	258	2.8	10	<1	<1	2	3	6	8	21
35-49	100	2.7	7	<1	<1	2	3	6	8	13
50-64	100	4.1	11	<1	1	3	5	7	12	17
65+	190	4.8	20	1	1	3	7	11	15	20
B. *Operated*										
0-19 YRS	416	3.2	29	<1	1	2	3	6	9	40
20-34	603	3.9	19	<1	1	2	5	8	12	24
35-49	203	4.8	46	<1	1	2	6	10	18	31
50-64	147	5.1	46	1	1	3	6	10	15	35
65+	232	6.3	54	1	1	4	8	13	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.1	3	<1	<1	1	3	4	5	10
B. *Operated*	470	2.6	25	<1	<1	1	2	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	811	3.3	14	<1	1	2	4	7	10	18
B. *Operated*	1601	4.3	33	<1	1	2	5	9	14	30
1. SINGLE DX	628	2.5	20	<1	<1	1	3	5	7	14
2. MULTIPLE DX	2412	4.0	27	<1	1	2	5	9	13	27
A. NOT OPERATED	969	3.1	12	<1	1	2	4	7	10	16
B. OPERATED	2071	3.9	32	<1	1	2	4	8	13	29
TOTAL 0-19 YRS	871	2.8	27	<1	<1	1	3	5	7	28
20-34	1060	3.4	15	<1	1	2	4	7	11	21
35-49	384	3.7	28	<1	1	2	4	8	12	28
50-64	279	4.7	33	1	1	3	6	10	14	34
65+	446	5.5	38	1	1	3	7	12	16	30
GRAND TOTAL	**3040**	**3.7**	**26**	**<1**	**1**	**2**	**4**	**8**	**12**	**26**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	1.8	2	<1	<1	1	2	4	4	7
20-34	188	2.2	11	<1	<1	1	2	4	5	19
35-49	47	2.9	36	<1	1	2	3	4	6	42
50-64	13	2.3	13	<1	<1	1	2	5	12	14
65+	5	2.8	9	<1	<1	2	4	8	8	8
B. *Operated*										
0-19 YRS	135	2.8	7	<1	<1	2	4	6	8	15
20-34	173	4.5	41	1	1	3	5	8	11	32
35-49	65	4.3	15	<1	1	4	6	7	8	25
50-64	16	3.9	10	<1	<1	3	6	8	11	12
65+	10	4.2	31	1	1	2	3	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.4	4	1	1	2	3	4	5	12
20-34	146	2.7	5	<1	<1	2	3	6	7	11
35-49	36	3.8	8	<1	1	3	5	9	10	11
50-64	25	4.0	6	<1	1	4	5	9	9	10
65+	22	4.3	10	1	1	3	7	8	10	13
B. *Operated*										
0-19 YRS	153	7.5	109	1	1	5	8	13	24	58
20-34	338	7.5	64	1	1	6	9	14	19	39
35-49	115	9.0	68	1	2	7	11	15	25	48
50-64	42	7.9	57	1	2	6	10	14	26	37
65+	33	11.0	240	2	2	6	10	30	59	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	2.2	12	<1	<1	1	2	4	5	15
B. *Operated*	399	3.9	24	<1	1	3	5	7	10	23
2. MULTIPLE DX										
A. *Not Operated*	297	3.0	6	<1	1	2	4	7	8	12
B. *Operated*	681	7.9	83	1	1	6	9	14	22	56
1. SINGLE DX	740	3.1	19	<1	1	2	4	6	8	19
2. MULTIPLE DX	978	6.4	65	1	1	5	8	12	18	42
A. NOT OPERATED	638	2.6	9	<1	1	2	3	5	7	12
B. OPERATED	1080	6.4	65	1	1	5	8	12	18	42
TOTAL 0-19 YRS	444	4.1	46	<1	1	2	5	8	12	30
20-34	845	4.9	42	<1	1	3	6	10	13	32
35-49	263	6.0	48	1	1	4	7	12	18	42
50-64	96	5.5	34	1	1	4	7	11	14	35
65+	70	7.3	131	1	1	4	8	12	27	64
GRAND TOTAL	**1718**	**5.0**	**48**	**<1**	**1**	**3**	**6**	**10**	**14**	**35**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.6	3	<1	1	2	3	5	6	7
20-34	141	2.9	4	<1	1	2	4	5	7	9
35-49	56	3.7	9	1	1	3	4	8	10	14
50-64	21	3.8	11	1	1	4	4	6	11	17
65+	8	4.0	11	1	1	3	6	9	10	10
B. *Operated*										
0-19 YRS	705	2.0	4	<1	<1	1	2	4	6	10
20-34	1051	2.4	9	<1	<1	2	3	5	7	15
35-49	387	2.4	6	<1	<1	2	3	5	8	15
50-64	215	2.6	13	<1	1	2	3	4	8	16
65+	85	2.8	26	<1	1	1	2	5	7	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	2.7	4	<1	<1	2	3	5	8	10
20-34	179	3.5	27	<1	<1	2	4	6	8	36
35-49	66	4.3	26	<1	1	3	5	8	10	34
50-64	36	4.2	13	1	1	3	5	10	13	15
65+	59	6.5	49	1	1	5	8	13	16	46
B. *Operated*										
0-19 YRS	555	3.3	32	<1	1	2	3	6	10	33
20-34	936	3.5	20	<1	1	2	4	7	10	27
35-49	374	4.6	61	<1	1	2	4	9	18	55
50-64	202	4.2	40	<1	1	2	4	9	14	37
65+	119	4.4	40	<1	1	2	4	10	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.0	5	<1	1	2	4	6	8	12
B. *Operated*	2443	2.3	8	<1	<1	1	2	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	401	4.0	27	<1	1	3	4	8	11	34
B. *Operated*	2186	3.8	33	<1	1	2	4	7	12	33
1. SINGLE DX	2747	2.4	8	<1	<1	2	3	5	7	15
2. MULTIPLE DX	2587	3.8	32	<1	1	2	4	7	11	33
A. NOT OPERATED	705	3.6	18	<1	1	3	4	7	9	21
B. OPERATED	4629	3.0	21	<1	1	2	3	6	9	23
TOTAL 0-19 YRS	1399	2.6	15	<1	1	2	3	5	7	15
20-34	2307	3.0	15	<1	1	2	3	6	8	21
35-49	883	3.6	32	<1	1	2	4	7	11	29
50-64	474	3.5	25	<1	1	2	4	7	11	25
65+	271	4.4	38	<1	1	2	5	10	15	39
GRAND TOTAL	**5334**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	3.0	9	<1	1	2	3	6	8	17
20-34	122	3.8	19	<1	1	2	4	8	13	23
35-49	32	3.8	9	1	1	3	4	8	10	15
50-64	13	4.9	17	<1	1	4	8	11	13	13
65+	7	9.4	248	1	1	4	5	37	45	45
B. *Operated*										
0-19 YRS	422	3.8	33	<1	<1	2	4	7	12	38
20-34	355	4.3	43	<1	1	3	5	8	12	24
35-49	111	3.8	14	<1	1	2	5	8	11	19
50-64	68	4.4	34	<1	1	3	5	9	17	32
65+	35	7.6	28	1	1	7	11	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.7	9	1	1	3	5	7	10	16
20-34	78	5.1	96	1	1	3	5	9	15	66
35-49	41	5.9	21	1	1	4	8	11	17	20
50-64	46	5.7	22	1	2	4	8	12	17	22
65+	56	7.8	32	2	2	6	11	18	20	24
B. *Operated*										
0-19 YRS	230	5.5	41	1	1	3	7	12	19	29
20-34	272	8.6	127	1	1	5	9	21	32	69
35-49	92	9.6	139	1	1	6	11	24	31	67
50-64	80	10.0	135	1	2	7	12	21	32	91
65+	68	13.0	178	1	2	7	19	32	43	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	3.7	20	<1	1	2	4	7	11	21
B. *Operated*	991	4.1	35	<1	1	2	5	8	13	24
2. MULTIPLE DX										
A. *Not Operated*	292	5.5	42	1	1	4	7	11	16	22
B. *Operated*	742	8.3	112	1	1	5	9	19	29	66
1. SINGLE DX	1274	4.0	31	<1	1	2	4	8	13	24
2. MULTIPLE DX	1034	7.5	94	1	1	4	8	18	25	61
A. NOT OPERATED	575	4.6	32	1	1	3	5	10	14	22
B. OPERATED	1733	5.9	72	<1	1	3	6	13	22	49
TOTAL 0-19 YRS	832	4.1	31	<1	1	3	4	8	13	27
20-34	827	5.7	76	1	1	3	6	12	20	53
35-49	276	6.0	63	1	1	4	7	13	19	38
50-64	207	6.9	75	1	1	4	9	15	22	68
65+	166	10.0	104	1	2	7	13	22	31	48
GRAND TOTAL	**2308**	**5.6**	**62**	**<1**	**1**	**3**	**6**	**12**	**19**	**48**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64	3	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	9	3.3	10	1	1	2	4	9	10	10
20-34	23	5.5	20	<1	1	5	8	14	15	16
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.7	8	1	1	3	6	8	8	8
20-34	10	3.6	10	1	1	3	4	9	11	11
35-49	6	4.3	21	1	1	2	8	12	12	12
50-64	6	6.2	38	1	1	5	6	17	18	18
65+	7	4.3	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	32	10.9	256	1	2	4	11	31	53	69
20-34	98	8.3	110	<1	1	5	11	18	26	63
35-49	31	15.4	382	1	2	9	19	59	83	99+
50-64	15	13.5	462	<1	1	7	13	39	72	83
65+	6	8.2	54	<1	1	9	18	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.1	10	1	1	2	5	8	8	8
B. *Operated*	41	4.5	16	<1	1	3	6	9	14	16
2. MULTIPLE DX										
A. *Not Operated*	38	4.3	14	1	1	3	6	8	12	18
B. *Operated*	182	10.4	211	1	1	6	12	24	56	95
1. SINGLE DX	49	4.2	15	1	1	3	6	8	14	16
2. MULTIPLE DX	220	9.3	182	1	1	5	11	23	39	89
A. NOT OPERATED	46	4.1	13	1	1	3	6	8	11	18
B. OPERATED	223	9.3	180	1	1	5	11	23	39	89
TOTAL 0-19 YRS	53	7.9	170	1	1	3	8	18	38	69
20-34	132	7.4	88	1	1	5	9	15	24	61
35-49	41	12.6	314	1	1	7	12	38	72	99+
50-64	27	9.3	282	<1	1	3	10	17	46	83
65+	16	5.7	25	<1	<1	5	8	19	72	99+
GRAND TOTAL	269	8.4	155	1	1	5	10	18	32	85

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	45	1	1	2	3	14	23	24
20-34	18	4.4	10	<1	<1	5	7	11	61	99+
35-49	10	7.8	40	1	1	6	10	18	21	21
50-64	9	3.6	7	<1	<1	3	5	7	9	9
65+	13	9.4	52	1	3	6	11	21	27	28
B. *Operated*										
0-19 YRS	214	3.8	22	<1	1	2	4	7	13	27
20-34	360	3.9	17	<1	1	3	5	7	10	25
35-49	166	4.2	32	1	1	3	4	8	12	35
50-64	81	5.4	70	1	1	3	6	10	13	56
65+	35	6.5	42	1	2	5	8	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.4	26	1	1	4	6	12	18	21
20-34	81	8.9	168	1	1	6	10	19	40	99
35-49	66	8.2	39	1	1	6	13	18	19	21
50-64	55	7.5	42	2	2	5	9	18	22	24
65+	48	10.7	179	2	3	7	12	20	23	91
B. *Operated*										
0-19 YRS	146	4.3	50	1	1	3	5	8	11	30
20-34	372	5.9	74	1	1	3	6	12	19	47
35-49	233	6.0	59	1	1	4	7	12	19	50
50-64	173	7.2	55	1	2	4	10	16	18	33
65+	75	12.7	184	2	2	9	15	37	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.9	33	<1	1	5	7	14	22	91
B. *Operated*	856	4.2	28	<1	1	3	5	8	12	29
2. MULTIPLE DX										
A. *Not Operated*	274	8.4	102	1	1	6	12	18	22	79
B. *Operated*	999	6.4	75	1	1	3	7	14	19	47
1. SINGLE DX	917	4.3	28	<1	1	3	5	8	13	30
2. MULTIPLE DX	1273	6.9	82	1	1	4	8	15	21	48
A. NOT OPERATED	335	8.0	90	1	1	5	11	18	22	92
B. OPERATED	1855	5.4	54	1	1	3	6	11	17	39
TOTAL 0-19 YRS	395	4.1	33	<1	1	2	4	8	13	27
20-34	831	5.3	59	1	1	3	6	10	18	43
35-49	475	5.7	48	1	1	3	7	13	19	38
50-64	318	6.7	56	1	1	4	9	16	18	31
65+	171	10.6	147	2	2	7	13	21	37	66
GRAND TOTAL	2190	5.8	61	1	1	3	6	13	19	40

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	210	4.1	5	1	1	4	5	6	8	13
20-34	93	3.2	2	1	1	3	4	5	6	8
35-49	36	3.4	5	1	1	3	5	6	7	11
50-64	8	4.1	3	2	2	4	5	7	7	7
65+	6	2.8	3	1	1	2	3	6	6	6
B. Operated										
0-19 YRS	9	4.4	10	2	2	2	7	9	10	10
20-34	4	5.0	23	2	2	3	8	12	12	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	3.7	5	1	1	3	5	6	8	11
20-34	78	3.2	7	<1	1	3	4	6	9	14
35-49	31	3.8	10	1	1	3	5	8	11	15
50-64	18	4.2	14	<1	1	3	5	7	13	17
65+	21	4.3	7	1	1	4	6	8	9	10
B. Operated										
0-19 YRS	29	4.6	10	1	1	4	6	10	12	13
20-34	20	4.7	9	<1	1	4	5	9	11	12
35-49	8	4.9	14	<1	<1	4	7	11	12	12
50-64	6	4.8	10	<1	<1	4	8	9	9	9
65+	15	5.1	37	<1	1	5	7	8	21	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	353	3.8	4	1	1	4	5	6	7	12
B. Operated	19	3.8	10	1	1	2	6	9	11	12
2. MULTIPLE DX										
A. Not Operated	281	3.7	7	1	1	3	5	7	9	14
B. Operated	78	4.8	14	<1	1	4	6	9	12	22
1. SINGLE DX	372	3.8	5	1	1	4	5	6	7	12
2. MULTIPLE DX	359	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	634	3.7	5	1	1	3	5	6	8	12
B. OPERATED	97	4.6	14	1	1	4	6	9	12	19
TOTAL 0-19 YRS	381	4.0	5	1	1	4	5	7	8	12
20-34	195	3.4	5	1	1	3	4	6	8	12
35-49	77	3.7	8	1	1	3	5	7	10	14
50-64	35	4.1	10	<1	1	3	5	7	9	17
65+	43	4.3	17	1	1	3	6	8	9	25
GRAND TOTAL	731	3.8	7	1	1	4	5	7	8	12

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	389	1.8	3	<1	<1	1	2	3	4	9
20-34	385	2.2	5	<1	<1	2	3	4	6	11
35-49	160	2.4	3	<1	1	2	3	5	6	10
50-64	122	3.4	13	<1	1	2	4	8	11	21
65+	195	4.5	13	1	1	4	6	8	11	21
B. Operated										
0-19 YRS	74	3.2	46	<1	<1	2	3	5	8	47
20-34	80	2.7	5	<1	1	2	4	5	6	14
35-49	32	3.3	22	<1	1	2	3	6	12	25
50-64	28	4.2	8	1	1	4	6	8	9	12
65+	19	6.5	50	1	1	5	6	16	23	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	735	2.1	5	<1	1	1	2	4	6	10
20-34	997	2.6	6	<1	<1	2	3	5	7	12
35-49	503	3.5	10	<1	1	3	5	8	10	14
50-64	459	4.3	15	1	1	3	6	9	12	17
65+	1490	6.7	41	1	2	5	8	13	18	28
B. Operated										
0-19 YRS	99	3.5	10	1	1	2	5	9	10	14
20-34	182	5.1	55	1	1	3	5	10	17	48
35-49	96	5.4	46	1	1	3	7	10	16	42
50-64	84	8.4	78	1	1	6	11	17	27	48
65+	124	13.4	271	2	2	8	15	30	48	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1251	2.6	7	<1	1	2	3	5	7	13
B. Operated	233	3.4	25	<1	1	2	4	8	9	26
2. MULTIPLE DX										
A. Not Operated	4184	4.2	24	<1	1	3	5	9	12	22
B. Operated	585	7.1	107	1	1	4	8	15	23	58
1. SINGLE DX	1484	2.7	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	4769	4.6	35	<1	1	3	6	10	14	27
A. NOT OPERATED	5435	3.9	20	<1	1	2	5	8	12	21
B. OPERATED	818	6.1	86	1	1	3	7	13	19	55
TOTAL 0-19 YRS	1297	2.1	7	<1	1	1	2	4	6	11
20-34	1644	2.8	12	<1	<1	2	3	5	7	16
35-49	791	3.5	14	<1	1	2	4	7	10	17
50-64	693	4.6	24	1	1	3	6	10	13	23
65+	1828	6.9	58	1	2	5	8	14	18	34
GRAND TOTAL	6253	4.1	29	<1	1	2	5	9	12	23

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.4	7	1	1	1	3	6	7	16
20-34	35	2.6	2	<1	1	2	4	5	6	7
35-49	6	3.5	12	1	1	2	4	9	10	10
50-64	6	2.2	1	1	1	2	3	3	3	3
65+	3	5.3	24	2	2	3	9	11	11	11
B. *Operated*										
0-19 YRS	17	6.8	64	1	1	4	6	23	24	24
20-34	48	5.0	48	<1	1	2	6	13	15	42
35-49	17	4.9	22	<1	<1	3	8	10	16	19
50-64	11	7.4	195	<1	<1	2	4	28	46	48
65+	4	8.5	154	1	1	3	15	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.6	12	1	1	3	4	7	12	16
20-34	32	2.9	6	1	1	2	4	6	9	10
35-49	11	7.7	66	2	2	5	9	19	29	30
50-64	9	4.7	14	<1	1	4	5	11	14	14
65+	9	6.3	28	1	1	6	7	14	19	19
B. *Operated*										
0-19 YRS	48	10.8	273	1	1	5	14	25	39	99
20-34	106	8.7	115	1	1	5	10	24	31	55
35-49	40	8.4	64	<1	1	6	11	18	22	42
50-64	21	12.3	185	1	1	5	17	33	44	52
65+	1	23.0		23	23	23	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.6	6	1	1	2	3	5	7	14
B. *Operated*	97	5.6	64	<1	1	3	6	14	22	45
2. MULTIPLE DX										
A. *Not Operated*	83	4.3	20	1	1	3	5	9	13	26
B. *Operated*	216	9.5	147	1	1	5	12	23	37	55
1. SINGLE DX	192	4.2	37	<1	1	2	4	10	15	36
2. MULTIPLE DX	299	8.1	117	1	1	4	10	20	29	52
A. NOT OPERATED	178	3.4	13	1	1	2	4	7	10	18
B. OPERATED	313	8.3	125	1	1	4	10	20	29	51
TOTAL 0-19 YRS	132	6.2	124	1	1	3	5	16	24	52
20-34	221	6.1	74	1	1	3	7	14	24	45
35-49	74	7.1	52	<1	1	5	9	17	20	39
50-64	47	8.4	140	<1	1	3	12	20	39	52
65+	17	7.6	63	1	1	5	8	22	26	27
GRAND TOTAL	491	6.5	90	1	1	3	7	16	24	46

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4	1	<1	<1	<1	1	3	5	5
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.2	3	<1	<1	1	3	5	6	6
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49										
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	6	2.3	2	1	1	2	4	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	5	4.0	6	2	2	3	5	8	8	8
20-34	3	2.3		2	2	2	3	3	3	3
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.4	1	<1	<1	1	2	2	4	5
B. *Operated*	25	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	12	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	12	3.3	4	<1	1	3	4	7	8	8
1. SINGLE DX	41	1.8	2	<1	<1	1	2	5	5	6
2. MULTIPLE DX	24	2.7	3	<1	<1	2	4	5	7	8
A. NOT OPERATED	28	1.7	1	<1	<1	1	2	4	4	5
B. OPERATED	37	2.5	4	<1	<1	2	4	5	6	8
TOTAL 0-19 YRS	37	2.1	3	<1	<1	1	3	5	6	8
20-34	18	2.1	1	<1	<1	2	2	4	5	5
35-49	5	3.6	4	1	1	4	5	6	6	6
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	65	2.1	3	<1	<1	1	3	5	5	8

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	1.2		<1	<1	1	1	2	2	3
20-34	85	1.6	2	<1	<1	1	2	2	4	10
35-49	85	1.8	8	<1	<1	1	2	3	4	19
50-64	80	1.5	2	<1	<1	1	1	2	4	9
65+	78	1.6	2	<1	<1	1	2	2	4	10
B. *Operated*										
0-19 YRS	142	1.8	3	<1	<1	1	2	4	5	8
20-34	32	3.4	27	<1	<1	2	3	7	20	22
35-49	15	2.3	4	<1	<1	1	3	6	6	6
50-64	19	3.2	10	<1	<1	2	3	9	11	11
65+	16	2.6	18	1	1	1	2	7	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	5	<1	<1	1	2	4	7	12
20-34	39	2.6	6	1	1	2	3	6	9	12
35-49	39	2.8	9	<1	<1	2	3	7	10	14
50-64	68	3.0	38	<1	<1	1	3	6	8	43
65+	141	3.5	23	<1	1	2	4	7	9	33
B. *Operated*										
0-19 YRS	44	2.3	5	<1	<1	1	3	6	7	11
20-34	33	8.7	117	1	1	6	10	16	27	59
35-49	31	6.1	44	<1	<1	4	9	16	22	25
50-64	46	6.0	40	<1	1	2	9	15	19	27
65+	65	7.3	116	<1	1	3	7	19	27	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	742	1.4	2	<1	<1	1	1	2	3	8
B. *Operated*	224	2.2	9	<1	<1	1	2	5	7	18
2. MULTIPLE DX										
A. *Not Operated*	368	3.0	19	<1	1	2	3	6	8	24
B. *Operated*	219	6.1	71	<1	<1	3	8	15	23	44
1. SINGLE DX	966	1.6	4	<1	<1	1	1	2	4	10
2. MULTIPLE DX	587	4.1	40	<1	1	2	5	9	14	32
A. NOT OPERATED	1110	1.9	8	<1	<1	1	2	3	6	11
B. OPERATED	443	4.1	43	<1	<1	2	4	10	16	28
TOTAL 0-19 YRS	681	1.5	2	<1	<1	1	1	3	4	8
20-34	189	3.3	33	<1	<1	1	3	8	11	26
35-49	170	2.8	16	<1	<1	1	2	7	10	23
50-64	213	3.1	25	<1	<1	1	3	8	11	24
65+	300	3.8	41	<1	1	2	3	8	15	33
GRAND TOTAL	1553	2.8	19	<1	<1	1	2	6	9	23

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	6.9	22	1	1	6	10	12	16	18
20-34	22	4.3	23	<1	<1	2	5	14	15	17
35-49	6	8.6	16	3	3	9	10	15	15	15
50-64	6	9.3	103	1	1	6	19	23	24	24
65+	4	18.8	83	6	6	21	25	27	27	27
B. *Operated*										
0-19 YRS	69	7.8	63	1	1	5	9	17	24	41
20-34	62	10.2	115	1	2	8	13	23	27	64
35-49	18	10.2	39	2	3	11	14	17	22	25
50-64	19	13.9	327	<1	1	6	15	39	55	68
65+	9	14.0	272	1	1	6	22	41	52	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	7.7	79	1	1	6	10	14	27	99
20-34	57	7.2	66	1	1	5	10	17	29	96
35-49	23	7.3	38	1	1	5	12	17	19	22
50-64	21	8.1	47	1	2	5	13	17	21	24
65+	14	14.2	121	2	3	10	25	33	35	35
B. *Operated*										
0-19 YRS	108	19.8	297	2	3	14	30	43	55	78
20-34	104	20.8	356	1	3	15	28	48	64	91
35-49	50	23.8	343	3	4	22	36	55	82	99+
50-64	51	23.2	375	1	5	17	33	51	71	99+
65+	46	26.4	347	4	6	25	35	49	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	7.2	45	1	1	5	10	18	22	27
B. *Operated*	177	9.9	118	1	1	7	12	23	32	63
2. MULTIPLE DX										
A. *Not Operated*	166	8.1	70	1	1	6	11	18	28	92
B. *Operated*	359	22.0	339	2	4	16	32	48	64	99+
1. SINGLE DX	233	9.2	102	1	1	7	12	21	27	55
2. MULTIPLE DX	525	17.6	296	1	2	12	26	43	57	99+
A. NOT OPERATED	222	7.9	64	1	1	6	11	18	25	68
B. OPERATED	536	18.0	298	1	2	12	26	43	56	97
TOTAL 0-19 YRS	246	13.0	201	1	2	8	16	33	43	74
20-34	245	13.5	239	1	1	8	17	35	49	84
35-49	97	16.4	250	2	3	12	24	38	57	99+
50-64	97	17.3	315	1	1	11	25	42	61	97
65+	73	22.1	305	2	5	19	32	45	84	99
GRAND TOTAL	758	18.0	251	1	2	10	22	37	51	96

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	3.9	14	1	1	2	5	9	12	17
20-34	110	4.3	25	<1	1	3	5	9	12	28
35-49	56	4.2	31	<1	1	2	5	8	14	35
50-64	21	4.8	16	<1	1	4	6	12	13	15
65+	17	7.5	66	1	1	4	13	17	25	30
B. *Operated*										
0-19 YRS	33	6.9	44	1	1	5	8	19	21	25
20-34	34	7.1	54	1	2	4	9	15	22	36
35-49	12	11.2	96	2	2	7	18	25	33	34
50-64	12	7.7	58	<1	<1	7	13	19	22	22
65+	6	11.5	118	<1	<1	7	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	4.5	18	1	1	3	6	10	13	20
20-34	287	5.0	49	1	1	3	7	11	14	19
35-49	131	4.4	25	1	1	3	5	11	14	24
50-64	100	6.8	50	1	1	4	9	15	20	37
65+	99	12.3	172	1	2	8	15	30	37	67
B. *Operated*										
0-19 YRS	90	12.2	244	1	1	8	15	27	40	89
20-34	85	14.7	158	2	3	10	23	32	41	51
35-49	51	16.1	188	2	3	13	22	28	49	62
50-64	35	18.9	297	2	4	15	24	41	63	77
65+	29	25.2	471	5	5	17	38	53	59	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	4.2	23	<1	1	3	6	10	12	18
B. *Operated*	97	7.9	60	<1	1	5	10	20	24	35
2. MULTIPLE DX										
A. *Not Operated*	1023	5.6	51	1	1	3	7	12	16	34
B. *Operated*	290	15.7	249	1	2	11	21	35	47	84
1. SINGLE DX	467	5.0	32	<1	1	3	6	12	17	29
2. MULTIPLE DX	1313	7.8	112	1	1	4	9	17	28	55
A. NOT OPERATED	1393	5.2	44	1	1	3	7	12	15	33
B. OPERATED	387	13.8	213	1	2	9	18	32	42	74
TOTAL 0-19 YRS	695	5.4	54	1	1	3	7	12	16	33
20-34	516	6.6	75	1	1	4	8	15	23	44
35-49	250	7.1	85	1	1	4	8	17	24	49
50-64	168	9.1	121	1	1	6	12	20	28	65
65+	151	14.2	243	1	2	9	17	35	51	69
GRAND TOTAL	1780	7.1	93	1	1	4	8	16	24	50

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	2	1	1	2	3	4	5	7
20-34	27	3.7	17	1	1	2	5	9	14	17
35-49	15	6.5	22	1	2	5	9	15	16	17
50-64	13	5.2	23	1	1	4	7	14	16	16
65+	4	21.0	865	2	2	9	40	64	64	64
B. *Operated*										
0-19 YRS	75	2.1	2	<1	<1	2	2	3	4	9
20-34	167	2.1	2	<1	<1	2	3	4	4	9
35-49	65	2.2	3	<1	<1	2	3	4	6	10
50-64	27	3.3	23	<1	<1	2	3	8	13	24
65+	7	3.1	8	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.9	34	<1	1	2	4	8	18	28
20-34	55	5.0	30	<1	1	4	7	9	12	37
35-49	23	7.4	69	<1	1	5	7	20	26	36
50-64	21	8.8	118	1	2	6	10	16	32	52
65+	31	8.8	48	1	2	7	10	16	23	36
B. *Operated*										
0-19 YRS	55	3.3	33	<1	1	2	2	6	9	35
20-34	154	5.2	101	<1	1	2	5	11	18	40
35-49	47	5.4	107	<1	1	2	6	10	19	69
50-64	34	7.6	151	<1	<1	3	9	18	53	99+
65+	17	20.8	260	1	2	16	35	41	47	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.9	61	1	1	2	6	10	16	49
B. *Operated*	341	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	158	6.4	54	1	1	5	7	13	19	38
B. *Operated*	307	6.0	117	<1	1	2	5	15	29	61
1. SINGLE DX	423	2.8	16	<1	<1	2	3	5	8	16
2. MULTIPLE DX	465	6.1	95	<1	1	3	6	14	25	52
A. NOT OPERATED	240	5.9	56	1	1	4	7	12	17	39
B. OPERATED	648	4.0	61	<1	<1	2	3	7	14	48
TOTAL 0-19 YRS	181	2.7	17	<1	1	2	3	4	7	27
20-34	403	3.8	47	<1	<1	2	4	7	11	34
35-49	150	4.4	51	<1	<1	2	5	9	15	36
50-64	95	6.3	92	<1	<1	3	7	16	22	79
65+	59	12.4	185	1	2	8	14	36	41	63
GRAND TOTAL	888	4.5	60	<1	<1	2	4	9	16	47

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	2.1	5	<1	1	2	2	4	5	11
20-34	172	2.8	12	<1	<1	2	3	6	7	16
35-49	66	3.3	14	<1	1	2	4	6	12	20
50-64	38	3.1	7	1	1	2	4	7	9	10
65+	30	3.9	12	1	1	3	5	10	12	13
B. *Operated*										
0-19 YRS	78	3.3	11	<1	1	2	4	8	12	15
20-34	113	3.8	19	<1	1	2	4	9	11	23
35-49	39	5.2	26	1	1	3	7	14	16	22
50-64	27	4.0	25	<1	1	2	5	11	18	19
65+	8	6.5	163	1	1	2	3	28	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	3.1	13	1	1	2	4	7	8	22
20-34	262	3.4	15	<1	1	2	4	7	11	23
35-49	102	4.7	18	1	1	3	6	11	12	21
50-64	97	5.0	23	1	1	4	6	10	13	27
65+	197	6.5	29	1	1	5	9	13	17	27
B. *Operated*										
0-19 YRS	59	7.4	58	1	1	5	10	19	25	34
20-34	149	8.8	172	1	1	4	9	20	37	64
35-49	56	9.5	126	1	1	6	12	25	46	97
50-64	42	12.1	305	1	2	7	15	37	66	99+
65+	39	17.7	320	2	4	10	23	41	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	2.7	9	<1	1	2	3	5	7	15
B. *Operated*	265	4.0	23	<1	1	2	4	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	808	4.5	21	1	1	3	6	10	13	24
B. *Operated*	345	10.1	185	1	1	6	11	26	40	93
1. SINGLE DX	753	3.2	14	<1	1	2	3	7	10	18
2. MULTIPLE DX	1153	6.2	77	1	1	3	7	13	22	50
A. NOT OPERATED	1296	3.8	17	1	1	2	5	8	12	23
B. OPERATED	610	7.4	123	1	1	3	8	17	30	61
TOTAL 0-19 YRS	469	3.3	18	1	1	2	3	7	11	23
20-34	696	4.5	54	<1	1	2	5	9	13	38
35-49	263	5.4	45	1	1	3	7	13	16	48
50-64	204	6.0	87	1	1	4	7	11	22	70
65+	274	7.8	88	1	1	5	10	15	24	44
GRAND TOTAL	1906	5.0	54	1	1	3	6	11	16	39

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1100	1.5	2	<1	<1	1	2	3	4	6
20-34	667	1.9	5	<1	<1	1	2	3	5	11
35-49	254	2.1	4	<1	1	2	2	4	5	9
50-64	120	2.6	5	<1	1	2	3	5	7	11
65+	81	4.0	12	1	1	3	5	9	11	19
B. *Operated*										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	5.3	34	1	1	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1196	3.2	36	<1	1	2	3	5	10	30
20-34	2234	3.4	24	<1	1	2	4	7	11	28
35-49	1243	3.8	27	<1	1	2	4	8	12	28
50-64	742	5.2	34	1	1	3	6	11	16	32
65+	1086	6.5	30	1	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	14	8.3	74	1	1	4	11	25	25	25
20-34	58	10.5	165	1	1	6	16	27	47	97
35-49	43	11.7	198	1	2	7	13	21	41	73
50-64	50	12.3	94	2	3	10	17	22	33	50
65+	77	15.4	147	3	4	12	19	32	45	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2222	1.9	4	<1	<1	1	2	3	5	10
B. *Operated*	12	3.2	10	1	1	2	4	7	11	12
2. MULTIPLE DX										
A. *Not Operated*	6501	4.2	31	<1	1	2	5	9	13	29
B. *Operated*	242	12.5	148	1	2	8	17	26	39	68
1. SINGLE DX	2234	1.9	4	<1	<1	1	2	3	5	10
2. MULTIPLE DX	6743	4.5	37	<1	1	3	5	10	15	31
A. NOT OPERATED	8723	3.6	25	<1	1	2	4	8	11	27
B. OPERATED	254	12.1	145	1	2	8	16	26	38	68
TOTAL 0-19 YRS	2314	2.4	21	<1	<1	1	2	4	6	20
20-34	2962	3.2	24	<1	<1	2	3	6	10	28
35-49	1540	3.7	30	<1	1	2	4	8	12	28
50-64	914	5.2	37	1	1	3	6	12	17	34
65+	1247	6.9	41	1	2	5	8	14	18	35
GRAND TOTAL	8977	3.8	30	<1	1	2	4	8	13	29

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	467	1.4	3	<1	<1	1	1	2	3	5
20-34	291	1.9	6	<1	<1	1	2	3	4	8
35-49	102	1.7	2	<1	<1	1	2	3	4	9
50-64	60	1.7	2	<1	1	1	2	3	3	9
65+	27	3.0	13	<1	1	1	3	11	12	13
B. *Operated*										
0-19 YRS	6	5.8	29	1	1	4	9	14	15	15
20-34	9	5.3	12	1	1	4	8	10	11	11
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	2.8	47	<1	1	1	3	5	7	24
20-34	282	2.8	16	<1	<1	2	3	6	8	17
35-49	147	2.9	10	<1	1	2	3	6	8	13
50-64	125	3.7	18	1	1	2	4	7	11	22
65+	107	5.0	23	1	1	3	6	12	15	23
B. *Operated*										
0-19 YRS	11	19.5	615	<1	1	11	29	59	80	82
20-34	21	8.7	141	1	2	5	9	21	41	50
35-49	17	16.3	194	1	2	13	24	40	42	43
50-64	11	7.6	55	1	2	5	8	20	26	27
65+	11	23.1	261	7	8	17	33	47	59	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	947	1.7	4	<1	<1	1	2	3	4	10
B. *Operated*	20	4.8	15	1	1	3	7	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	893	3.2	25	<1	1	2	3	6	10	21
B. *Operated*	71	14.3	251	1	2	8	18	38	44	77
1. SINGLE DX	967	1.7	5	<1	<1	1	2	3	4	11
2. MULTIPLE DX	964	4.0	49	<1	1	2	4	8	14	39
A. NOT OPERATED	1840	2.4	15	<1	1	1	2	5	7	16
B. OPERATED	91	12.2	214	1	1	7	15	35	43	73
TOTAL 0-19 YRS	716	2.2	32	<1	<1	1	2	3	5	16
20-34	603	2.6	17	<1	<1	1	3	5	8	17
35-49	269	3.3	29	<1	1	2	3	6	11	36
50-64	197	3.3	17	1	1	2	4	7	10	23
65+	146	6.0	62	1	1	3	7	15	18	40
GRAND TOTAL	1931	2.9	28	<1	1	1	3	5	9	25

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	1.5	2	<1	1	1	2	3	3	7
20-34	168	2.2	8	<1	1	1	2	4	7	18
35-49	100	2.7	14	1	1	2	3	4	10	22
50-64	77	2.5	14	<1	1	2	3	5	6	26
65+	67	3.0	6	<1	1	2	4	6	8	11
B. *Operated*										
0-19 YRS	3	15.0	133	2	2	19	23	24	24	24
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	15.5	662	1	1	3	29	54	54	54
50-64	3	11.0	151	2	2	6	20	25	25	25
65+	5	9.6	82	2	2	8	13	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	2.9	17	1	1	2	3	6	8	20
20-34	259	3.6	30	1	1	2	4	7	11	38
35-49	227	3.6	19	1	1	2	4	7	12	27
50-64	290	4.1	18	1	1	3	5	8	11	25
65+	569	6.5	54	1	2	5	8	13	17	34
B. *Operated*										
0-19 YRS	14	9.9	145	1	1	4	16	44	86	99+
20-34	25	5.2	118	<1	1	2	5	7	21	56
35-49	30	11.1	245	1	1	5	11	27	34	80
50-64	43	10.9	81	1	2	9	16	27	30	99+
65+	61	16.1	213	2	3	13	22	44	50	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	678	2.1	7	<1	1	1	2	4	6	13
B. *Operated*	17	11.2	200	1	1	5	20	25	44	54
2. MULTIPLE DX										
A. *Not Operated*	1575	4.6	35	1	1	3	6	10	14	31
B. *Operated*	173	11.9	176	1	1	7	17	30	45	99+
1. SINGLE DX	695	2.4	13	<1	1	1	2	4	7	20
2. MULTIPLE DX	1748	5.4	54	1	1	3	6	12	17	39
A. NOT OPERATED	2253	3.9	28	1	1	2	5	8	12	27
B. OPERATED	190	11.8	177	1	1	7	17	30	46	99+
TOTAL 0-19 YRS	513	2.5	15	1	1	1	2	5	7	24
20-34	454	3.2	27	<1	1	2	3	6	10	29
35-49	361	4.1	47	1	1	2	4	8	13	34
50-64	413	4.6	30	1	1	3	5	10	15	32
65+	702	7.0	72	1	1	5	8	15	21	45
GRAND TOTAL	2443	4.5	44	1	1	2	5	10	15	36

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.5	11	1	1	3	5	7	10	16
20-34	80	4.0	27	<1	<1	2	5	9	15	26
35-49	30	5.0	30	<1	<1	3	6	13	19	21
50-64	52	5.2	22	1	1	4	6	12	17	22
65+	73	4.9	15	1	1	4	7	11	13	17
B. Operated										
0-19 YRS	240	5.3	58	<1	<1	3	5	10	16	43
20-34	418	4.3	26	<1	<1	2	5	10	15	29
35-49	387	5.5	32	1	1	4	7	13	17	29
50-64	551	7.0	59	1	1	4	10	16	19	34
65+	1027	7.7	74	1	1	5	11	16	21	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	5.6	42	<1	1	2	7	15	23	24
20-34	93	5.0	19	1	1	4	7	11	14	20
35-49	75	6.1	25	1	1	5	8	12	17	24
50-64	133	7.6	106	1	1	4	8	15	23	56
65+	244	8.0	97	1	1	5	10	16	25	42
B. Operated										
0-19 YRS	286	7.8	88	<1	1	5	9	16	21	47
20-34	624	7.3	92	<1	1	4	9	18	27	47
35-49	667	7.6	104	1	1	5	9	17	26	60
50-64	1264	9.7	111	1	2	6	12	23	30	59
65+	1976	10.9	151	1	2	6	15	26	36	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	4.6	21	<1	1	3	6	11	14	22
B. Operated	2623	6.4	57	<1	1	4	9	15	19	35
2. MULTIPLE DX										
A. Not Operated	586	7.0	75	1	1	4	9	15	21	39
B. Operated	4817	9.5	125	1	1	6	12	22	32	60
1. SINGLE DX	2882	6.3	54	<1	1	4	8	15	19	34
2. MULTIPLE DX	5403	9.2	120	1	1	5	12	21	30	59
A. NOT OPERATED	845	6.3	60	1	1	4	8	13	19	35
B. OPERATED	7440	8.4	103	1	1	5	11	19	28	54
TOTAL 0-19 YRS	591	6.3	71	<1	1	4	7	14	19	42
20-34	1215	5.9	61	<1	1	3	7	14	20	39
35-49	1159	6.9	74	1	1	4	8	15	22	44
50-64	2000	8.7	96	1	1	5	11	19	26	54
65+	3320	9.5	123	1	1	6	13	22	30	61
GRAND TOTAL	**8285**	**8.2**	**99**	**1**	**1**	**5**	**10**	**19**	**27**	**53**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	1.6	1	<1	<1	1	2	3	3	5
20-34	190	2.3	3	<1	1	2	3	4	6	9
35-49	120	2.5	4	<1	1	2	3	5	7	12
50-64	125	3.2	5	1	1	3	4	6	7	12
65+	185	3.6	6	1	1	3	5	6	7	15
B. Operated										
0-19 YRS	183	1.6	2	<1	<1	1	2	3	4	7
20-34	228	2.8	9	<1	1	2	3	5	8	18
35-49	125	2.9	8	1	1	2	3	5	8	17
50-64	87	3.8	14	1	1	3	5	8	11	22
65+	78	5.1	17	1	1	4	7	12	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.3	1	1	1	2	3	4	4	5
20-34	91	3.5	10	1	1	2	5	7	11	18
35-49	64	3.6	8	1	1	3	4	7	10	15
50-64	103	4.5	24	1	1	3	5	8	12	29
65+	197	4.8	19	1	1	4	6	9	13	32
B. Operated										
0-19 YRS	29	3.5	12	<1	1	2	5	10	11	13
20-34	106	3.7	18	<1	1	2	4	9	14	22
35-49	66	5.8	34	1	1	4	8	10	19	33
50-64	75	7.8	81	1	1	5	11	15	23	54
65+	117	9.6	86	1	2	7	11	25	30	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	737	2.7	4	<1	1	2	3	5	7	11
B. Operated	701	2.9	9	<1	1	2	3	6	9	15
2. MULTIPLE DX										
A. Not Operated	487	4.2	15	1	1	3	5	8	11	20
B. Operated	393	6.6	58	1	1	4	8	16	23	36
1. SINGLE DX	1438	2.8	7	<1	1	2	3	6	7	13
2. MULTIPLE DX	880	5.2	36	1	1	3	6	11	17	34
A. NOT OPERATED	1224	3.3	10	1	1	2	4	6	8	16
B. OPERATED	1094	4.2	30	<1	1	2	5	10	14	28
TOTAL 0-19 YRS	361	1.8	3	<1	<1	1	2	3	5	10
20-34	615	2.9	9	<1	1	2	3	6	8	17
35-49	375	3.4	13	1	1	2	4	7	10	20
50-64	390	4.6	29	1	1	3	5	10	13	29
65+	577	5.4	33	1	1	4	6	10	17	34
GRAND TOTAL	**2318**	**3.7**	**19**	**<1**	**1**	**2**	**4**	**8**	**11**	**23**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	5.2	14	1	2	4	7	10	12	22
20-34	153	5.0	11	1	2	4	7	9	11	17
35-49	106	7.1	29	2	2	5	10	14	18	27
50-64	97	6.6	18	2	3	5	9	13	15	19
65+	73	8.4	47	1	2	6	11	15	21	41
B. *Operated*										
0-19 YRS	79	7.1	31	1	2	6	9	12	14	35
20-34	143	7.5	49	1	2	5	9	15	19	37
35-49	106	8.3	52	1	2	6	11	18	20	41
50-64	108	7.9	54	1	1	5	10	16	20	37
65+	72	9.7	76	1	2	7	13	21	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.1	22	2	2	5	7	13	15	27
20-34	140	6.2	16	2	2	5	8	12	16	18
35-49	136	6.4	23	2	2	5	8	11	16	29
50-64	176	8.8	61	2	3	7	11	18	25	46
65+	191	10.3	67	3	4	8	13	19	25	45
B. *Operated*										
0-19 YRS	58	9.6	62	2	2	8	12	18	22	47
20-34	135	10.5	109	1	2	8	12	21	32	66
35-49	136	14.0	154	1	2	10	21	33	41	64
50-64	189	14.4	235	2	3	9	17	38	52	74
65+	165	17.5	245	3	3	13	23	41	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	6.3	23	1	2	5	8	12	15	24
B. *Operated*	508	8.0	52	1	2	6	10	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	690	8.0	46	2	3	6	10	16	21	35
B. *Operated*	683	13.9	188	2	3	10	17	34	45	73
1. SINGLE DX	1015	7.1	38	1	2	5	9	14	19	32
2. MULTIPLE DX	1373	11.0	125	2	3	7	13	24	36	62
A. NOT OPERATED	1197	7.3	37	2	2	5	9	14	18	32
B. OPERATED	1191	11.4	138	1	2	8	14	25	39	64
TOTAL 0-19 YRS	262	6.9	33	1	2	6	9	13	16	29
20-34	571	7.2	49	1	2	5	9	14	17	36
35-49	484	9.1	77	2	2	6	11	20	27	49
50-64	570	10.1	119	2	2	7	12	22	31	60
65+	501	12.3	137	2	3	9	15	25	39	63
GRAND TOTAL	2388	9.3	92	2	2	6	11	19	27	82

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.4	32	1	1	2	4	13	18	27
20-34	93	4.2	13	1	1	3	5	9	10	20
35-49	75	5.4	35	1	1	4	6	11	16	36
50-64	63	5.9	28	1	1	4	7	13	19	22
65+	73	5.4	22	1	1	4	7	11	16	23
B. *Operated*										
0-19 YRS	71	3.4	17	<1	<1	2	4	10	12	20
20-34	186	4.9	26	<1	1	3	7	9	12	30
35-49	160	5.6	30	<1	1	4	7	11	15	30
50-64	162	4.9	24	<1	<1	3	7	12	14	21
65+	152	5.8	44	1	1	3	7	13	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.2	9	1	1	2	4	5	8	20
20-34	166	4.3	16	1	1	3	6	10	11	22
35-49	151	5.6	38	1	1	4	7	11	16	31
50-64	191	5.5	23	1	1	4	8	12	15	22
65+	244	7.5	43	1	2	6	10	14	18	39
B. *Operated*										
0-19 YRS	60	8.5	98	1	1	5	10	21	26	53
20-34	253	7.8	71	1	1	6	10	16	22	54
35-49	265	10.2	119	1	2	8	12	21	32	86
50-64	407	10.7	170	1	2	7	13	23	32	79
65+	495	12.8	200	1	2	8	17	28	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	5.1	25	1	1	3	6	10	16	24
B. *Operated*	731	5.1	30	<1	1	3	7	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	815	5.7	31	1	1	4	8	12	15	28
B. *Operated*	1480	10.8	154	1	2	7	13	23	35	71
1. SINGLE DX	1074	5.1	28	<1	1	3	7	11	15	25
2. MULTIPLE DX	2295	9.0	116	1	1	6	11	19	28	64
A. NOT OPERATED	1156	5.5	29	1	1	4	7	12	15	25
B. OPERATED	2211	8.9	120	1	1	6	11	20	29	64
TOTAL 0-19 YRS	233	4.8	43	<1	1	3	5	12	19	30
20-34	698	5.7	41	1	1	4	7	11	16	38
35-49	651	7.5	74	1	1	5	9	15	23	50
50-64	823	8.0	103	1	1	5	10	16	24	67
65+	964	9.6	132	1	2	6	12	22	32	63
GRAND TOTAL	3369	7.7	91	1	1	5	9	17	24	55

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	10	1	1	2	3	9	11	11
20-34	15	3.7	12	1	1	2	4	9	13	14
35-49	9	4.0	5	1	1	3	5	8	8	8
50-64	6	2.5	3	1	1	2	4	5	5	5
65+	6	4.8	18	1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	3.0	11	1	1	2	5	8	8	8
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	29	<1	<1	1	4	12	18	19
20-34	17	3.4	4	1	1	3	5	5	7	8
35-49	22	4.3	9	1	1	4	6	9	10	11
50-64	28	4.4	14	1	1	3	6	11	12	13
65+	39	4.7	20	1	1	4	6	10	16	19
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	6	11.8	29	2	3	12	16	17	17	17
35-49	11	10.6	70	2	3	8	14	25	27	27
50-64	9	6.3	20	1	1	9	11	56	99+	99+
65+	15	8.3	25	3	3	8	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.6	9	1	1	3	4	8	11	14
B. *Operated*	10	2.9	5	<1	<1	2	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	117	4.2	15	1	1	3	5	9	12	19
B. *Operated*	42	9.1	37	2	2	9	13	17	25	99+
1. SINGLE DX	58	3.5	9	1	1	3	4	8	10	14
2. MULTIPLE DX	159	5.5	25	1	1	4	8	13	16	27
A. NOT OPERATED	165	4.1	13	1	1	3	5	9	12	19
B. OPERATED	52	7.9	37	1	2	8	12	16	23	98
TOTAL 0-19 YRS	26	3.7	19	<1	1	2	3	11	13	19
20-34	39	4.8	19	1	1	3	5	13	15	17
35-49	43	5.9	30	1	1	4	8	11	18	27
50-64	47	4.4	14	1	1	3	7	11	12	99+
65+	62	5.5	23	1	1	4	8	13	16	19
GRAND TOTAL	217	5.0	21	1	1	3	7	12	15	25

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	34	1.6	1	<1	<1	1	2	3	4	4
20-34	3964	1.4	2	<1	<1	1	2	2	3	4
35-49	1749	1.4	1	<1	<1	1	1	2	3	4
50-64	14	1.6	1	<1	<1	1	2	3	4	4
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	1.2		<1	<1	1	1	2	2	3
35-49	23	1.4	2	<1	<1	<1	1	2	6	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	26	2.6	4	<1	<1	2	4	6	7	9
20-34	1543	1.8	2	<1	<1	1	2	4	4	6
35-49	880	1.9	2	<1	<1	1	2	4	5	7
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	5763	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	52	1.3	1	<1	<1	<1	1	2	3	7
B. *Operated*	2453	1.8	2	<1	<1	1	2	4	4	6
1. SINGLE DX	5776	1.4	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	2505	1.8	2	<1	<1	1	2	4	4	6
A. NOT OPERATED	65	1.2	1	<1	<1	<1	1	2	3	7
B. OPERATED	8216	1.5	2	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	60	2.0	3	<1	<1	1	3	4	5	9
20-34	5544	1.5	2	<1	<1	1	2	3	3	5
35-49	2656	1.5	1	<1	<1	1	2	3	4	6
50-64	18	1.4	1	<1	<1	1	2	3	4	4
65+	3	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	8281	1.5	2	<1	<1	1	2	3	3	6

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
A. *Not Operated*											
1-999	G	1	91.0		91	91	91	91	91	91	91
1000-1499		1	10.0		10	10	10	10	10	10	10
1500-1749		4	17.3	30	12	12	16	21	25	25	25
1750-2499		2190	2.7	3	1	1	2	3	5	6	10
2500+		133227	2.4	1	1	1	2	3	4	5	6
B. *Operated*											
1-999	G										
1000-1499											
1500-1749											
1750-2499		5	10.0	34	3	3	12	14	17	17	17
2500+		55	2.7	3	1	1	2	3	5	7	9
2. MULTIPLE DX											
A. *Not Operated*											
1-999	G	11	55.3	1005	8	13	73	99+	99+	99+	99+
1000-1499		167	37.5	277	15	19	35	46	61	73	99
1500-1749		260	23.3	113	9	12	22	28	36	43	64
1750-2499		4666	6.5	34	1	2	5	8	14	18	27
2500+		52903	3.3	4	1	2	3	4	5	6	10
B. *Operated*											
1-999	G	28	73.6	526	22	54	86	99+	99+	99+	99+
1000-1499		186	47.7	352	21	27	46	61	90	99+	99+
1500-1749		140	29.2	155	13	16	27	36	41	55	90
1750-2499		507	15.5	151	2	4	13	19	29	38	71
2500+		1391	7.3	63	1	2	5	8	14	21	49
SUBTOTALS:											
1. SINGLE DX											
A. *Not Operated*		135423	2.4	2	1	1	2	3	4	5	6
B. *Operated*		60	3.4	9	1	1	2	3	6	10	17
2. MULTIPLE DX											
A. *Not Operated*		58007	3.8	14	1	2	3	4	6	8	19
B. *Operated*		2252	14.7	298	2	2	8	18	41	59	99+
1. SINGLE DX		135483	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX		60259	4.2	29	1	2	3	5	6	9	29
A. NOT OPERATED		193430	2.8	5	1	1	2	3	5	5	10
B. OPERATED		2312	14.4	294	1	2	8	18	40	59	99+
TOTAL 1-999	G	40	69.0	702	13	30	85	99+	99+	99+	99+
1000-1499		354	42.8	343	18	22	40	56	77	96	99+
1500-1749		404	25.3	135	10	13	24	31	40	47	68
1750-2499		7368	6.0	42	1	2	4	7	16	18	31
2500+		187576	2.7	3	1	1	2	3	5	5	8
GRAND TOTAL		195742	2.9	11	1	1	2	3	5	6	13

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)		TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX											
A. *Not Operated*											
1-999	G										
1000-1499											
1500-1749		2	26.0	32	22	22	26	30	30	30	30
1750-2499		281	3.9	5	2	2	4	5	6	6	13
2500+		1107	3.6	3	1	2	3	5	6	7	8
B. *Operated*											
1-999	G										
1000-1499											
1500-1749		1	20.0		20	20	20	20	20	20	20
1750-2499		3	7.7	5	5	5	9	9	9	9	9
2500+											
2. MULTIPLE DX											
A. *Not Operated*											
1-999	G	2	47.0	512	31	31	47	63	63	63	63
1000-1499		37	36.8	191	17	21	35	43	53	71	72
1500-1749		103	22.9	62	12	15	22	27	33	39	50
1730-2499		779	7.7	36	2	3	6	10	15	19	30
2500+		731	4.7	8	2	2	4	5	7	8	19
B. *Operated*											
1-999	G	11	77.1	215	46	55	83	90	99+	99+	99+
1000-1499		43	44.7	193	25	30	45	94	68	92	99+
1500-1749		37	32.5	243	14	17	28	37	55	56	92
1750-2499		66	18.3	225	3	3	16	21	34	42	86
2500+		30	7.9	29	3	3	6	8	17	17	23
SUBTOTALS:											
1. SINGLE DX											
A. *Not Operated*		1390	3.7	4	2	2	3	5	6	7	10
B. *Operated*		4	10.8	42	5	5	9	15	20	20	20
2. MULTIPLE DX											
A. *Not Operated*		1652	8.0	68	2	3	5	8	18	25	42
B. *Operated*		187	29.0	494	3	5	24	43	65	86	99+
1. SINGLE DX		1394	3.7	4	2	2	3	5	6	7	10
2. MULTIPLE DX		1839	10.2	151	2	3	5	11	25	35	71
A. NOT OPERATED		3042	6.1	43	2	2	4	6	12	19	33
B. OPERATED		191	28.6	491	3	5	23	43	64	86	99+
TOTAL 1-999	G	13	72.5	350	34	44	81	88	99+	99+	99+
1000-1499		80	41.0	206	20	23	39	49	65	72	99+
1500-1749		143	25.4	125	13	15	23	30	37	47	58
1750-2499		1129	7.4	49	2	2	5	9	16	19	33
2500+		1868	4.1	6	2	2	4	5	6	7	13
GRAND TOTAL		3233	7.4	98	2	2	4	6	16	27	88

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	16	2.6	1	1	1	3	3	4	5	5
2500+	340	2.0	1	<1	1	2	2	3	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	38.0		38	38	38	38	38	38	38
1500-1749	5	17.4	18	11	11	18	19	23	23	23
1750-2499	37	6.4	37	<1	1	4	9	14	19	28
2500+	139	3.2	4	1	1	3	4	6	8	10
B. *Operated*										
1-999 G										
1000-1499	5	52.6	681	29	29	47	62	97	97	97
1500-1749	1	19.0		19	19	19	19	19	19	19
1750-2499	2	6.0	2	5	5	6	7	7	7	7
2500+	8	6.3	14	1	1	8	9	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	2.0	1	1	1	2	3	3	4	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	182	4.4	24	1	1	3	5	9	13	26
B. *Operated*	16	21.5	667	1	2	9	34	50	83	97
1. SINGLE DX	356	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX	198	5.8	95	1	1	3	5	11	19	49
A. NOT OPERATED	538	2.8	10	1	1	2	3	5	8	18
B. OPERATED	16	21.5	667	1	2	9	34	50	83	97
TOTAL 1-999 G										
1000-1499	6	50.2	581	29	30	43	50	92	97	97
1500-1749	6	17.7	15	11	12	18	19	23	23	23
1750-2499	55	5.3	28	1	1	3	7	12	16	28
2500+	487	2.4	3	1	1	2	3	4	5	9
GRAND TOTAL	**554**	**3.4**	**38**	**1**	**1**	**2**	**3**	**5**	**9**	**29**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.2		<1	<1	<1	1	2	2	2
20-34	24	2.0	2	<1	<1	1	3	4	5	6
35-49	10	3.7	18	<1	<1	<1	8	10	12	12
50-64	6	2.0	4	<1	<1	1	2	6	6	6
65+	4	5.5	33	2	2	3	9	14	14	14
B. *Operated*										
0-19 YRS	684	1.9	1	<1	<1	2	2	3	4	6
20-34	1212	2.2	3	<1	<1	2	3	4	5	9
35-49	504	2.3	3	<1	<1	2	3	4	5	8
50-64	340	2.6	5	<1	<1	2	3	5	6	10
65+	275	3.6	14	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	<1	<1	2	3	3	3	3
20-34	9	1.2		<1	<1	1	1	2	2	2
35-49	6	1.7	1	<1	<1	1	2	4	4	4
50-64	11	2.1	4	<1	<1	1	2	5	7	7
65+	4	3.0	5	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	122	2.9	5	<1	1	2	3	6	8	10
20-34	215	3.2	7	<1	1	3	4	6	9	14
35-49	124	3.2	8	<1	1	3	4	6	8	15
50-64	123	5.1	32	<1	1	3	6	11	15	33
65+	132	7.3	52	1	2	5	8	17	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.3	7	<1	<1	<1	2	5	8	14
B. *Operated*	3015	2.3	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	36	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	716	4.2	22	<1	1	3	5	9	12	26
1. SINGLE DX	3077	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	752	4.1	21	<1	1	3	5	8	12	25
A. NOT OPERATED	98	2.1	5	<1	<1	1	2	4	7	13
B. OPERATED	3731	2.7	8	<1	<1	2	3	5	7	13
TOTAL 0-19 YRS	830	2.1	2	<1	<1	2	3	4	5	8
20-34	1460	2.3	3	<1	<1	2	3	4	5	10
35-49	644	2.5	4	<1	<1	2	3	4	6	11
50-64	480	3.2	13	<1	<1	2	3	6	9	17
65+	415	4.8	29	<1	1	3	6	10	15	29
GRAND TOTAL	**3829**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	3	2.0	3	<1	<1	<1	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	21	2.5	2	1	1	2	2	5	6	7
50-64	15	1.1		<1	1	1	1	1	2	2
65+										
B. *Operated*										
0-19 YRS	8	2.6	7	<1	<1	1	3	7	9	9
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	8	5.5	48	<1	<1	4	13	68	99+	99+
50-64	20	2.8	5	<1	<1	2	4	6	7	8
65+	10	5.6	12	<1	1	6	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	41	1.9	2	1	1	2	2	3	5	7
B. *Operated*	48	3.8	15	<1	<1	2	6	10	12	99+
1. SINGLE DX	7	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX	89	2.9	9	<1	<1	2	4	7	10	68
A. NOT OPERATED	41	1.9	2	1	1	2	2	3	5	7
B. OPERATED	55	3.5	13	<1	<1	2	5	9	11	95
TOTAL 0-19 YRS	13	2.5	4	<1	<1	2	3	4	8	9
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	32	3.2	14	<1	1	2	4	8	19	99+
50-64	37	2.0	3	<1	<1	1	2	6	6	8
65+	11	5.3	12	<1	1	6	7	11	11	11
GRAND TOTAL	**96**	**2.8**	**9**	**<1**	**<1**	**2**	**3**	**6**	**10**	**63**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	744	2.2	9	<1	<1	1	2	4	6	15
20-34	1307	1.6	2	<1	<1	1	2	3	4	9
35-49	429	2.2	13	<1	<1	1	2	4	6	18
50-64	542	2.5	5	<1	<1	2	3	5	6	13
65+	419	3.5	19	<1	<1	2	4	8	11	18
B. *Operated*										
0-19 YRS	393	2.7	10	<1	<1	1	3	7	10	16
20-34	1320	3.0	12	<1	<1	2	4	7	9	16
35-49	913	3.3	13	<1	<1	2	4	8	9	15
50-64	721	3.9	26	<1	1	2	5	9	11	18
65+	606	4.1	25	<1	1	2	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1079	3.4	25	<1	<1	2	4	6	11	28
20-34	1622	5.4	60	<1	1	2	5	19	21	31
35-49	1722	5.6	59	1	1	2	5	19	21	31
50-64	3727	4.7	45	1	1	2	5	10	21	35
65+	3644	6.2	76	1	1	3	6	15	23	47
B. *Operated*										
0-19 YRS	367	5.0	50	<1	1	3	6	11	13	44
20-34	1231	4.3	43	<1	<1	2	5	9	13	42
35-49	1137	4.8	31	<1	1	3	6	10	14	29
50-64	1624	5.9	60	1	1	3	7	12	18	42
65+	1439	7.2	83	1	1	4	9	15	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3441	2.2	8	<1	<1	1	2	4	6	14
B. *Operated*	3953	3.4	17	<1	<1	2	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	11794	5.3	58	1	1	3	5	14	21	38
B. *Operated*	5798	5.6	57	<1	1	3	7	12	17	43
1. SINGLE DX	7394	2.8	13	<1	<1	2	3	7	9	16
2. MULTIPLE DX	17592	5.4	57	<1	1	3	6	13	21	39
A. NOT OPERATED	15235	4.6	48	<1	1	2	5	11	20	34
B. OPERATED	9751	4.7	42	<1	1	2	6	10	14	34
TOTAL 0-19 YRS	2583	3.2	22	<1	<1	2	3	7	10	25
20-34	5480	3.7	33	<1	<1	2	4	8	16	26
35-49	4201	4.5	38	<1	1	2	5	11	19	29
50-64	6614	4.7	44	1	1	2	5	10	18	35
65+	6108	6.1	69	1	1	3	7	14	22	46
GRAND TOTAL	**24986**	**4.6**	**46**	**<1**	**1**	**2**	**5**	**11**	**19**	**34**

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever